

GateIn User Guide



by the GateIn community , JBoss by Red Hat , and eXo Platform


edited by Scott Mumford (Red Hat), Thomas Heute (Red Hat), and Luc Texier (Red Hat)

1. Introduction	1
1.1. Related Links	1
2. Glossary	5
2.1. Portal	5
2.2. Portlet	5
2.3. Toolbar	5
2.4. Navigation	5
2.5. Gadgets	6
2.6. Modes	6
2.7. Permissions	7
3. Portlets	9
3.1. Functional Portlets	9
3.2. Interface Portlets	10
3.3. Dashboard Portlet	13
3.3.1. Using the Dashboard Workspace	13
3.3.2. Add Gadgets	16
4. Accounts	19
4.1. Register New Accounts	19
4.2. Sign In and Sign Out	21
4.2.1. Sign In	21
4.2.2. Sign Out	22
4.3. Remember User Account	23
4.4. Change Account Settings	23
4.5. Account and Password Retrieval	24
5. Portal Administration	27
5.1. Toolbar	27
5.1.1. User Actions in the Toolbar	27
5.1.2. Administration Actions in the Toolbar	28
5.2. Manage Portals	28
5.2.1. Create a New Portal	28
5.2.2. Edit a Portal	30
5.2.3. Edit Layout	30
5.2.4. Edit Navigation	32
5.2.5. Edit Properties	33
5.2.6. Delete a Portal	34
5.2.7. Change Portal Skins	34
5.2.8. Switching between Portals	36
5.3. Manage Navigation Nodes	36
5.3.1. Add a new node	36
5.3.2. Edit a node	39
5.3.3. Copy a node	41
5.3.4. Clone nodes	42
5.3.5. Cut a node	44
5.3.6. Delete a node	45

5.3.7. Change Node Order	45
5.4. Manage Pages	46
5.4.1. Adding a new Page	46
5.4.2. Edit a Page	54
5.4.3. View a Page	55
5.4.4. Delete a Page	55
5.4.5. Drag and Drop the Page Body	56
5.5. Manage Users and Groups	57
5.5.1. Manage users	57
5.5.2. Manage groups	60
5.5.3. Manage memberships	64
5.6. Manage Permissions	65
5.6.1. Set Portal Permissions	65
5.6.2. Set Page Permission	68
5.6.3. Set Access Permission on a Category	70
5.6.4. Set Access Permission on a Portlet	70
6. Language administration	73
6.1. Change Interface Language	73
6.1.1. Language for the user	73
6.1.2. Set language for a user	74
6.2. Right To Left Support	74
6.3. Multi-Language Navigation Nodes	76
6.3.1. Key Format	76
6.3.2. Creating Keys	77
6.3.3. Creating Keys using Create Page Wizard	77
6.3.4. Creating/Editing Keys using Navigation Management	77
6.3.5. Providing translation	79
7. Portlets and Gadgets Administration	81
7.1. Import Portlets and Gadgets	81
7.2. Manage Portlets and Gadgets	82
7.2.1. Display Gadgets	82
7.2.2. Add a new Category	82
7.2.3. Edit a Category	83
7.2.4. Delete a Category	83
7.2.5. Add Portlets/Gadgets to a Category	84
7.2.6. Set Access Permission on Portlets	84
7.2.7. View/Edit portlet/gadget information	85
7.2.8. Add a Gadget	86
7.2.9. Add a new Gadget to the Dashboard Portlet	88
7.2.10. Manage Gadgets	88

Introduction

GateIn 3.0 is the merge of two mature Java projects; JBoss Portal and eXo Portal. This new community project takes the best of both offerings and incorporates them into a single j2ee deployment archive. The aim is to provide an intuitive user-friendly portal and a framework to address the needs of today's Web 2.0 applications.




This book introduces and provides detailed information about most features and capabilities of GateIn 3.0 such as user/group management and access permissions, using portlets and changing basic interface objects such as skins, language and page orientation.

Refer to [GateIn 3.0 Reference Guide](http://www.jboss.org/gatein/documentation.html) [http://www.jboss.org/gatein/documentation.html] for detailed information on all aspects of the project.

1.1. Related Links

- GateIn homepage: www.gatein.org [http://www.gatein.org]






- GateIn videos: www.jboss.org/gatein/videos.html [http://www.jboss.org/gatein/videos.html]



- GateIn documentation: www.jboss.org/gatein/documentation.html [http://www.jboss.org/gatein/documentation.html]
- GateIn downloads: www.jboss.org/gatein/downloads.html [http://www.jboss.org/gatein/downloads.html]







JBoss Community [Home](#) [Members](#) [Projects](#) [Products](#) [Login](#) [Register](#) [Cool Stuff](#)

 **GateIn** The best of eXo and JBoss Portals  

[Overview](#) [Downloads](#) [Documentation](#) [Community](#) [Issue Tracker](#) [Source Code](#) [Build](#)

GateIn Portal - Downloads

Downloads

Name	Version	Release date	License	Release notes	Download
GateIn 3.0.0 CR1 with JBoss AS 5.1.0 JDK6 (zip)		2009-02-17	LGPL		Download  Downloads: 6436
GateIn 3.0.0 CR1 with JBoss AS 5.1.0 JDK6 (tar.gz)		2009-02-17	LGPL		Download  Downloads: 6436
GateIn 3.0.0 CR1 with Tomcat 6.0.20 (zip)		2009-02-17	LGPL		Download  Downloads: 6436
GateIn 3.0.0 CR1 with Tomcat 6.0.20 (tar.gz)		2009-02-17	LGPL		Download  Downloads: 6436
GateIn 3.0.0 CR1 sources (tar.gz)		2009-02-17	LGPL		Sources  Downloads: 6436
GateIn 3.0.0 CR1 sources (zip)		2009-02-17	LGPL		Sources  Downloads: 6436

Note: Downloads counter is updated once per day.

Important Links

- [eXo Platform](#)
- [JBoss Portal](#)
- [JBoss + eXo FAQ](#)

Projects

- [GateIn Portal](#)
- [GateIn Portlet Container](#)
- [eXo JCR](#)
- [JBoss Portlet Bridge](#)

Glossary

2.1. Portal

An enterprise portal is a Web application that provides means to aggregate and personalize information via application-specific portlets.

Users and administrators are able to integrate information, people and processes across organizational boundaries via a web-based user interface.

The framework enables aggregation of enterprise content and business applications with flexible management and personalization options.

2.2. Portlet

A portlet is a small, self-contained web application. Portlets are managed and displayed within a Portal. Typically, a *portal* page is displayed as a collection of non-overlapping *portlet* windows, with each portlet window displaying a different portlet. Hence a portlet (or collection of portlets) resembles a web-based application hosted in a portal.

Portlets can be configured to generated differing content and GateIn 3.0 has a number of default portlets that can be used in any portal built in the application.

2.3. Toolbar

The Toolbar spans the top of the portal application and provides links to user and administrative actions.



This screenshot displays three Navigations referred to in [Section 2.4, "Navigation"](#) as well as the main Menu button (on the far left of the toolbar) and the name of the current user (on the far right).

In this example the current user is the site administrator, hence the extra "Site Editor" menu.

2.4. Navigation

Portal navigations are menus that contain hyperlinks to other parts of a Portal. They can help users to visualize the structure of a site. The default navigation menus in GateIn 3.0 are located in the Toolbar ([Section 2.3, "Toolbar"](#)).

There are three navigation types.

Site

This navigation links to separate sites of the parent Portal. Each site has only one navigation and it is automatically generated when the site is created.

This functionality allows different sites to administer some Portal aspects (such as portlets) individually while maintaining other content standardized with the parent Portal.

Group

The content of this navigation differs depending on the type of account logged in.

- If a user account is in effect, this navigation holds personal links set up by that user.
- When using a management account, this navigation contains links to pages for registered users as well as administrative tasks and personal links.
- In an administrator account the navigation adds further management abilities such as Internationalization and community management.

Dashboard

Each user has own navigation 'Dashboard' that contains links and portlets (or gadgets) that the user has selected. A user's navigation is created automatically when user is registered. This navigation only can be deleted when the user is deleted.

When logged in as an Administrator, a fourth navigation appears in the Toolbar:

Site/Group Editor

This navigation appears as either **Site Editor** or **Group Editor** depending on the administrator's location within the portal.

When in areas of the portal displaying content, the navigation shows as **Site Editor** and in areas of the portal pertaining to users, the navigation shows as **Group Editor**.

This navigation contains links to add a new pages to the portal, to edit a page or to change the portal's layout. Administrators can use these links to manage the portal.

2.5. Gadgets

A gadget is a customizable mini web application that portal users may add to their web pages.

For more information about the gadgets shipped by default with GateIn 3.0, please check out [Section 3.3.1, "Using the Dashboard Workspace"](#)

2.6. Modes

By default GateIn 3.0 offers two access **modes**:

Public

This mode is for guest users who are not registered with the Portal. It does not require a log in and restricts the visitor to the public pages in the portal. Visitors can register an account to gain access to the restricted pages. After being registered, they can use the Private mode but must still contact the Portal administrator to get more rights or a group manager to become a member and gain access a group.

Private

This mode is for registered users only. Users set a username and password during registration which they can then use to sign in. This mode offers users more site privileges. Registered users can manage private resources (creating, editing or deleting private pages), "borrow" pages from other users by creating hyperlinks and change the language for individual needs.

2.7. Permissions

Permission settings control what users can and cannot do within the portal and are set by portal administrators.

Permission **types** dictate what a user can do within the portal. Two permission types are available as follows:

Access

This permission type allows users to utilize portal content, that is; sign in, rearrange portlets, etc. This permission can be set for multiple member groups.

Edit

This permission type allows users to change portal content. This includes actions such as changing page information, deleting pages etc. The *edit* permission is set for only one group at a time.

Permission **levels** dictate *where* in the portal the user's permission type applies. There are three permission levels:

Portal

The portal permission level includes all pages within the portal. Therefore, a user with the **access** permission type can view (but not edit) all the pages within the portal. A user with **edit** permission at the portal level, can change any page in the portal.

Page

The page permission level restricts the user to particular pages. Users are only able to see and/or edit (depending on their permission **type**) pages they have been given access to.

Portlet

The portlet permission level allows users to create a page by dragging and dropping portlets into a page. Some portlets are only used for administrators while some are used for individuals thus administrators have to set the appropriate access permissions.

Permission **types** and **levels** can be used to effectively control who can do what within the portal. For more information on setting permissions refer to [Section 5.6, "Manage Permissions"](#)

Portlets


3.1. Functional Portlets

Portlets are pluggable user interface components that are managed and displayed within a portal. Functional Portlets support all functions of a Portal. They are built into the portal and are accessed via toolbar links as required when actioning portal tasks.

GateIn 3.0 provides the following portlets by default:

Account Portlet


The Account Portlet allows users to register a new account and choose a preferred language for displaying the Portal interface.



The Account Portlet interface features a window titled "Account Portlet" with two tabs: "Account Setting" (selected) and "User Profile". Below the tabs are six input fields, each followed by an asterisk (*): "User Name", "Password", "Confirm Password", "First Name", "Last Name", and "Email Address". A magnifying glass icon is positioned to the right of the "User Name" field. At the bottom of the form area are two buttons: "Save" and "Reset". The status bar at the bottom left displays the word "Done".

Organization Portlet

The Organization Portlet is used to manage user information, groups of users and groups memberships.




The Organization Portlet interface features a window titled "Organization Portlet" with three tabs: "User Management" (selected), "Group Management", and "Membership Management". Below the tabs is a search bar with the label "Search:" and a dropdown menu set to "User Name". Below the search bar is a table with five columns: "User Name", "Last Name", "First Name", "Email", and "Action". The table contains four rows of user data. Each row in the "Action" column has two icons: a magnifying glass and a trash can. The status bar at the bottom left displays the word "Done".

User Name	Last Name	First Name	Email	Action
demo	exo	Demo	demo@localhost	
john	Anthony	John	john@localhost	
marry	Kelly	Marry	marry@localhost	
root	Root	Root	root@localhost	


Application Registry Portlet

The Application Registry Portlet is used to manage different application categories. You can add, edit, set permissions and delete a category and its applications.



Star Toolbar Portlet

The Star Toolbar Portlet is used to change the default language, the skin of the portal or to sign out.



3.2. Interface Portlets

The Interface Portlets are the front-end components of the Portal. They provide ways for users to interact with the portal. GateIn 3.0 provides the following Interface Portlets:

Banner Portlet



This Portlet contains the organization's slogan, logo, and icons.

HomePage Portlet

This Portlet is the home page for a portal. The home page is the first page displayed when you visit the site.



Navigation Portlet

This Portlet provides a navigation bar. A navigation bar is a menu that helps users to visualize the structure of a site and provide links to quickly move from page to page.




Sitemap Portlet

This Portlet displays a site map page of a web site. It lists pages on a website, typically organized in hierarchical fashion.




Breadcrumbs Portlet

This Portlet displays the 'path' the user has taken from the home page to arrive at the current page.



Dashboard Portlet

This portlet is used for hosting mini-applications known as gadgets. The dashboard uses a variety of graphical effects for displaying, opening, and using gadgets.




Refer to [Section 3.3, “Dashboard Portlet”](#) or [Chapter 7, Portlets and Gadgets Administration](#) for more information.

Iframe Portlet

This Portlet is used to create inline frames (IFrame) elements for a site. An IFrame is a HTML element which can embed another document into a parent HTML document. By using IFrames, embedded data is displayed inside a sub-window of browser.

Gadget Wrapper Portlet

This Portlet allows users to view a gadget in canvas mode.



Footer Portlet


This Portlet provides the footer for a site. This footer provides information or links about the site's author/institutional sponsor, the date of the last revision made to the site, copyright information, comments form and navigational links.

Copyright © 2009. All rights Reserved, eXo Platform SAS and Red Hat, Inc..

3.3. Dashboard Portlet

The Dashboard portlet is used for hosting mini applications known as gadgets. The Dashboard uses a variety of graphical effects for displaying, opening and using gadgets.


Gadgets within the Dashboard portlet can be moved and rearranged. New gadgets can be created and unnecessary ones deleted. More than one instance of the same gadget can be opened at the same time and each instance of the same gadget can have different settings. The gadgets instances are completely independent.




3.3.1. Using the Dashboard Workspace

1. Click on **Dashboard** in the toolbar to access the Dashboard portlet.
2. Click on **Add Gadgets** to open the Dashboard Workspace.


The active Dashboard can be individually named by clicking on the default name ("*Click and Type Page Name*")...



...and entering a new name:




The Dashboard Workspace lists all available gadgets. Four gadgets are provided by default with GateIn 3.0, however you can add many more.



Default Gadgets:

Calendar

The calendar gadget allows users to switch easily between daily, monthly and yearly view and, is customizable to match your portal's theme.




ToDo

This application helps you organize your day and work group. It is designed to keep track of your tasks in a convenient and transparent way. Tasks can be highlighted with different colors.



Calculator

This mini-application lets you perform most basic arithmetic operations and can be themed to match the rest of your portal.



RSS Reader

An RSS reader, or aggregator, collates content from various, user-specified feed sources and displays them in one location. This content can include, but isn't limited to, news headlines, blog posts or email. The RSS Reader gadget displays this content in a single window on your Portal page.



More Gadgets

Many more gadgets can be found at [Google Gadgets](http://www.google.com/ig/directory?synd=open) [http://www.google.com/ig/directory?synd=open]. GateIn 3.0 is compatible with most of the gadgets available there.



3.3.2. Add Gadgets

To add more gadgets from external sources:

1. Obtain the URL (.xml or .rss) of the gadget you wish to add from the gadget source.

The gadgets available at [Google Gadget](http://www.google.com/ig/directory?synd=open) [http://www.google.com/ig/directory?synd=open] provide a link to **View source**. Clicking on this link will open a page showing the gadget's XML source. Use the URL of this page in the Dashboard Workspace. The URL should end with .xml

For example:

 <http://widgets.clearspring.com/cscallback/gallery/4920a0df9f15b805/googlegallery.xml> 




URL Types


Remote gadgets can be only created using an .xml link or RSS URL. However, if you use a link that generates an RSS feed (for example: <http://feeds.feedburner.com/gatein>), a new RSS reader gadget will be created automatically even if the URL does not end with .rss.

2. Return to your portal and click **Dashboard** in the toolbar.
3. Click on **Add Gadgets** in the Dashboard to open the Dashboard Workspace.


 **Add Gadgets**




4. The Dashboard Workspace dialog appears:



5. Paste the URL obtained in step 1 into the text box above the gadget list.



6. Click on the **plus** icon to add the new gadget to the page.



Accounts

4.1. Register New Accounts

Unregistered users visiting the portal are limited in the content they can see.

Users who need access to deeper content or who need to perform actions within the portal should register themselves and then contact the portal administrator to gain appropriate access permissions to their account.

Users can quickly and easily register a new account for themselves.

1. Click **Register** on the Navigation bar.



The **Register New Account** page appears:

A screenshot of the 'Register New Account' form. The form is titled 'Register New Account' in a grey header. It contains six input fields with labels: 'User Name:', 'Password:', 'Confirm Password:', 'First Name:', 'Last Name:', and 'Email Address:'. Each field has a small asterisk icon to its right, indicating it is required. The 'User Name' field also has a magnifying glass icon. At the bottom of the form are two buttons: 'Subscribe' and 'Reset'.

The required information includes:

User Name

The name used to log in.

Password

The password must be between 6 and 30 characters and can contain spaces.

Confirm Password

Re-type the password above. The *Password* and *Confirm Password* fields must be the same.

First Name

The user's first name.

Last Name

The user's last name.

Email Address

The user's email address. This must be in the appropriate format. For example:
username@abc.com.

2. Fill in the form.
3. Click the 'find' icon beside the user name field to check whether the chosen username is available.
4. Enter the text next to `verification:` into the text box that appears below it:

The image shows a verification step. At the top, the text '3df48' is displayed in a large, bold, black font. A diagonal line is drawn across the text from the bottom left to the top right. Below this, there is a rectangular text input box with a thin border. To the right of the input box, there is a small asterisk icon.

5. Click **Subscribe** to register a new account or **Reset** to refresh all entered values. You cannot add a new account if one of the following cases occurs:
 - The chosen **User name** already exists or is invalid.
 - The **Password** has less than 6 characters or more than 30 characters.
 - The **Password** and **Confirm Password** fields are not the same.
 - The **Email Address** format is not valid.
 - A required field (or fields) is empty.

After adding a new account, you should contact the administrator to set appropriate permissions on your account.

**Note**

Be sure you enter your email address carefully. Should you forget your user name or password, you can recover it from this email address.

4.2. Sign In and Sign Out

In order to enter the portal in private mode, you should use the account previously registered.

To sign in to a portal, users must complete the **Sign in** form. This form contains the following elements:

User name

The registered user name.

Password

The registered password.

Remember My Login

Check this box to avoid log in every time

Forgot your User Name/Password?

To follow some steps to get the forgotten user name or password. Please refer [Portal:Account and Password Retrieval] for more details.

Sign in


To sign into GateIn 3.0 with user name and password.

Discard

Close the Sign In form without logging in.

4.2.1. Sign In

1. Go to your portal by entering the URL into the address bar of your browser (For example <http://localhost:8080/portal>).
2. Click the **Sign in** link at the top right of the page if you are current in the Classic portal. The **Sign in** form appears:

A screenshot of the GateIn 3.0 'Sign in' form. The form is titled 'Sign in' in blue text. It features a stylized white figure of a person on the left. To the right of the figure are two input fields: 'User name' and 'Password', each with a small icon and an asterisk. Below these fields is a checkbox labeled 'Remember My Login'. A link 'Forgot your User Name/Password?' is displayed in orange text. At the bottom are two buttons: 'Sign in' and 'Discard'.

3. Input your registered **User name** and **Password**.
4. Select the **Remember My Login** check box when you sign in GateIn 3.0 at the first time if you want to automatically return to GateIn 3.0 without signing in again. You can see [Section 4.3, "Remember User Account"](#) for more details.
5. Click the **Sign in** button to submit the form or **Discard** to escape.

If the user name does not exist or the user name and/or password is invalid an alert message will appear. To attempt the log in again; click the **OK** button on the alert message to be returned to the Sign In form. Enter the user name and password again.


After signing in, you will be redirected to the homepage and welcomed with your full name in the top right corner of the page.



4.2.2. Sign Out


This feature ends the authenticated session and returns the user to the anonymous portal.

1. In the upper left corner of the screen, hover your cursor over the GateIn 3.0 icon. A drop down menu will appear.
2. Click **Sign out** :



4.3. Remember User Account

Users who return to GateIn 3.0 regularly can be automatically authenticated to avoid performing an explicit authentication each time they access the portal.

The image shows a 'Sign in' dialog box for GateIn 3.0. It features a stylized white key icon on the left. The form contains two input fields: 'User name' and 'Password', both marked with an asterisk. Below these fields is a 'Remember My Login' checkbox, which is currently checked. To the right of the checkbox is a link that says 'Forgot your User Name/Password?'. At the bottom of the form are two buttons: 'Sign in' and 'Discard'. The background of the dialog is light gray, and the title bar says 'Sign in'.

1. Input your registered user name and password.
2. Select the **Remember My Login** check box when logging in GateIn 3.0 at the first time.
3. Click the **Sign in** button to sign in the portal.


Do not sign out when you leave the portal and you will be automatically authenticated next time you visit it.

4.4. Change Account Settings

To change your account information, click on the account name in the top navigation bar:



The **Account Profiles** form will appear:


The image shows a 'Change Password' dialog box with a tabbed interface. The 'Account Profiles' tab is selected. The form contains four input fields: 'User Name' (with 'mary' entered), 'First Name' (with 'Mary' entered), 'Last Name' (with 'Kelly' entered), and 'Email' (with 'mary@localhost' entered). Each field has an asterisk to its right. Below the fields are 'Save' and 'Reset' buttons. At the bottom of the dialog is a 'Close' button.

To change your Account Profile information:

1. Select the **Account Profiles** tab.
2. Your **User Name** cannot be changed. You can change your: **First Name** , **Last Name** and **Email**.
3. Once the desired changes have been made, click the **Save** button to submit them.

If you want to change your **Password** :

1. Select the **Change Password** tab, it will display the following form:




2. Input your current password to identify that you are the owner of this account.
3. Input your new password, it must have at least 6 characters
4. Re-enter your password in the **Confirm New Password** field.
5. Click the **Save** button to accept changes.

4.5. Account and Password Retrieval


You can recover your username or password should you forget them by following these steps:

1. Click the link '**Forgot your User Name/Password?**'



2. This form offers two options:

- **Forgot my password.**
- **Forgot my username.**



Why are you are not able to login ?

We apologize for any inconvenience you're experiencing by not being able to access this website. To resolve this issue as quickly as possible, please follow the troubleshooting steps below.

1. Recover your password: enter **your username** then click send.
2. Recover your username: enter **your email address** then click send.

☐ Forgot my password

☒ Forgot my username

Next Back

Select the appropriate option and click **Next**.

3. You will be prompted to provide identification information depending on which option you selected:

- If you selected the **Forgot my password** option you will be prompted for your username:




Forgot User Name/Password

User name :

Send Back

- If you selected **Forgot my username** you will be prompted for your email address.



Forgot User Name/Password

Email :

Send Back

After you submit the form an email will be send to your email address with the requested information, either your username or password.

If you forgot your password you will be sent a new (temporary) password. Your original password will not be valid after this email is sent. You will be directed to a page to update your password the next time you sign in.

Portal Administration

5.1. Toolbar


The Toolbar offers a convenient way for users and administrators to execute tasks within the portal quickly and easily.



5.1.1. User Actions in the Toolbar

User Menu

You can use the main menu (located under the product icon) to change the language or skin used in the portal or to sign out.




Site

The Site navigation function shows the different sites available in this Portal and allows users to directly edit the navigation tree.




Group

Using the Group navigation function users can easily see and access pages in the Portal.



Dashboard

You can use the Dashboard to create your own pages of gadgets.




The name shown in the image above is the default and can easily be overtyped when the Dashboard is open.

5.1.2. Administration Actions in the Toolbar

Editor

Portal Administrators have access to another navigation that allows them to; add a new page to the current portal, edit a particular page's properties or to change a page's layout.

This navigation appears next to the Dashboard navigation in the Toolbar and is contextually-named. It will appear as either **Site Editor**, **Dashboard Editor** or **Group Editor** depending on the user's location within the portal.




5.2. Manage Portals


5.2.1. Create a New Portal

Creating a new portal requires access credentials that only an administrator may set up.


1. Click on **Site** in the toolbar then click the **Add New Portal** button.



2. This opens the **Create New Portal** window which contains the **Portal Templates** tab. By default, the template used in new portals is 'Classic'.



Select the **Portal Setting** tab.



3. Enter a string for the **Portal Name** field. This field is required and must be unique. Only alphabetical, numerical and underscore characters are allowed for this field and the name must have at least 3 characters.
4. Select the default display language for the portal.

5. Select a skin for a portal.
6. Click on the **Properties** tab to fill in the **Keep session alive** property. There are 3 options:

Never

The session will never timeout, even if an application requests it.

On-demand

The session will timeout if an application requests it

Always

The session will time out after a set period.

7. Click on the **Permission Setting** tab and set the permissions for the Portal.

The access permissions list for the portal is empty by default. You have to select at least one or tick on the **Make it public** check box to assign access permission to everyone.


8. Click **Save**

You also can edit or delete a portal. See [Section 5.2.2, “Edit a Portal”](#) or [Section 5.2.6, “Delete a Portal”](#) for more details.

5.2.2. Edit a Portal


An administrator can change many aspects of a portal:

Click **Site** on the Toolbar. A list of active portals will appear:




5.2.3. Edit Layout


To edit the layout of a portal, click the *Edit Layout* key beside the active portal you wish to edit:



New applications, containers or gadgets can be dragged from the **Edit Inline Composer** window (inset on the right of the screen) onto the main portal body.




Elements already in place in the portal body can be rearranged or removed as required. Use the relevant button in the overlay that appears when you mouse-over each element:




5.2.4. Edit Navigation

The portal navigation can be edited by clicking **Site** in the **Toolbar** and selecting the *Edit Navigation* link next to the portal you wish to edit:




The *Navigation Management* window appears:




More information about actions possible in this window can be found in [Section 5.3, “Manage Navigation Nodes”](#)

5.2.5. Edit Properties

Portal properties such as language, skin and permissions can be set by clicking on **Site** in the **Toolbar** and selecting the *Edit Portal Properties* link for the portal you wish to edit:



The various tabs available in the edit properties window give access to the properties that can be edited for the chosen portal:




The screenshot shows a window titled 'Portal Setting' with three tabs: 'Portal Setting' (selected), 'Properties', and 'Permission Setting'. The 'Portal Setting' tab contains three input fields: 'Portal Name' with the value 'classic' and an asterisk, 'Locale' with the value 'English' and an asterisk, and 'Skin' with the value 'Default'. At the bottom of the window are 'Save' and 'Cancel' buttons.

Click on **Save** or **Cancel** to either set or discard any changes you have made in the portal.

5.2.6. Delete a Portal

1. To delete a portal click on the Delete icon beside the portal you no longer require.

The confirmation message will appear:



2. Click **OK**


5.2.7. Change Portal Skins

Skins are graphic styles used to provide an attractive user interface. Each skin has its own characteristics with different backgrounds, icons, and other visual elements.


Skins can be changed temporarily (and are reset at log-out) or permanently.

Change the skin temporarily

1. Mouse over the Start menu and click on **Change Skin**.




2. Select a new skin from the Skin list. By clicking on the skin name a picture will appear in the preview pane.



3. Click **Apply** to apply to the portal.

Change the skin permanently

1. Click on **Site**, then **Edit Portal's Properties**.
2. In the **Portal Setting** tab, select another skin **Skin** list



3. Click **Save** then **Finish**.

More information about adding skins to a portal can be found in the Reference Guide for this product.

5.2.8. Switching between Portals

Mouse over **Site** on the Toolbar for a list all portals in which you have at least access rights:




Users switch between Portals by clicking on the desired portal. Please wait a few seconds for the change to take effect.

5.3. Manage Navigation Nodes

If you are the portal administrator (or the administrator has granted you the appropriate permission privileges) you can execute all actions related to portal nodes. These actions include adding new nodes or editing, copying, moving, deleting or cloning existing nodes.

5.3.1. Add a new node

1. Click on **Site** then click on **Edit Navigation** of the portal you want to modify.



2. Select a node from list (to create a new node like sub-node of the selected node) or click the **Up** icon to create a new node at the root level of the portal.
3. Right-click on the selected navigation or node and select **Add new Node** option. The **Add new node** form appears:

The **Page Node Setting** tab includes:

Uri

An identification of the node. The Uri is automatically created after adding a new node

Node name

The name of the node. This field is required and must be unique. Only alpha, digit and underscore characters are allowed for this field and it must have at least 3 characters.

Label

The display name of the node on the screen. This field is not required and may be changed. This field must have a length between 3 and 120 characters.

Visible

This check box allow to hide (and show) the page and its node at the navigation bar, the page navigation and the site map

Publication date & time

This option allows publishing this node for a period of time. *Start Publication Date* and *End Publication Date* only appear when this option is selected.


Start Publication Date

The start date and time to publish the node.

End Publication Date

The end date and time to publish the node.

In the **Page Selector** tab, you can select a page or not for this node.



The screenshot shows a web interface with three tabs: "Page Node Setting", "Page Selector" (which is active and highlighted with a yellow border), and "Icon". Below the tabs is a section titled "Current Selected Page Info" with an information icon. Inside this section, there is a light blue box containing the following text: "Page Id: portal::classic::page5170499", "Name: page5170499", and "Title: ddd". To the right of this text is a document icon with a blue checkmark. Below the light blue box are two buttons: "Clear Page" (with a trash can icon) and "Search and Select Page" (with a green checkmark icon). At the bottom of the entire interface are two buttons: "Save" and "Cancel".

Page Id

The identification string of the page.

Name


The selected page's name.

Title

The selected page's title.

You do not have to enter values in these fields. They are automatically populated after selecting an existing page by clicking the **Search and Select Page** button.


The **Select a page** form appears:




This window lists of all existing pages, each displayed with basic information. You can follow this guide to select a page for creating a node:

Select a page from list or search a specific page :

1. Enter a search term related to the page which you want to search for:



2. Choose the field you wish to search in:




3. Click the 'find' icon to perform the search. All pages matching with search term will be listed.
4. Click the OK icon on the row of the page you wish to select.
5. After selecting a page, the details of this page will be displayed in the **Page Selector** form.

After configuring the page node settings, the page selector and the node's icon, click the **Save** button to accept or the **Cancel** button to quit without creating a new node.

5.3.2. Edit a node

1. Click on **Site** then click on **Edit Navigation** of the portal you want to modify.
2. Right-click on the selected node and select **Edit this Node** option.



This will display a form to edit this node:

The screenshot shows the 'ADD/EDIT PAGE NODE' window. It has three tabs: 'Page Node Setting' (selected), 'Page Selector', and 'Icon'. The 'Page Node Setting' tab contains the following fields:

- Uri: home
- Node Name: home (dropdown menu)
- Label: Home
- Visible: ☒
- Publication date & time:

At the bottom of the window, there are 'Save' and 'Back' buttons.

3. In the **Page Node Setting** tab you can change the value of these fields:


- Label
 - Visible
 - Publication Date & time
4. After you finish making the desired changes, click the **Save** button to accept changes or **Cancel** button to exit without change.
 5. In the **Page Selector** tab you can also search and select another page for this node by clicking the **Search and Select Page** button.

You can see more details on how to select a page for a node in [Section 5.3.1, “Add a new node”](#).


After you finish edit any another page required for this node, click the **Save** button to accept changing or **Cancel** button to leave without saving any changes.

5.3.3. Copy a node

1. Click on **Site** then click on **Edit Navigation** of the portal you want to modify.
2. Right-click on the selected node and select **Copy node** option.



3. Select the position that you want to paste this node and select **Paste Node** option. Click the mark icon to **Save**.




5.3.4. Clone nodes

The **Clone node** function allows you to copy a node.


The differences between **clone node** and **copy node** is that the clone node has its own page and which has the same content as the selected node.

Therefore there will be a new page that has the same name as the cloned node's page shown in the page list when you access **Manage Pages**.

1. Click on **Site** then click on **Edit Navigation** of the portal you want to modify.
2. Right-click on selected node and select **Clone node** option.




3. Select the position that you want to paste this node and select **Paste Node** option. Click the mark icon to **Save**.




The new pages will appear in the page lists:

5.3.5. Cut a node

1. Click on **Site** then click on **Edit Navigation** of the portal you want to modify.
2. Right-click on the selected node and select **Cut node** option.




3. Select the position that you want to paste this node and select **Paste Node** option. mark icon to **Save**.




5.3.6. Delete a node

1. Click on **Site** then click on **Edit Navigation** of the portal you want to modify.
2. Right-click on the selected node and select **Delete node** option.




It will display an alert message confirming the removal of the node. Click the **OK** button to accept the deletion or **Cancel** button to quit without deleting the node.



5.3.7. Change Node Order

You can easily change the position of nodes in the navigation bar following these steps:

1. Click on **Site** then click on **Edit Navigation** of the portal you want to modify.
2. Select the node that you want to move. Right click on the selected node and then click on **Move up** or **Move down**



3. The selected node will be moved up or down within the list.


5.4. Manage Pages

5.4.1. Adding a new Page


5.4.1.1. Adding a new Page using Page Creation Wizard

A page creation wizard is available to administrators in order to create and publish portal pages quickly and easily.

1. Mouse over **Site Editor** then select **Add New Page**.



2. The wizard window is divided into two sections: the left pane contains the existing page/node hierarchy and the right pane displays the **Page Editor**.
3. In the left pane, you can navigate up and down the node/page structure:



4. In the right pane are the required parameters for a new page:

Current Selected Page Node

The path of the selected node to add a new sub page

Node Name

The node name of the added page. It is required field. This field must start with a character and must have a length between 3 and 30 characters.

Display Name

The display name of the node which contains the added page and must have a length between 3 and 30 characters.

Visible

This checkbox toggles the global visibility of this page.

If checked the page or the page node appears on on the navigation bar, the page navigation and the site map. If "visible" is checked the visibility depends on the "publication date & time" attribute.

If unchecked the page is not shown under any circumstances, even if the publication period valid.

Publication date &time

This option allows publishing the page for a period of time. If this option is checked the visibility of the page depends on the publication period start and end date.

Start Publication Date

The start date and time to publish the page

End Publication Date


The end date and time to publish the page.




Setting Time and Date

You can set date and time by clicking the **Start Publication Date** field and **End Publication Date** field and select a date in the calendar pop up

5. Click **Next** or number '2' of the wizard steps to go to step 2.



6. Select **Empty Layout** or click the icon to see more templates to select.
7. Click the **Next** button or number '3' of the wizard step to go to step 3. You can drag portlets from the popup panel into the main pane to create the content of this page.



Applications

Allows listing all existing portlets

Containers

Allows listing all existing containers































Switch View mode





Allows viewing a page in preview mode

8. Click the **Show Container** icon if you want to see the existing containers and re-select the layout of the page. You can click on the **Switch** icon to view the content of this page.
9. Click **Save** to accept creating a new page, **Back** button to return the previous step or **Abort** button to quit without creating a new page.

5.4.1.2. Adding a new Page using Page Management

1. Mouse over **Group** in the Toolbar, highlight **Administration** then select **Page Management**.


Page Id	Title	Access Permission	Edit Permission	Action
user::root::aaa	aaa			  
group::platform/administrators:	Community Management	{ "manager:/platform/administra	manager:/platform/administrato	  
group::platform/users::dashbo	Dashboard	{ "*/platform/users" }	*/platform/administrators	  
portal::classic::homepage	Home Page	{ "Everyone" }	*/platform/administrators	  
group::platform/administrators:	Internationalization	{ "manager:/platform/administra	manager:/platform/administrato	  
group::platform/guests::link	Link	{ "*/platform/guests" }	*/platform/administrators	  
group::organization/managemen	Organization Management	{ "*/organization/management/	manager:/organization/manag	  
group::platform/users::mylink-b	Blog	{ "*/platform/users" }	*/platform/administrators	  
group::platform/users::mylink-f	FaceBook	{ "*/platform/users" }	*/platform/administrators	  
group::platform/users::mylink-g	Google	{ "*/platform/users" }	*/platform/administrators	  

Total pages: 3   1 2 3  

[Add New Page](#)

2. Click on **Add New Page**.

3.



▼ Page Setting ► Page Layout

Page Id :

Owner type: ▼

Owner Id:

Page name:

Page title :

Show Max Window : ☐

Save Cancel

Page Id

A string that identifies the page. It is automatically generated when you finish creating the page.

Owner type

If the page **Owner type** is *portal* the page is created for a portal. Therefore only users who have *edit* permissions on the portal level can create this page type.

The name of the current portal is automatically selected for **Owner id** ensuring the edit permissions are assigned to users who can edit the current portal.

If the page **Owner type** is *group* the page is created for a group. Therefore only users who have *manager* permissions for that group can create this page type.

The screenshot shows a 'Page Setting' dialog box with two tabs: 'Page Setting' (selected) and 'Page Layout'. The 'Page Setting' tab contains the following fields and controls:

- Page Id :** A text input field.
- Owner type:** A dropdown menu with 'user' selected.
- Owner Id:** A text input field with 'root' entered.
- Page name:** A text input field with an asterisk (*) indicating it is required.
- Page title :** A text input field.
- Show Max Window :** A checkbox that is currently unchecked.

At the bottom of the dialog box are two buttons: 'Save' and 'Cancel'.

Owner Id

The name of the page owner. When the owner type is set to *group*, a list of groups will allow you to select one user as the 'owner'.

Page Name

The name of the page. This is a required field and must be unique. Only alphabetical, numerical and underscore characters are allowed to be used for this field and the name must be at least 3 and no more than 30 characters in length.


Page title

The title of the the page. This is an optional field. If you choose to add a title to the page it must be at least 3 and no more than 30 characters in length.

Show Max Window

The option allows users to choose whether the page is shown at maximum size or not.

4. Enter values for fields in the **Permission Setting** tab



Access Permission

The content of this tab is identical to the **Owner type** field in the **Page Setting** tab. Therefore, all users having access rights for the type selected in the **Owner type** field will appear in this tab. But users can also change the value of this tab.

Check the check box if you want to share access with everyone or click the **Add Permission** button to assign permission on group level, then select a group and membership or click the trash can icon to remove a group from the list.

The screenshot shows the 'Access Permission' tab with a sub-tab 'Edit Permission'. Below the tabs is a checkbox labeled 'Make it public(Everyone can access):'. Below that is a table with three columns: 'Group Id', 'Membership Type', and 'Action'. The table contains one row with the values '/customers', '*', and a trash icon. Below the table is a button labeled 'Add Permission'.

Group Id	Membership Type	Action
/customers	*	

Edit Permission

The content of this tab depends on the value of the **Owner type** field in the **Page Setting** tab.

If the **Owner type** is "group", edit permission is assigned to users who are "manager" of the group that is selected in **Owner id**. You can only change this value when editing the page.

The screenshot shows the 'Edit Permission' tab. It contains a box titled 'Current Selected Permission Info' with the following information: Group Id : /customers, Membership : manager.

Current Selected Permission Info

Group Id : /customers

Membership : manager

5. Click **Save**.

5.4.2. Edit a Page

1. Mouse over **Group** in the Toolbar. Highlight **Administration** and then click on **Page Management**.
2. Click the edit icon on the row of page you want to edit in the existing page list.
Click the edit icon to show a form to edit page properties.
3. The properties presented in the **Page Properties** window are the same as those outlined in [Section 5.4.1.2, "Adding a new Page using Page Management"](#).

Permission Setting

This form is supported for pages with *group* or *portal* ownership types. Because a user page is private, no user, other than the creator, can access or edit it.

Permission on each page is set in two levels: **Access right** and **Edit right**.

Access right

The page **Access right** can be set to specific user groups or set to everyone (this includes unregistered users).

Current access permissions on page are listed and you can remove permissions (by clicking the delete icon) or add further permission (by click the **Add Permission** button).

Populating the **Make it public** check box will allow all users (registered or unregistered) to access the page.

Edit right

The **Edit right** allows users to change information on a page. **Edit right** only is set for a group of users.

Edit right can be set for one specific membership type within a particular group (* allows every membership type in a group). If you want to re-assign this right to another group, click **Select Permission** to choose another one.

4. Editing page container layout

Click the Show Container icon to show current container layout of selected page on your right and all the container layouts list on the left pane.

If you want to change the current layout, select a layout type from the list on the left pane, then drag the template you want into the right pane. The new container will be displayed on the right pane.

You can change the position of the current container by dragging it to another place on the right pane or remove it completely by clicking the delete icon in the right corner.

5. Editing page portlet layout

Click the Show Portlet icon to show current portlet layout of page.

If you want to change the current layout, select a layout type from the list on the left pane, then drag it into the right pane. The new portlet will be added and displayed in the right pane. You can change the position of the current portlet by dragging it to the place you want on the right pane, or remove it completely by clicking the delete icon.


5.4.3. View a Page

View any page in the existing pages list by clicking on the **View** icon corresponding to the page you want to view.

5.4.4. Delete a Page

1. Go to **Group** in the Toolbar. Highlight **Administration** and then click on **Page Management**. You will be presented with a list of all existing pages.

2. Click the trash can icon in the row of the page you want to delete. It will display the confirmation message.




3. Click the **OK** button to complete the deletion or **Cancel** button to quit without deleting the page.


5.4.5. Drag and Drop the Page Body

To assist administrators to modify or personalize their portal GateIn 3.0 allows you to easily drag and drop page content within the page.

1. Go to **Site Editor** in the toolbar and click on **Edit Layout** It will display :



2. Click on the **Portal Page**, drag and drop within the portal page.




5.5. Manage Users and Groups

Several tools are offered to assist Administrators manage users, groups and memberships easily and effectively.

5.5.1. Manage users

Mouse over **Group** on the Toolbar. Highlight **Organization** and select *Users and Groups Management*




Administrators can see all existing registered users and search, edit or even delete them. Each user's groups and memberships (roles) in these groups are also available. You can not add users to a group but you can remove them from the group.

5.5.1.1. Add a user

To add a new user to the portal user lists follow these steps:

- 1. Mouse-over **Group** in the **Toolbar**.
- 2. Highlight **Organization** and then click on **New Staff**.

The **New Staff** window will open:



This window has two tabs; **Account Settings** and **User Profile**.

- 3. To create a new user all of the fields in the **Account Settings** tab must be completed.


Further information about the user (such as nickname and birthday) can be added in the **User Profile** tab. This information is not required for the creation of the account.

- 4. Click either **Save** or **Reset** to create or discard the new account.

5.5.1.2. Search for users

The Administrator can search for specific users by username, first name, last name or email address.

- 1. Select the information type (name, email, etc) to search against



User Name	Last Name	First Name	Email	Action
demo	exo		demo@localhost	
john	Anthony	John	john@localhost	
marry	Kelly	Marry	marry@localhost	
root	Root	Root	root@localhost	

2. Type in a partial/full string which identifies the user record being searched. Note that wild cards are not supported at this release.
3. Click the magnifying glass icon to begin the search.

5.5.1.3. Edit a user

1. Locate the user you wish to edit.
2. Click the edit icon (next to the trash icon).

The screenshot shows the 'User Management' interface. At the top, there are three tabs: 'User Management', 'Group Management', and 'Membership Management'. Below these, there are three sub-tabs: 'Account Info', 'User Profile', and 'User Membership'. The 'Account Info' tab is selected. The form contains the following fields:

- User Name: demo
- First Name: Demo
- Last Name: gtn
- Email Address: demo@localhost
- Change Password: ☐

At the bottom of the form, there are 'Save' and 'Cancel' buttons.

3. Select the **Account Info** tab to edit the main user information set including first name, last name or email address.

User Name

The **User Name** field cannot be changed. Other fields **First Name** , **Last Name** , **Email Address** can be changed.

Change Password

The **Change Password** option allows an administrator to set a new password for a user. When the **Change Password** option is unchecked, **New Password** and **Confirm Password** are hidden. Passwords must contain at least 6 characters and can contain letters, numbers and punctuation marks.

4. Select the **User Profile** tab to edit additional information about the user's profile such as the birthdate or the job title as well as some home and business metadata. You may also switch the default display language for that user.
5. Select the **User Membership** tab to see a user's group membership information.



User Membership

The **User Membership** tab displays which group(s) the selected user belongs to. In the above figure, the user "demo" is a member of two groups: "guests" and "users". The parent group of both is "platform".

To remove the user from a group, click the trash can icon.

6. Click the **Save**.

5.5.1.4. Delete a user

1. Locate the user you wish to delete

Click the trash icon in the Action column


2. Click **OK** to confirm.

5.5.2. Manage groups

Mouse over **Group** on the Toolbar. Highlight **Organization** and select *Users and Groups Management*


Select the tab *Group Management*

By default, all existing groups will be displayed on the left pane. This tab is used to add new, edit or delete a group. The right pane shows information about the selected group including information about the members in the specific group along with a small form to add a new user to a group.




5.5.2.1. Add a New Group

1. First choose where in the existing group structure you want the new group to be created. You may navigate up the tree by clicking on the green vertical little arrow at the top of the tree. The current path is displayed in the path bar.



2. Click **Add New Group**.

A screenshot of a web application dialog box titled "Add New Group". The dialog has a light blue header bar with the title. Below the header, there are three input fields: "Group Name" with an asterisk indicating it is required, "Label", and "Description". The "Description" field is a larger text area. At the bottom of the dialog, there are two buttons: "Save" and "Cancel".

Add New Group

Group Name *

Label

Description

Group Name

The name of the new group. This field is required and any length from 3 to 30 characters is allowed. Once saved this name cannot be edited.

Label

The display name of the group. Any length from 3 to 30 characters is allowed.

Description

A description of the group. Any length from 3 to 30 characters is allowed.


3. Fill in the required fields. Only letters, numbers and underscore characters are allowed for the **Group Name** field. The name must be unique within the portal.
4. Click **Save**

5.5.2.2. Edit a group

1. Find the group in the existing tree and click on the label
2. Click the edit icon to display the **Edit Current Group** window.
3. Make the desired changes in the appropriate fields. You can not change the Group Name, however you may change to the **Label** field. You are also able to edit the **Description** field.
4. Click **Save**

5.5.2.3. Add a new user to a group

1. Find the group in the existing tree and click on its label. Existing group memberships are listed on the left hand side along with the **Add Member** window.



2. Click on the magnify glass to open up the User selector.


Refer to [Section 5.5.1.2, “Search for users”](#) for instructions on how to locate a user.

Check the box next to the user name then click **Add**

3. Select the membership appropriate for this user. If the desired membership does not appear you may try to click on the refresh icon to get the latest list.
4. Click **Save**

5.5.2.4. Edit the user membership in a group

1. Click the edit icon in the Action column




2. Select another membership.
3. Click **Save**.

5.5.2.5. Delete a group

1. Find the group in the tree

2. Click the trash icon.




3. Click **OK**.

5.5.3. Manage memberships

The role of a user in a specific group is managed using memberships.

By default three membership types are available: *Manager*, *Member* and *Validator*. By definition, Manager has got the highest rights in a group.

Mouse over **Group** on the Toolbar. Highlight **Organization** and select *Users and Groups Management*. Select the **Membership Management** tab.



5.5.3.1. Add a new membership type

1. In the **Add/Edit Membership** form, enter the values for the membership name field (required) and the description field (optional). Only letters, digits, dots, dashes and underscores are allowed for the membership name.

2. Click the **Save**

5.5.3.2. Edit a membership type

1. Click the edit icon in the Action column.
2. Make the desired changes to the description.
3. Click **Save**

5.5.3.3. Delete a membership type

1. Click the trash icon in the Action column.
2. Click **OK**

5.6. Manage Permissions


Permissions play an important part in accessing and performing actions in the Portal. Depending on these permissions assigned by an administrator, users gain access to various components and actions such as edit portals, pages or portlets.

Details about permission types and levels can be found in [Section 2.7, "Permissions"](#)

5.6.1. Set Portal Permissions


New portals

Click on **Site** in the Toolbar then click on **Add New Portal**. Last select the **Permission Setting** tab.



Existing portals

On the Toolbar click **Site** then **Edit Portal's Properties**. Last select the **Permission Setting** tab.



5.6.1.1. Set Access permissions


The screenshot shows a web-based administration interface for a portal. At the top, there are three tabs: 'Portal Setting', 'Properties', and 'Permission Setting'. The 'Permission Setting' tab is selected and highlighted. Below the tabs, there are two sub-tabs: 'Access Permission Setting' and 'Edit Permission Setting'. The 'Access Permission Setting' sub-tab is active. Inside this sub-tab, there is a single checkbox labeled 'Make it public (everyone can access):' which is currently checked. At the bottom of the interface, there are two buttons: 'Save' and 'Cancel'.



Public access

If you do not want your Portal to be publicly accessible, make sure the **Make it public** check box is clear.


If **Make it public** is clear, you need to add permissions by member group.



1. Click **Add Permission**
2. Make the appropriate selections from the *group* and *membership* options presented in the **Permission Selector** dialogue box.
3. After selecting a membership type, the selected permission is displayed in the access permission list. You can only select one group with one membership type at a time. If you want to add more, click **Add Permission** and select again. Repeat the process for as many permission settings as you require. >

5.6.1.2. Set Edit Permissions

Only users members of the Editor group can edit that portal. Access rights can be given to several groups but edit rights can only be given to a group with a membership type. To assign an edit permission to a user, you must add him/her to the editor group of the respective portal.



1. Click **Edit Permission Setting**
2. Click **Select Permission** to choose a group.
3. Select a group and a membership type from the left and right panes, respectively, of the **Permission Selector** window (select * if you want to assign all available membership types to the selected group).

5.6.2. Set Page Permission

User

If the owner type of a page is "user", you don't have to set permissions, no one except the creator has got access and edit permissions.

Group

If the Owner type of a page is "group", initial permissions on page are:

- Access permission: everyone in that group.
- Edit permission: the manager of that group.

Portal

If the Owner type of a page is portal, initial permissions are:

- Access permission: users who can access that portal.
- Edit permission: users who can edit that portal.

5.6.2.1. Set Access Permission on a Page

1. Open up the page you wish to configure. Select **Site Editor** on the Toolbar and select **Edit Page**.
2. Click **View Page Properties** in the **Page Editor** applet.
3. Click the **Permission Setting** tab.

To be able to access a page users have to be in one of the groups that have access permission to that page. There may be several groups that have access rights to a page. A list of the permissions for that page will be shown (provided the **Make it public** check-box has not been used).

1. Click **Add Permission**
2. Select a group in the left pane then select a membership type.
3. After selecting a membership type, the selected permission is displayed in the access right list. Note that you may associate group and membership only one at a time. To add more access permissions, click the **Add Permission** button and apply the same process again.

If you want to allow any visitors to access the page tick the **Make it public** check-box. Any permission set for that page will be relaxed and the permissions list will disappear.

5.6.2.2. Set Edit Permission on a Page

Only users who are in the page's editor group can edit it. The access right can be set for several groups but the *edit* right only can be set for one group. To give a user the edit permission, you must add them to the editors group of that page.

The Permission Setting tab is available in two different ways:

Via Edit Page:

1. Mouse over **Site Editor** on the Toolbar and select **Edit Page**.
2. Click on **View Page Properties** in the **Page Editor** applet.
3. Click the **Permission Setting** tab then the **Edit Permission Setting** sub tab.

Via Page Management:

1. Mouse over **Group** on the Toolbar, highlight **Administration** and click on **Page Management**.
2. Locate the page you want to edit using the **Page Id** column then click the edit icon (next to the trash icon). You will be taken to the **Page Editor** applet.

3. Click on the **Permission Setting** tab then the **Edit Permission Setting** sub tab.


You will see the **Current Permission** listed.

1. Click the **Select Permission** button to set new or change another group.
2. Select a group with a membership type (select * if you want all membership types in a selected group)
3. After selecting a specific membership from the right, the selected information is displayed.
4. Click the **Save**

5.6.3. Set Access Permission on a Category

Setting access permission on a category allows to be able to list those categories when editing a page in order to add portlets or widgets.


1. Mouse over **Group** on the Toolbar, highlight **Administration** then click on **Application Registry**.



2. In the list of categories available in the left pane, click the edit icon, then choose the **Permission Setting** tab.
3. To set permissions for a category:
 1. Click the **Add Permission** button to add access permissions to more groups .
 2. Or select the **Make it public** check box to allow everyone to access.

5.6.4. Set Access Permission on a Portlet

1. Select **Group** on the Toolbar. Highlight the **Administration** entry and click on **Application Registry**.



2. Select a category on the left pane that includes the portlet you want to set rights for. Then all portlets of the selected category are listed immediately and detail information of each portlet is displayed on the right pane.
3. To set permissions for a portlet:
 1. Click the **Add Permission** button to add access permissions to more groups .
 2. Or select the **Make it public** check box to allow everyone to access.

Language administration

6.1. Change Interface Language

GateIn 3.0 allows users to pick the language of the user interface.

The priority of the interface language setting follows this hierarchy:

1. User's language
2. Browser's language
3. Portal's language


Note that users should pay attention to this order in order to change the language type appropriately.

You may switch the interface language in various places as follows:


6.1.1. Language for the user

You may set the interface language for your account alone and not for the entire Portal as follows:

1. Open up the Start menu and click on **Change Language** :



2. The **Interface Language Setting** window lists all available languages installed in the Portal:



3. Click on the desired language. The associated native word is highlighted.
4. Click **Apply** to save your change. The site should refresh and display its attributes in the language you've just chosen.

6.1.2. Set language for a user

There are two modes to set the interface language for a specific user.

Public Mode

When accessing the portal in **Public Mode**, the interface language is dictated by the language setting of your web browser.


If you have set the language of your browser to one that GateIn 3.0 does not support, the displaying language will be the language set at the Portal level (see above).

Private Mode

The interface language in **Private Mode** is set when registering each user. See step four of the process to register a new account [Section 4.1, "Register New Accounts"](#).


6.2. Right To Left Support

GateIn 3.0 supports Right to Left (RTL) languages.




The Account Portlet.

The Application Registry Portlet.



The Organization Portlet:



6.3. Multi-Language Navigation Nodes

GateIn 3.0 supports a multi-language environment for your portal allowing you to internationalize any menu entry on the navigation.

As the navigation bar is composed of nodes, you have to modify the display names of the nodes to enable this. Instead of entering the display name of the node in a defined language (English, for example) you have to use a language-neutral 'resource key'.

This resource key is then used to define the label that is shown for that node on the navigation bar, the menu and the breadcrumb.

6.3.1. Key Format

The resource key format is: **#{key}**

The resource key can contain any text that you consider appropriate to satisfy your business needs. It should, however, be human-readable and must not contain spaces.


6.3.2. Creating Keys

There are two ways to create a key for a node:

1. [Section 6.3.3, “Creating Keys using Create Page Wizard”](#)
2. [Section 6.3.4, “Creating/Editing Keys using Navigation Management”](#)

6.3.3. Creating Keys using Create Page Wizard


1. Open the **Site Editor** menu and pick **Add New Page**.
2. Enter a name for this new page
3. Enter a resource key in the **Display Name** field.



4. Click **Next**. On the next screen you may define a page layout out of existing templates.
5. Click **Next** to finalize the page creation with portlets for instance.


6.3.4. Creating/Editing Keys using Navigation Management

1. Click on **Site** in the Toolbar then **Edit Navigation**



2. Click on **Add Node**

3. The Create/Edit node dialog appears. Enter a resource key in the **Label** field





Reusing Keys

You can reuse the same resource key in several nodes.

6.3.5. Providing translation

To provide a translation for the resource key used as page name, resource bundles must be provided within the web archive.

Property files (or XML resource bundles) must be located in: **WEB-INF/classes/locale/navigation/portal/[portalName]_[2letterCode].properties**

Portlets and Gadgets Administration

7.1. Import Portlets and Gadgets


This feature imports portlets/gadgets found in web applications on your server




Note

The Application Registry looks in all webapps of your application server for a file located at WEB-INF/portlet.xml and registers the portlets found there. When the user clicks on "Auto Import" the portlets of all webapps are imported. If there is a portlet.xml file in a webapp a new category is created whose name is the webapp war name (or the webapp folder name). All the portlets that are configured in the portlet.xml file are added to the new category.

1. In the **Group** menu, select **Administration** then **Application Registry**:



2. Click **Import Applications** on the right hand side. A confirmation message should appear as such:




7.2. Manage Portlets and Gadgets

Portlets and gadgets are organized in different categories. Each category contains one or several portlets or gadgets. You can also mix portlets and gadgets into one category. By default all gadgets are placed in the *Gadgets* category.

7.2.1. Display Gadgets

You can change the number of columns available in the Dashboard Portlet.

1. Click on **Site Editor : Edit Page**
2. Click on **Edit Portlet** button (which is displayed a pencil icon when you mouse-over the portlet in edit mode). It will show a dialog to change the number of columns to display gadgets.




3. Change the number of columns and click the **Save** button to accept the changes.

7.2.2. Add a new Category

You easily add a new category by following these guides:

1. In the **Group** menu, select **Administration -> Application Registry**.
2. Click the **Add Category** button on the action bar:



The **Category Setting** tab: includes common information about a category.

Category name

The name of the category. This field is required and its length must be between 3 and 30 characters. Only alpha, digit, dash and underscore characters are allowed.

Display name

The display name of the category and its length must be between 3 and 30 characters.

Description

A brief description of the category. Any length from 0 to 255 characters is allowed.

The **Permission Setting** tab provides access to the Permission manager.

The permission criteria are used whenever a user creates or modifies a page. In that case the user can only see and use portlets in those categories on which he or she has access to (as defined by groups and memberships).

The screenshot shows the 'Permission Setting' tab selected. At the top, there are two tabs: 'Category Setting' and 'Permission Setting'. Below the tabs, there is a checkbox labeled 'Make it public(Everyone can access):'. Underneath this is a table with three columns: 'Group', 'Membership', and 'Action'. The table is currently empty, with the text 'Empty data' centered in the rows. Below the table is a button labeled 'Add Permission' with a small icon. At the bottom of the form are two buttons: 'Save' and 'Cancel'.

7.2.3. Edit a Category


1. Click the Edit icon located next to the title bar.
2. Update the category information.
3. Click the **Save** button to apply changes.

7.2.4. Delete a Category

1. Click the Trash can icon located next to the title bar.
2. Accept the deletion by clicking **OK**

7.2.5. Add Portlets/Gadgets to a Category

1. Click the "Plus" icon located next to the category name to which you want to add portlets/gadgets.



Display name

The display name of a portlet/gadget.


Application Type

Either Portlet or Gadget.

2. Enter the display name and select a type
3. Select a portlet/gadget by checking the radio button.
4. Click the **Save** button to add the selected portlet/gadget to the category.

7.2.6. Set Access Permission on Portlets

1. In the **Group** menu, select **Administration** and then **Application Registry**.



2. Select a category in the Category pane that includes the portlet you want to set permissions on. All portlets of that category will be listed underneath.
3. To set permission for a portlet:
 - Click the **Add Permission** button to add access permissions to more groups.

Access Permissions

Make it public (everyone can access): ☐

Group	Membership	Action
/platform/users	*	

Add Permission

- Or check **Make it public** to allow everyone to access.

Whenever the user creates or modifies a page, he or she can only see and use gadgets/portlets that fulfill two conditions: the portlet is in a **category** which the user has access permission too and the user has access permission on the **portlet**

7.2.7. View/Edit portlet/gadget information

In the **Group** menu, select **Administration** then **Application Registry**.

Categories Portlet Gadget

Add Category Import Applications

CATEGORIES

- Administration
 - Application Registry
 - Organization Management
 - New Account
- Dashboard
- Gadgets
- Web

Administration > Application Registry

Display Name: Application Registry
Name: ApplicationRegistryPortlet
Description: Application Registry

Access Permissions

Make it public (everyone can access): ☐

Group	Membership	Action
/platform/administrators	*	
/organization/management	*	
/executive-board		

Add Permission

Left pane


All portlets and gadgets grouped by categories

Right pane

shows detail information about a portlet: Name, Display name, Description and Portlet preferences.


To see the details of any portlet select it from the list on the left.

To edit a portlet, click the edit button to the right of the portlet's name:



7.2.8. Add a Gadget


In the **Group** menu, select **Administration** then **Application Registry**. Click on the **Gadget** icon.



You may add a remote gadget using its URL or create a brand-new one:

Procedure 7.1. Add a remote Gadget

1. Click on **Add a remote gadget**:




2. Enter the url of the remote gadget in the **URL** field.

The screenshot shows a form with a label 'URL' followed by a text input field. Below the input field are two buttons: 'Add' and 'Cancel'.

3. Click **Add**. The new remote gadget will be appear in gadget list on left pane of the Dashboard portlet.

Procedure 7.2. Create a new Gadget


1. Click on **Create a new gadget**:



2. Populate the `Source` field with the xml code of the new gadget.

You can edit or refresh a gadget using the icons in the top right of the **Gadget Details** pane.

You can delete a local gadget using the trashcan icon to the right of the appropriate gadget in the gadget list.



7.2.9. Add a new Gadget to the Dashboard Portlet

See [Section 3.3.2, "Add Gadgets"](#) for instructions on how to add new gadgets to the dashboard.

7.2.10. Manage Gadgets

7.2.10.1. Edit a Gadget

Click the **Edit Gadget** icon located in the header of the **Gadget Details** page to display the following window:

