

# User Guide

---

---

---

<b>1. eXo Platform</b>	1
Contribute to documentation	1
Introduction	1
.....	1
About eXo Platform	1
System requirements	5
Browser compatibility	6
<b>2. Tutorials</b>	7
.....	7
Glossary	7
Portal	7
Portlet	7
Navigation	8
Gadget	8
Modes	9
Permission	9
Repository	9
Workspace	10
Drive	10
Node	10
Version	11
WebDAV	11
Podcast	11
File Plan	12
Symlink	12
eXo Platform 3.5 interface	12
Manage accounts	14
Register new account	14
Sign in & Sign out	16
Change account settings	18
Retrieve account and password	19
Manage language	20
Change the display language permanently	21
Change the display language for another user	24
<b>3. Manage Your Organization</b>	27
.....	27
About Administration bar	27
.....	27
Manage users and groups	29
.....	29
Manage permissions	39
.....	39
Manage portals/websites	45
.....	45

---

Manage navigation nodes .....	52
.....	52
Manage pages .....	59
.....	59
Manage page navigation .....	67
Manage applications .....	70
Inside a portal .....	70
Use Gadgets in your dashboards .....	79
Inside Desktop .....	98
<b>4. Organize Your Content .....</b>	<b>107</b>
.....	107
Structure content .....	107
.....	107
Access Sites Explorer .....	107
Drives .....	109
Views .....	112
Functions on action tabs .....	116
Actions on folders and documents .....	169
Content Administration .....	177
Manage content .....	214
Contribute content .....	214
Content inside categories .....	230
Manage content in Sites Explorer .....	231
Manage content with WebDAV .....	249
Fast content creator .....	255
Contents by query .....	259
Form Builder .....	261
Category navigation .....	264
SEO management .....	266
Print content .....	271
Manage newsletters .....	272
.....	272
Manage workflows .....	286
Holiday process .....	287
Pay raise process .....	291
Upload a process .....	294
View process detail .....	295
<b>5. Collaborate With Your Colleagues .....</b>	<b>299</b>
.....	299
Manage your calendar .....	299
Calendar views .....	299
Manage a calendar group .....	301
Create a calendar .....	303
Edit a calendar .....	309



---

Export/Import a calendar .....	310
Share a personal calendar .....	313
Schedule an event .....	317
Schedule a task .....	334
Search for events/tasks .....	342
More actions .....	344
Add Upcoming Events gadget to your page .....	351
Manage your contacts .....	353
View contacts .....	355
Create a new contact .....	356
Edit contact details .....	359
Tag a contact .....	360
Send a mail to a contact .....	361
Copy/Paste a contact .....	363
Move a contact .....	363
Delete a contact .....	365
Export contacts .....	365
Import contacts .....	366
Print contacts .....	367
Print an Address Book .....	369
Share contacts .....	370
Search for contacts .....	373
Manage Address Books .....	374
Email your contacts .....	380
Create a Mail account .....	380
Get mails .....	388
Mail views .....	389
Read an email .....	391
Compose a new message .....	398
Reply to a message .....	406
Forward a message .....	407
Print a message .....	408
Export a message .....	408
Import a message .....	409
Categorize messages by folders/tags/filters .....	410
Search for messages .....	419
Add an event .....	422
Manage Address Book in Mail .....	423
Change Mail settings .....	426
Chat with your contacts .....	431
Add contacts to your friend list .....	433
Chat with a contact .....	435
Create a chat room .....	439
<b>6. Organize Your Knowledge .....</b>	<b>447</b>

---

.....	447
About user roles .....	447
How to access knowledge applications .....	448
Build a wiki .....	449
Overview .....	449
Work with Wiki pages .....	451
Work with attachments .....	460
Use the WYSIWYG Editor .....	464
Syntax Help .....	465
Work with Macros .....	465
Work with page versions .....	470
Work with Spaces .....	472
Search .....	473
Wiki Administration .....	475
Build a forum .....	481
Administrator .....	490
Regular users .....	521
Moderator .....	556
Build an Answers & FAQs system .....	573
Administrator .....	573
Moderator .....	586
Regular user .....	599
<b>7. Build Social Network .....</b>	<b>619</b>
.....	619
Manage your profile .....	620
Edit your information .....	623
Upload your profile avatar .....	625
Update your current position .....	626
Manage spaces .....	626
Create a space .....	627
Edit a space .....	631
Join or Leave a space .....	638
View details of a space .....	639
Delete a space .....	640
Search for spaces .....	640
Accept/Deny invitations .....	641
Build networks .....	641
Search for your contact .....	643
Send connection requests .....	643
Follow activities in your organization .....	646
Update status .....	647
Share links .....	648
Delete activities/comments .....	648
Comment on activities .....	648

---

Like/Unlike activities/comments .....	649
---------------------------------------	-----



# eXo Platform

## Contribute to documentation

Your feedbacks are so important to our documentation. If you find typographical errors in this manual, or think of a way to make this guide better, we are always pleased to hear from you. Let us know your questions and suggestions on both eXo Platform 3.5 and this user guide by participating in our community website:

<http://community.exoplatform.org/portal/public/classic/forum>

## Introduction

As a solid enterprise-ready foundation for your portal-based applications, eXo Platform provides users many experiences for creating modern, user-centric Java applications that can be deployed on premise or in the cloud. Therefore, obtaining a comprehensive understanding of concepts is critical to benefit from the eXo Platform capabilities and features. The eXo Platform user guide represents these concepts by providing a series of description related to eXo Platform features.

This documentation is divided into the following chapters:

- **eXo Platform** provides you basic information of eXo Platform, system requirements, and browser compatibility.
- **Tutorials** gives you a list of glossaries commonly used in applications of eXo Platform, interface of eXo Platform 3.5, and how to manage your accounts and language.
- **Manage Your Organization** is a collection of a portal-based actions, allowing you to manage users and groups, permissions, portal/website, navigation nodes, pages and applications.
- **Organize Your Content** gives you how to structure your content, manage contents, newsletters and workflows.
- **Collaborate With Your Colleagues** shows you actions to enhance communication and collaboration through emails, address books, chat and calendars.
- **Organize Your Knowledge** shows you how to build wikis, forums, and FAQs.
- **Build Social Network** covers actions on managing your profiles and spaces, building networks and following activities in your network.

## About eXo Platform

eXo Platform is the first and only integrated, cloud-ready user experience platform for building and deploying transactional websites, managing web and social content and creating gadgets

and dashboards. eXo Platform lets companies leverage their existing Java infrastructure, while accommodating to the changes of user behavior driven by the consumer web technologies, such as social networks, social publishing and forums.

After running eXo Platform 3.5, open a browser window and enter the URL provided by your administrator, for example, <http://localhost:8080/portal/default>.

You will be directed to the default page of eXo Platform 3.5.



# Welcome to eXo Platform 3.5

## What's New in eXo Platform 3.5

[Read the article](#)

## Advanced Content Management

[Login to the ACME website](#)

## Rich Social and Collaboration Features

[Login to the ACME social intranet](#)

## eXo Platform 3.5

### The Cloud-Ready Portal and User Experience Platform

eXo Platform is the first and only integrated user experience platform for building and deploying transactional websites, managing web and social content and creating gadgets and dashboards.

- **An Enterprise Portal Foundation:** a lightweight, standards-based portal for integrating applications, portlets and gadgets, with security features like access control and single sign-on.
- **Complete Enterprise Content Management:** easily build websites, author and publish content, capture and organize documents and unstructured content, and store everything in the built-in Java Content Repository.
- **Social Networks & Collaboration:** transform your portal-based app into a vibrant online community by adding forum, chat, calendars, wikis and more; support for OpenSocial allows users to create and connect rich user profiles, publish activity streams, and collaborate in dedicated spaces.
- **Development Platform:** a full-featured development environment for building and integrating applications, gadgets and mashups
- **Cloud-Ready:** multi-tenancy at the JVM level optimizes resource utilization and reduces the cost of deploying intranets and websites within a customer's private cloud environment.
- **Mobile:** native iPhone, iPad, and Android apps let you take your intranet with you. Access your personalized gadget dashboard, activity stream, document repository, and more. [Learn more about eXo Mobile Apps](#)

## Getting Started

Existing eXo Platform users may want to read out the [What's New](#) article.

Comprehensive documentation for administrators, developers and end users with all the information they need to develop and deploy successful projects with eXo Platform.

### Developer Guide

Step-by-step tutorials to help you build your project.

### Administrator Guide

How to install and manage eXo Platform

### User Guide

For end users to learn how to use the platform features.

## More Resources



Resource  
Center



eXo  
Community



eXo  
Blog


## What Can You Do with eXo Platform 3.5 ?

## Prepare Your Team

### Architecture of eXo Platform 3.5

eXo Platform 3.5 can be deployed in various ways, depending on your aims. However, most applications integrated into eXo Platform are arranged in certain patterns.

The following illustration shows the overall architecture of eXo Platform 3.5.



The foundation of eXo Platform 3.5 is an **enterprise portal and content management system**. This provides a powerful set of REST-based services for rapid website development, content management and gadget-based development and deployment. eXo Platform 3.5 is a combination of the following features.

- An enterprise portal serves as a powerful framework for developing portlets and other web-based user interfaces, and is based on the open source GateIn portal project co-developed by eXo and Red Hat.
- Web Content Management extends portal-based applications, allowing you to build dynamic and content-rich websites.
- Document Management for capturing and organizing documents and unstructured content, with content storage in the built-in Java Content Repository (JCR).
- xCMIS is an implementation of the full stack of Java-based CMIS (Content Management Interoperability Specification) services, so eXo-based applications can integrate with existing content management tools.



- Business Process Management (BPM) from Bonita Open Solution enables you to define workflow processes with automatic actions for web content, documents and more.
- Cloud-ready features allow eXo Platform 3.5 to run in multi-tenant environments, so social intranets and websites can take advantage of the benefits of private and public cloud platforms.

With eXo Platform 3.5, you can customize and extend your portal-based applications with user experience services to build social intranets and extranets.

- Enterprise social network features allow users to connect, collaborate within dedicated spaces, and publish real-time updates in activity streams. Support for OpenSocial provides a framework for building gadgets that can display and mash up activity information for contacts, social networks, applications and services.
- Collaboration & communication tools let you build a more productive and interactive dashboard for social intranet users. Intuitive Mail, Chat, Calendar and Address Book functionalities can seamlessly extend your portal-based web applications.
- Knowledge management features, including Forums, Answers, FAQs, and a complete enterprise wiki, can transform an extranet into an interactive online community and valuable knowledge base.
- Custom development in the web-based IDE is an intuitive web-based development environment where you can build, test and deploy client applications, such as gadgets and mash-ups, and RESTful services online. Offering the ability to extend eXo Platform online, eXo IDE instantly publishes applications which can be created and deployed immediately in your portal-based solutions.
- CRaSH is an open source tool to view and query content within a JCR server at runtime. It enables you to browse JCR trees, and serves as a shell for executing JCR operations easily, such as importing or exporting data securely. You can now extend the shell by writing the Groovy commands, without recompiling easily.
- Native mobile applications for iPhone, iPad and Android allow users to easily and securely access their personalized intranet dashboards, activity streams, documents and more.

See also

- [System requirements](#)
- [Browser compatibility](#)

## System requirements

To run eXo Platform 3.5, your system is required to meet the following specifications or higher.

- CPU: 2GHz

- Memory: 2GB of RAM
- Disk: 200MB
- OS: Windows, Linux or Mac OS X
- Java 6 (Set the JAVA\_HOME environment variable)
- Browser: Firefox 3+ or Internet Explorer 7+

The eXo server will run on the *8080* portal, so make sure this port is not currently in use.

See also

- [About eXo Platform](#)
- [Browser compatibility](#)

### Browser compatibility

eXo Platform 3.5 is designed to work within an Internet browser, and we have made every effort to make eXo Platform 3.5 compatible with as many of common web browsers as possible.

This product has been thoroughly tested on the following stable browsers:

- Internet Explorer 7
- Firefox 3.5 and 3.6

Unfortunately, we have not been able to make this product compatible with **ALL** browsers. Therefore, we strongly recommend that you **SHOULD** use the browsers listed above. A number of unknown errors are due to the use of another browsers that may include the data or files loss. In case of any questions, please check with your administrator.

### Note

The browser's **Back** button takes you to the previous page you were viewing.

Using the browser's **Refresh** button only refresh the opening browser without losing your created data.

See also

- [About eXo Platform](#)
- [System requirements](#)

# Tutorials

eXo Platform is a full-featured application for users to have many experiences in building and deploying transactional websites, authoring web and social content, creating gadgets and dashboards with reliable capabilities of collaboration and knowledge.

This chapter covers the following topics:

- **Glossary** provides terms which are commonly used in eXo Platform applications.
- **eXo Platform 3.5 interface** introduces the default page of eXo Platform 3.5, and ways to enter the sample portals built in eXo Platform 3.5 before using functions.
- **Manage accounts** gives you how to register new accounts, sign in and out, change account settings, and retrieve your account and password.
- **Manage language** includes procedures on how to change the display language permanently and for another users.

## Note

Some accounts will not include all features stated in this guide due to limitations of user role. Check with your administrator to assure which features are enabled for your account or ask for more appropriate rights.

## Glossary

This section provides a number of terms that you will encounter when implementing eXo Platform.

### Portal

Portal is a key web-based environment for aggregating and personalizing information via specific portlets with an interactive and consistent look and feel. Users and administrators are able to integrate information, people and processes via a web-based user interface. This framework enables aggregation of enterprise content and business applications with flexible management and personalization options.

### Portlet

Portlet is a pluggable component in a portal through which users can access some specific information, including supports, updates, or mini-applications. The portlet produces fragments of a markup code that are aggregated into a portal page. Typically, a portal page is displayed

as a non-overlapping portlet windows collection, where each portlet window displays a portlet. Content generated by a portlet can be customized, depending on the configuration set by each user. Portlets can be divided into two following types:

- **Functional portlets** which support all functions of a portal. They are built into the portal and accessed via toolbar links when the portal-related tasks are performed.
- **Interface portlets** which constitute the eXo Platform interface as front-end components of the portal.

## Navigation

Navigation is a node (so-called menus) containing hyperlinks to other parts of a portal. The default navigation menus in eXo Platform are located in the Administration bar with 3 navigation types:

- **My Sites:** This navigation links to separate sites of the parent portal. Each site has only one navigation and it is automatically generated when the site is created. This functionality allows different sites to individually control some portal-related aspects, such as portlets, while maintaining other content standardized with the parent portal.
- **My Groups:** The content of this navigation varies for each user, depending on the type of logged-in account.
  - If you are logged in as a user account, this navigation holds personal links set up by yourself.
  - If you are logged in as a manager account, this navigation contains links to pages for registered users and administrative tasks and personal links.
  - If you are logged in as an administrator account, the navigation adds further management capabilities, such as Internationalization and community management.
- **Dashboard:** This navigation contains links and portlets (or gadgets) selected by yourself. This user navigation is created automatically when your account registration is successful. This navigation only can be deleted when you are removed.
- **Desktop:** This typical application of eXo Platform not only takes advantages of normal portals but also is developed with many outstanding features. This navigation allows users to organize pages in the "icons" form.
- **Edit:** This navigation type only appears in the Administration bar when you logged in as an administrator. This navigation contains links to add new pages to a portal, to edit a page or to change the portal's layout and navigation.

## Gadget

Gadget is a mini web application running on a platform that a user can integrate and customize in the website.

## Modes

eXo Platform offers two access modes by default:

- **Public mode** is for guest users (visitors) who are not registered. In this mode, you are not required to sign in, but limited to public pages in the portal. After being registered successfully, you can use the private mode, but must contact the Portal administrators to get more rights or the group manager to become the member and gain the access to the group.
- **Private mode** is for registered users who will apply their usernames and passwords to sign in. This mode supports users in taking many actions, such as creating private pages, editing or deleting them, "borrowing" pages from others by creating hyperlinks, changing languages to their individual needs, managing private information.

## Permission

Permission settings control actions of a user within the portal and are set by the portal administrators.

- **Permission types** define what a user can do within the portal.
  - **Access permission** enables users to utilize portal contents, such as signing in, viewing contents, rearranging portlets. This permission can be set for multiple member groups.
  - **Edit permission** enables users to change portal contents (changing portal or page information, deleting a portal/page). The edit permission is set for only one group at one time.
- **Permission levels** specify where the users' permission types can be applied in the portal.
  - **Portal:** The permission at the portal level includes actions permitted in all pages within the portal. Users with the access permission can view (but not edit) all the pages within the portal. Meanwhile, users with the edit permission at the portal level can change any page in the portal.
  - **Page:** The permission at the page level restricts users to several particular pages. Users are only able to see and/or edit pages they have been given access to, depending on each permission type assigned to them.
  - **Portlet:** The permission at the portlet level enables users to create a page through dragging and dropping portlets into a page. Some portlets are only used for administrators, while some are for regular users. Thus, administrators need to set proper access permissions for each specific group. Permission types and levels can be effectively implemented to control who can do and what can be performed within the portal.

## Repository

Repository is a locus where contents or digital data are maintained. Users can access without traveling across a network.

### Workspace

Workspace is a term used by several software vendors for applications that allow users to exchange and organize files over Internet. A content repository is composed of a number of workspaces. In eXo Platform, the content repository consists of more than one workspace. The "repository" contains multiple workspaces, including system, backup and collaboration workspaces.

- **System workspace:** It is used to reserve "system folders".
- **Backup workspace:** The backup process depends on the published content timestamps, each published document has a duration during which it can be published. Also, when it exceeds the timestamps, it will be automatically archived to the backup database. This workspace is almost used with the Workflow-based content publication lifecycle.
- **Collaboration workspace:** It allows users to validate and manage documents. This is the central place to store and edit contents and media.

### Drive

Drive may be defined as a shortcut in the content repository. It enables administrators to limit visibility of each workspace for groups of users. It is also a simple way to hide the complexity of the content storage by showing only the structure that is helpful for business users.

In details, a drive consists of:

- A configured path where the user will start when browsing the drive.
- A set of allowed views that will allow the user to limit the available actions, such as editing or creating content while being in the drive.
- A set of permissions which limits the access and view of the drive to a specified number of people.
- A set of options to describe the behavior of the drive when the users browse it.


### Node

Node is an abstract unit used to build linked data structures, such as linked lists and trees, and computer-based representation of graphs. Nodes contain data and/or links to another nodes. Links between nodes are often implemented by pointers or references.

Also, a node can be defined as a logical placeholder for data. It is a memory block which contains some data units, and optionally a reference to some other data. By linking one node with other interlinked nodes, very large and complex data structure can be formed.

## Version

Versioning means that at any given time the node's state can be saved for possible future recovery and the action of saving called 'check-in'. A workspace may contain both versionable and non-versionable nodes. A node is versionable if it has been assigned a mixin type mixin: versionable; otherwise, it is a non-versionable node. A version exists as a part of a version history graph that describes the predecessor/successor relations among versions of a particular versionable node.



The software versioning is the process of assigning either unique version names or unique version numbers to unique states of computer software. Within a given version number category (major, minor), these numbers are generally specified by increasing the order that corresponds to new developments in the software. At a fine-grained level, the revision control is often used for keeping track of incrementally different versions of electronic information, whether or not this information is actually computer software.

## WebDAV

WebDAV stands for Web-based Distributed Authoring and Versioning. It is a set of extensions to the Hypertext Transfer Protocol (HTTP) which allows users to collaboratively edit and manage files on remote World Wide Web servers.

The protocol was to make the Web a readable and writable medium. It provides users with the functionality to create, change and move documents on a remote server (typically a web server or "web share"). This is useful for, among other things, authoring the documents which a web server serves, but can also be used for general web-based file storage that can be accessed from anywhere.

## Podcast

The "Podcast" term is a combination of **iPod** and **Broadcast**. In eXo Platform, podcast is an audio file which you can download and listen to on your device, such as a computer, or a MP3 player.


### File Plan

File plan is a type of document for planning the primary records management. Although file plans can differ across organizations, their typical functions are to:

- Describe types of items which are acknowledged to be records.
- Describe what broader category of records to which the items belong.
- Indicate where records are stored.
- Describe the retention periods for records.
- Delineate who is responsible for managing the various types of records.

### Symlink

Symlink is a special file containing a reference to document or folder. By using symlinks, you can easily access specific nodes (target) that symlinks point to. In **Sites Explorer**, a symlink has a small chain symbol next to its icon:



### eXo Platform 3.5 interface

After starting eXo Platform 3.5 successfully, ask your administrator for the proper link to run eXo Platform, for example **<http://localhost:8080/portal/default/>**. After pasting this link into one browser, you will be directed to the default page of eXo Platform 3.5.





# Welcome to eXo Platform 3.5

## What's New in eXo Platform 3.5

[Read the article](#)

## Advanced Content Management

[Login to the ACME website](#)

## Rich Social and Collaboration Features

[Login to the ACME social intranet](#)

## eXo Platform 3.5

The Cloud-Ready Portal and User Experience Platform

eXo Platform is the first and only integrated user experience platform for building and deploying transactional websites, managing web and social content and creating gadgets and dashboards.

- **An Enterprise Portal Foundation:** a lightweight, standards-based portal for integrating applications, portlets and gadgets, with security features like access control and single sign-on.
- **Complete Enterprise Content Management:** easily build websites, author and publish content, capture and organize documents and unstructured content, and store everything in the built-in Java Content Repository.
- **Social Networks & Collaboration:** transform your portal-based app into a vibrant online community by adding forum, chat, calendars, wikis and more; support for OpenSocial allows users to create and connect rich user profiles, publish activity streams, and collaborate in dedicated spaces.
- **Development Platform:** a full-featured development environment for building and integrating applications, gadgets and mashups
- **Cloud-Ready:** multi-tenancy at the JVM level optimizes resource utilization and reduces the cost of deploying intranets and websites within a customer's private cloud environment.
- **Mobile:** native iPhone, iPad, and Android apps let you take your intranet with you. Access your personalized gadget dashboard, activity stream, document repository, and more. [Learn more about eXo Mobile Apps](#)

## Getting Started

Existing eXo Platform users may want to read out the [What's New](#) article.

Comprehensive documentation for administrators, developers and end users with all the information they need to develop and deploy successful projects with eXo Platform.

### Developer Guide

Step-by-step tutorials to help you build your project.

### Administrator Guide

How to install and manage eXo Platform

### User Guide

For end users to learn how to use the platform features.

## More Resources



Resource  
Center



eXo  
Community




eXo  
Blog

## What Can You Do with eXo Platform 3.5 ?

## Prepare Your Team

Here, you have an overview of eXo Platform through default contents displayed in this page. With eXo Platform, you can do almost everything, especially building social intranets and websites. From the default interface of eXo Platform 3.5, you are provided with two sample portals of a fictitious company named "ACME" where you can discover key features and customizability of eXo Platform. Therefore, before doing any actions, you first need to go to either of the provided portals (ACME website or ACME social intranet) by clicking one of the following links:

- **At the top of the default page's body:**



- **Or, at the bottom of default page's body:**

**Explore the ACME website and social intranet:**



### Note


All actions or your registered information will be auto-synchronized between these sample portals.

## Manage accounts

### Register new account

As a guest user, you can visit eXo Platform but are limited to many contents and applications. To access more contents or perform some actions in various applications, you first need to register by yourself and contact the portal administrator to gain certain permissions.

1. Click **Register** on the top of the portal if you are in the ACME sample site.



If you are in the ACME Social intranet, click **Register** at the bottom of the portal.

[Sign in](#) | [Start a new session](#)

[Register](#) | [Create an account](#)

The **Create New Account** page appears as below:

### Create a New Account

Username:  \*


Password:  \*

Confirm Password:  \*

First Name:  \*

Last Name:  \*

Email Address:  \*

Text Validation: 

\*

 Fill this form to register your user account. Then [click here to login](#)

**Click to check if the your username is available**

**Details:**

**Table 2.1.**

Field	Description
<b>Asterisk (*)</b>	This mark next to each field indicates that it is required to input values in this field.
<b>Username</b>	The name used to log in. Only alpha, digit, underscore, dash and dot characters are allowed with its length from 3 to 30 characters.
<b>Password</b>	The authentication string which must be between 6 and 30 characters, including spaces.
<b>Confirm Password</b>	Retype the password above. Values in both <b>Password</b> and <b>Confirm Password</b> fields must be the same.
<b>First Name</b>	The user's first name which must start with a character. Its length must be between 1 and 45 characters.
<b>Last Name</b>	

Field	Description
	The user's last name which must start with a character. Its length must be between 1 and 45 characters.
Email Address	The user's email address that must be in the correct form, such as <code>username@abc.com</code> .
Text Validation	The text to verify your registration.

2. Fill values into fields.
3. Click **Subscribe** to accept your new account or **Reset** to clear all your entered values. If your registration is not successful, there will be warning messages which indicate invalid fields.

- After adding a new account, you should contact your administrator to get appropriate permissions for your account.

- Click



to check if your entered username already exists or not.

### Note

Be sure you enter your email address carefully. Should you forget your username or password, you can recover it from this email address.

## Sign in & Sign out

### Sign in a portal

To enter the portal in the private mode, you just need to use your registered account. In eXo Platform 3.5, you can sign in the portal via two ways:

#### The first way

- Click directly the default user accounts at the lower of screen right in the welcome page or after entering your selected page.


**Explore the ACME website and social intranet:**


[Visit the ACME website](#)  
[or login as Mary \(author\)](#)


[Enter the ACME social intranet](#)  
[or login as John \(administrator\)](#)


- Or, after entering your selected portal, for example ACME website, click one of the default users at the bottom of body as below.

**Login as an Acme User**

**Jack Miller**  
An authenticated visitor who will see the admin bar with a personal preferences menu.[Login as Jack](#)

**James Davis**  
An author with authoring rights on the website contents and a backoffice access.[Login as James](#)


**Mary Williams**  
A publisher who can write contents but also can create new pages or edit them in the current site.[Login as Mary](#)

**John Smith**  
An administrator with administrator rights on the platform. he can manage security access and application.[Login as John](#)


### The second way

1. Click the **Login** link to open the **Sign in** form.


**Sign in**



**Username**

 John

**Password**

 .....

☐ **Remember My Login**

[Forgot your Username/Password?](#)

**Sign in**

**Discard**


2. Input your registered **Username** and **Password** in the **Sign in** form.
3. Select the **Remember My Login** checkbox for the first time if you want to automatically return to this portal without signing in again. This feature enables you to be automatically authenticated to avoid doing an explicit authentication when you access the portal.
4. Click **Sign in** to submit the form, or **Discard** to quit.

### Note

After selecting **Remember My Login**, if you do not sign out when you leave the portal, you will be automatically authenticated for your next visit.


### Sign out a portal

This feature ends your authenticated session and returns you to the anonymous portal. To sign out, simply hover your cursor over your display name at the top right corner of the site, then select **Logout** from the drop-down menu.



### Change account settings

To change your account information, hover your cursor over the account name at the top right corner of the site and click **My Account** from the drop-down menu.



The **Account Profiles** form appears.

A screenshot of a web form titled 'Account Profiles' with a sub-tab 'Change Password'. The form contains four input fields: 'Username:' with the value 'john', 'First Name:' with 'John', 'Last Name:' with 'Smith', and 'Email:' with 'john.smith@acme.exoplatform.com'. Each field has an asterisk (\*) to its right. Below the fields are two buttons: 'Save' and 'Reset'. At the bottom center of the form is a 'Close' button.


### *Change your profile information*

1. Select the **Account Profiles** tab.

2. Change your **First Name, Last Name, Email**. Your **Username** cannot be changed.
3. Click **Save** to submit your changes.

### ***Change your password***

1. Select the **Change Password** tab to go to the following form.



The screenshot shows a web interface with a tabbed menu at the top. The 'Change Password' tab is selected and highlighted with a red rectangle. Below the tabs is a form with three input fields: 'Current Password', 'New Password', and 'Confirm New Password'. Each field contains a password mask (dots) and a required asterisk. Below the fields are two buttons: 'Save' and 'Reset'. At the bottom right of the form container is a 'Close' button.

2. Input your current password to identify that you are the owner of this account.
3. Input your new password which must have at least 6 characters.
4. Re-enter your password in the **Confirm New Password** field.
5. Click **Save** to accept your changes.

### **Note**


If the default accounts' passwords have been changed, you can no longer sign in the portal by clicking the default accounts directly as stated in the [first way. \[16\]](#)

## **Retrieve account and password**

In case you forget your account or password, you can recover your username or password as follows:

1. Click the '**Forgot your Username/Password?**' link beneath the **Password** field when signing in.

There will be two options for you to select.



**Why are you unable to log in?**

We apologize for any inconvenience you are experiencing due to being unable to access this website.  
To resolve this issue quickly, please follow the troubleshooting steps below.

1. Recover your password: enter **your username**, then click "Send".
2. Recover your username: enter **your email address**, then click "Send".


☒ Forgot My Password  
☐ Forgot My Username

Next Back

2. Select the appropriate option and click **Next**.

You will be prompted to provide identification information, depending on your choice.

- If you select the **Forgot My Password** option, you will be prompted for your username.




**Forgot Username/Password**

Username:  \*

Send Back

- If you select the **Forgot My Username** option, you will be prompted for your email address.



**Forgot Username/Password**

Email:  \*

Send Back

3. Enter your **Username/Email** in the form above.

4. Click **Send** to submit your entered values.

- After you have submitted the form, an email will be sent to your email address with the requested information, either your username or password.
- If you forget your password, you will be sent a temporary password. Your original password will not be valid after this email is sent. You will be directed to a page to update your password for your next log-in.

## Manage language

In eXo Platform, the priority order of the display language decreases to the arrow direction from left to right:

**User's language --> Cookies' language --> Session's language --> Browser's language --> Portal's language**

It means that the language set by the user will be at the highest level, and the portal's language at the lowest level.



Accordingly, you should pay attention to this order when selecting your preferred display language.

## Note


At present, eXo Platform only supports two languages: English and French.

## Change the display language permanently

eXo Platform supports 3 ways to change the display language permanently.


### The first way

1. Hover your cursor over **My Sites** on the Administration bar and select your desired site where you want to change the display language. The currently selected site is marked with



You will be directed to your selected site.


2. Hover your cursor over **Edit**, then select **Site --> Layout** from the drop-down menu.



Your selected site will be displayed in the **Edit** mode.

3.

Click



in the **Edit Inline Composer** form. The **Site Settings** form appears:

Portal Settings

Properties

Permission Settings

Portal Name:

intranet

\*

Label:

Description:

Locale:

English

\*

Skin:


English

French


Save


Cancel

4. Change the display language of your site by selecting another language from the **Locale** field in the **Portal Settings** tab.


5. Click **Save**, then click  to save all changes.

The second way

1. Hover your cursor over , then select **Portal --> Sites**.



The list of all existing portals will be displayed as below.



2. Select **Edit Layout** corresponding to the portal/site you want to edit.


The selected portal will be displayed as in the **Edit** mode.

3. Change the display language that is similar as steps in the first way (Steps 3, 4 and 5).

**The third way**


This way is only used to set the display language for yourself, not for displaying the language of portal.

1. Hover your cursor over your account name at the top right corner of the site, then select **Change Language** from the drop-down menu.



The **Interface Language Settings** form will be displayed with the list of all supported languages.

The currently used language is marked with ☒



The dialog box titled "Interface Language Settings" contains a table with two columns. The first column lists available languages, and the second column shows the currently selected language. "English" is selected, indicated by a checkmark and bold text. "French" is also listed. At the bottom, there are "Apply" and "Cancel" buttons.

Available Languages	Selected Language
✓ English	English
French	Français

Apply Cancel

2. Select another one by clicking the name of that language.

3. Click **Apply** and wait for a few seconds to take effect.

### Note

The display language will be maintained permanently until you change another display language.


## Change the display language for another user


By this way, you can change not only your display language but also the display language of another users if you have the right to access the **Organization** portlet.


1. Hover your cursor over



then select **Users --> Group and Roles** from the drop-down menu to open the **User Management** form.

 User Management

 Group Management

 Membership Management


Search: User Name 


2.


Click



corresponding to the user with the display language you want to change. 3. Select the **User Profile** sub-tab, then change the display language for this user from the **Language** field.

**User Management**

Group Management

Membership Management

Account Info

User Profile

User Membership

Given Name: Jack Miller

Family Name:

Nick Name:

Birthday: 12/3/1983

Gender: Male

Employer: ACME

Department: Content manager

Job Title: Java Developer

Language: English

French

Save

Cancel

4. Click **Save** to accept your changes.

# Manage Your Organization

This chapter covers the following topics:

- **About Administration bar** is a brief introduction of the main bar and its navigations which allow you to do most actions in eXo Platform.
- **Manage users and groups** represents actions related to management of users, groups and memberships.
- **Manage permissions** instructs you how to set permissions on a portal, page, category and portlet.
- **Manage portals/websites** gives steps on how to create/edit/delete a portal, and how to switch between various portals.
- **Manage navigation nodes** includes actions which can be done on a navigation, such as adding/editing/copying/pasting/cloning/cutting/deleting a node, or changing the node orders.
- **Manage pages** provides you step-by-step instructions to create a new page by using **Page Creation Wizard** or **Page Manager**, to edit/delete a page and to manage types of page navigations.
- **Manage applications** represents actions which can be done on applications inside a portal and a Desktop.

## About Administration bar


The Administration bar is a toolbar which allows users and administrators to execute tasks within the portal quickly and easily.



## User actions in the Administration bar

### My Sites

This navigation contains different sites available in eXo Platform and allows users to directly edit the navigation tree.




### Dashboard

This navigation is used to create your own pages of gadgets.




### Desktop

This navigation allows you to store and perform all applications and actions in one bar that is similar to working on a desktop.



### Edit


This navigation allows you to manage content, page and site (for example, editing the content, adding new pages to the current portal, editing properties of a page, or changing a page's layout).



### User Menu

You can use the main menu (located under your display name) to change your account information, the portal language or to sign out, and more.






## Manage users and groups

As an administrator, you can easily add users, edit their information, manage users, groups and memberships easily and effectively.

To perform these actions, you first need to hover over your cursor




at the top right of the site, then select **User**.



### Add a user

1. Click **Add Users** from the drop-down menu.



The **Create New Account** window will open with two tabs: **Account Settings** and **User Profile**.

A screenshot of the 'Create New Account' window. It has two tabs: 'Account Settings' and 'User Profile'. The 'User Profile' tab is active. It contains several input fields with labels and asterisks indicating required fields: 'User Name:' (with a search icon), 'Password:', 'Confirm Password:', 'First Name:', 'Last Name:', and 'Email Address:'. The fields are filled with the following values: 'john', '.....', '.....', 'John', 'Smith', and 'john.smith@acme.exoplatform.com' respectively. At the bottom of the form, there are two buttons: 'Save' and 'Reset'.

2. Fill all fields in the **Account Settings** tab which must be completed. For more details on these fields, see [here](#). [15]

Further information about the user, such as nickname, or birthday, can be added in the **User Profile** tab that is not required.

3. Click **Save** to accept your new account. If you want to refresh the input information, simply click **Reset**.

## Manage users

By clicking **Groups And Roles**, you will see the **Organization** form which allows you to manage users, groups and memberships.



As an administrator, you can easily find, edit information of users, and even remove them from the system via the **User Management** tab. By default, all registered users will be shown in this tab.

 A screenshot of the 'User Management' tab in the application. It features a search bar at the top with a red box around it. Below the search bar is a table with columns: 'User Name', 'Last Name', 'First Name', 'Email', and 'Action'. The table contains several user entries. The 'Action' column has icons for edit, delete, and other functions, which are also highlighted with a red box.
 


User Name	Last Name	First Name	Email	Action
anh	nguyen	anh	adrfid@gmail.com	[Icons]
demo	Miller	Jack	jack.miller@acme.exoplatform.com	[Icons]
james	Davis	James	james.davis@acme.exoplatform.com	[Icons]
john	Smith	John	john.smith@acme.exoplatform.com	[Icons]
mary	Williams	Mary	mary.williams@acme.exoplatform.com	[Icons]
root	Sandler	Adam	root@localhost.com	[Icons]

Via the **User Management** tab, you also can define each user belonging to user groups and his memberships (roles) in these groups. You cannot add users to a group but can remove them from the group.

## Search for users

You can search for specific users by username, first name, last name or email address.

1. Type the search term related to the user you want to search. You do not need to enter an exact term.



2. Select the information type you want to search against.
3. Click



or hit the **Enter** key to perform your search.

### Edit user information


1. Locate the user you want to edit his information.

2. Click



corresponding to the user with the information you want to edit.

3. Select the **Account Info** tab to edit main information of the user, including **First Name**, **Last Name**, or **Email Address**.



The screenshot displays a web interface for user management. At the top, there are three tabs: 'User Management' (selected), 'Group Management', and 'Membership Management'. Below these, there are three icons representing a single user, a group of users, and a user with a checkmark. The main content area has three sub-tabs: 'Account Info' (selected), 'User Profile', and 'User Membership'. The 'Account Info' tab contains the following fields:

- User Name:  \*
- First Name:  \*
- Last Name:  \*
- Email Address:  \*
- Change Password: ☒ (This checkbox is circled in red in the original image)
- New Password:  \*
- Confirm Password:  \*

At the bottom right of the form, there are two buttons: 'Save' and 'Cancel'.

#### Username

The **Username** cannot be changed.

#### Change Password

The **Change Password** option allows an administrator to set a new password for the selected user. When the **Change Password** option is unchecked, **New Password** and **Confirm Password** are hidden. Passwords must contain at least 6 characters, including letters, numbers and punctuation marks.

For more details on these fields, see [here](#). [15]

4. Select the **User Profile** tab to edit the personal information of the selected user, including **Profile, Home** and **Business**. You may also switch the default display language for that user by selecting another language from the **Language** field where all available languages are displayed in the alphabetical order.
5. Select the **User Membership** tab to see the group membership information of the user.

The **User Membership** tab displays which groups the selected user belongs to.

To remove the user from a group, click



6. Click **Save** to accept your changes.

## Delete a user

1. Locate the user you wish to delete.

2. Click




corresponding to the user you want to delete in the main **User Management** form.

3. Click **OK** in the confirmation message to accept your deletion.

## Manage groups


Select the **Group Management** tab in the **Organization** form. This tab is used to add, edit or delete a group. You can also add or delete a user to a group and edit the user membership in the group.



Management


	First Name	Last Name	Membership Type
	Mary	Williams	member
	John	Smith	manager
	Jack	Miller	member
	James	Davis	member
	Adam	Sandler	*

Username



Membership

member



Save

By default, all existing groups will be displayed on the left pane. The right pane shows information of the selected group and of its members with the **Add Member** form.

Add a new group

- 1. Select the path to create a new group by clicking the group from the left pane or by clicking



if you want to create a group at a higher level. The selected path is displayed in the breadcrumb bar.



2. Click



in the left pane.

The **Add Group** form will be displayed in the right pane.

**Details:**

**Table 3.1.**

Field	Description
<b>Group Name</b>	Name of the group that is required and unique within the portal with its length from 3 to 30 characters. Only letters, numbers and underscore characters are allowed for the <b>Group Name</b> field.
<b>Label</b>	The display name of the group with any length from 3 to 50 characters.
<b>Description</b>	A description of the group with any length from 0 to 255 characters.

3. Fill in the required fields. Once being saved, the **Group Name** cannot be edited.
4. Click **Save** to accept creating the new group.

### Note

The creator will automatically become the manager of that group. The creator's username will be added to the created group with the "manager" membership.

### Edit a group

1. Click the group you want to edit in the left pane.
2. Click



in the left pane to show the **Edit Current Group** form of the selected group.

**Edit Current Group**

Group Name  \*

Label

Description

3. Make changes on the fields, except **Group Name**.
4. Click **Save** to accept your changes.

### Delete a group

1. Click the group you want to delete in the left pane.
2. Click



in the row of the membership type you want to delete.

User Management Group Management Membership Management

Organization > Management

**Groups**

- Employees
- Management**
- Executive Board
- Human Resources

**Group Info**

User Name	First Name	Last Name	Membership Type	Email	Action
Empty Data					

**Add Member**

Username

Membership

3. Click **OK** in the confirmation message to accept your deletion.



## Note

After being deleted, all information related to that group, such as users and navigation, is also deleted. You cannot delete the mandatory groups, including *Platform*, *Platform/Administration*, *Platform/Guests*, *Platform/Visitors*.

## Add a user to a group

1. Select the group to which you want to add a new user in the left pane.
2. Enter the exact Username of the user that you want to add to the selected group (you can add many usernames separated by commas);

The screenshot shows the 'Group Management' tab selected in the top navigation bar. On the left, a tree view shows the 'Management' group selected. The main area displays the 'Group Info' for the 'Management' group. Below the group info, there is an 'Add Member' section with a table header: 'User Name', 'First Name', 'Last Name', 'Membership Type', 'Email', and 'Action'. The table is currently empty, showing 'Empty Data'. Below the table, there is a form to add a new member. It includes a 'Username' input field with a search icon, a 'Membership' dropdown menu set to 'member', and a 'Save' button.

Or, enter at least one character if you are not sure about the exact spelling and do the further followings:

- i. Click



to search by your entered characters.

After you have clicked




, there will be a list of all existing users whose **Usernames** include the entered characters. For example, if you enter 'o', you will get the following result.

The screenshot shows a 'Select User' dialog box. It has a search bar with the text 'jame' entered. Below the search bar, there is a table with the following columns: 'Username', 'First Name', 'Last Name', and 'Email'. The table contains one row with the following data: 'james', 'James', 'Davis', and 'james.davis@acme'. At the bottom of the dialog, there are 'Add' and 'Close' buttons.

	Username	First Name	Last Name	Email
<input type="checkbox"/>	james	James	Davis	james.davis@acme

- ii. Select the checkboxes corresponding to users you want to add to the group.

After clicking **Add**, you will see the complete **Username** in the **Add Member** form.



3. Select the membership for the users from the **Membership** list. You can click



to update the memberships list in case of any changes.

4. Click **Save** to accept adding the selected users to the specific group with the specified membership type.

### Note


By default, the "manager" membership has the highest right in a group. A user can have several membership types in a group. To do that, you have to use the **Add Member** form for each membership type. The user's membership information is hereafter updated. You can check it by opening the **User Management** form and editing the user you just added.

## Edit a user membership in a group

1. Click



corresponding to a specific user with a membership in the **Action** column in the right pane.



2. Change the membership of the selected user by selecting another value in the **Membership** list.
3. Click **Save** to complete your changes.

## Manage memberships

The role of a user in a specific group is managed by using the **Membership Management** tab.

By default, eight membership types available in eXo Platform include *Member*, *Author*, *Editor*, *Manager*, *Redactor*, *Validator*, *Webdesigner*, and *Publisher*. The "Manager" has the highest right in a group.

Membership Name	Created Date	Modified Date	Description	Action
member	10:11:23 2011-11-17	10:11:23 2011-11-17	member membership type	
author	10:11:23 2011-11-17	10:11:23 2011-11-17	author membership type	
editor	10:11:23 2011-11-17	10:11:23 2011-11-17	editor membership type	
manager	10:11:23 2011-11-17	10:11:23 2011-11-17	mana_editor membership type	
redactor	10:11:23 2011-11-17	10:11:23 2011-11-17	redactor membership type	

Total pages: 2

Add/Edit Membership

Membership Name: member

Description: member membership type

Save Reset

## Add a new membership type

1. Enter values into the fields of the **Add/Edit Membership** form. The **Membership Name** field is required, and only letters, digits, dots, dashes and underscores are allowed without ANY SPACES.
2. Click **Save** to accept adding a new membership, or **Reset** to clear entered values.

## Edit a membership type

1. Click



corresponding to the membership type you want to edit in the **Action** column. Information about the selected membership type will be updated automatically in the **Add/Edit Membership** form.

2. Make your desired changes on the **Description** field. You cannot change the **Membership Name**.
3. Click **Save** to accept your changes.

## Delete a membership type

1. Click



in the **Action** column.

2. Click **OK** in the confirmation message to accept your deletion.

## Manage permissions

Permissions play an important role in accessing and performing actions in eXo Platform. Depending on these permissions assigned by an administrator, users can gain access to various components and another actions, such as editing portals, pages, or portlets.

Details about permission types and levels can also be found in the [Permission](#) section.

### Set permissions on a portal

You can set the portal permissions (**Access permission** and **Edit permission**) for a specific user via the **Permission Settings** tab.


The **Permission Settings** tab can be opened in some various ways, depending on the following approaches.

#### For new portals:

1. Hover your cursor over



in the Administration bar, then click **Portal --> Sites**.



2. Select the **Add New Portal** button to open the **Create New Portal** form.
3. Click the **Permission Settings** tab.

#### For existing portals:

##### The first way

1. Hover your cursor over



in the Administration bar, then click **Portal --> Sites**.

acme	Edit Layout	Edit Navigation	Edit Portal's Config	Delete
default	Edit Layout	Edit Navigation	Edit Portal's Config	
intranet	Edit Layout	Edit Navigation	Edit Portal's Config	Delete

[Add New Portal](#)

2. Select **Edit Portal's Config**, then select the **Permission Settings** tab.

### The second way

1. Hover your cursor over **My Sites** on the Administration bar, then select your desired portal from the drop-down menu.
2. Select **Edit --> Site --> Layout** on the Administration bar.
3. Click **Site's Config** in the **Edit Inline Composer** window, then select the **Permission Settings** tab.

## Access permission

### Note

To access a portal, you must belong to one of the groups that have access permission to that portal.

After entering into the [Permission Settings \[40\]](#) tab, you first need to select the **Access Permission Settings** sub-tab to set the access permissions on a portal.

Portal Settings
Properties
Permission Settings

Access Permission Settings
Edit Permission Settings


Make it public (everyone can access): ☐

Group Id	Membership Type	Action
Empty Data		

Add Permission

Save Cancel

- If you want to assign the access permission to users in the public mode (without signing in), simply select the **Make it public (everyone can assess)** checkbox.
- If you do not want everyone to access the portal, first deselect the **Make it public (everyone can access)** checkbox, and do the followings:
  1. Click the **Add Permission** button to open the **Select Permission** form.



2. Select one group in the left pane, and one membership type in the right pane. In the list of membership types, the asterisk (\*) means that any membership types of the selected group are allowed.
  3. Click **Save** to finish your settings.
- After you have selected a membership type, the selected permission is displayed in the access permission list.
  - You can select only one group with one membership type at each time. If you want to add more, click the **Add Permission** button and select again.

### Edit permission

#### Note

Only members under the **Editor** group can edit that portal. Access rights can be given to several groups but edit rights can only be given to a group with a membership type. To assign an edit permission to a user, you must add him/her to the editors group of the relevant portal.

After entering into the [Permission Settings \[40\]](#) tab, you first need to select the **Edit Permission Settings** sub-tab to set the edit permissions on a portal and do the followings:

1. Click the **Select Permission** button to open the **Permission Selector** form.
2. Select one group in the left pane and one membership type in the right pane. You can select \* if you want to assign all available membership types to the selected group.
3. Click **Save** to finish your settings.

## Set permissions on a page

Before setting permissions on a page, you need to pay attention to the following cases:



- If the **Owner** type of a page is "group", initial permissions on a page are:
  - Access permission: everyone in that group.
  - Edit permission: the manager of that group.
- If the **Owner** type of a page is "portal", initial permissions are:
  - Access permission: users who can access that portal.
  - Edit permission: users who can edit that portal.

To set permissions on a page, you first need to go to the **Permission Settings** tab via different ways:

### Via Edit Page:

1. Hover your cursor over **My Sites** on the Administration bar, then select the page you want to configure from the drop-down menu.  
  
You will be directed to your selected site.
2. Continue hovering your cursor over **Edit** on the Administration bar, then select **Page --> Layout** from the drop-down menu.
3. Click **View Page Properties** in the **Page Editor** window.
4. Select the **Permission Settings** tab.

### Via Page Management:

1. Hover your cursor over  on the Administration bar, and select **Portal --> Pages** to open the **Pages Management** page.
2. Locate the page you want to edit using the **Page Id** column, then click  in the **Action** column. You will be taken to the **Page Editor** window.

3. Select the **Permission Settings** tab.

### Access permission

#### Note

To be able to access a page, you have to be in one of the groups that have access permission to that page.

To assign the access permission on a page, simply follow steps as stated in the [Access permission](#) section.

### Edit permission

#### Note

Only users under the page's editors group can edit it. The access permission can be set for several groups but the edit permission only can be set for one group.

To give users the edit permission, you must add them to the editors group of that page via **Permission Settings** and follow steps as stated in the [Edit permission](#) section.


### Set access permission on a category

Setting the access permission on categories allows these categories to be listed when a page is edited to add portlets or widgets.

1. Hover your cursor over



in the Administration bar, then select **Applications** from the drop-down menu to open the **Manage Applications** page.



2. Select one category from the list of available categories in the left pane, then click






3. Select the **Permission Settings** tab.
4. Set access permissions on a category that is similar to the [Access permission](#) section.

## Set access permission on a portlet

1. Go to the **Manage Applications** page.
2. Select the category containing the portlet you want to set the access permission, then click the relevant portlet under your selected category.

The selected portlet will be highlighted in grey in the left pane with its detailed information in the right pane.



3. Follow steps stated in the [Access permission](#) section to assign access permission on your selected portlet in the **Default Permission Settings** form.

## Manage portals/websites


### Create a new portal

You can perform this action only when you are a member of the `/platform/administrators` group.

1. Hover your cursor over



on the Administration bar, then select **Portal --> Sites** from the drop-down menu.



2. Click the **Add New Portal** button.

By default, the **Create New Portal** window, which contains the **Portal Settings** tab, will open.

Portal Settings Properties Permission Settings Portal Templates

Portal Name:  \*

Label:

Description:

Locale: English  \*

Skin: Default

Save Cancel

3. Enter a string into the **Portal Name** field. This field is required and must be unique. Only alphabetical, numerical and underscore characters are allowed for this field with the length from 3 to 30 characters.
4. Select the default display language for the portal from the **Locale** field.
5. Click the **Properties** tab to set the properties of a portal.

Portal Settings Properties Permission Settings Portal Templates

Keep session alive: On Demand

Show info bar by default ☒

**Details:**

**Table 3.2.**

Field	Description
<b>Keep session alive</b>	<p>Keep the working session for a long time to avoid the time-out. There are 3 options:</p> <p><b>Never:</b> The session will time out if the logged-in user does not do any action after a given period. In this case, there will be a message which asks the user to log in again.</p>

Field	Description
	<p><b>On Demand:</b> The session will time out to the application's requirement. If there is no request from the application, the session will time out after the given period that is similar to that of <b>Never</b>.</p> <p><b>Always:</b> The session will never time out even if the logged-in user does not do any action after a long time.</p>
<b>Show info bar by default</b>	<p>Tick the checkbox to show the info bar of the portlet by default when the portlet is used in a page of the portal.</p> <p>The "Show info bar by default" option only takes effect on new portlets as from the time you select the checkbox rather than all portlets of the portal. In particular, after creating your new portal with the "Show info bar by default" option checked, newly created portlets of the portal will be displayed with the info bar by default. However, if you deselect the "Show info bar by default" option when editing the portal's configuration, the former portlets with the shown info bars are remained; meanwhile new portlets, which are created after this option is deselected, will be shown without the info bars.</p>

- Click the **Permission Settings** tab to set permissions on the portal.

The list of access permissions for the portal is empty by default. You have to select at least one or tick the **Make it public (everyone can access)** checkbox to assign access permission to everyone.

### Note


For more details on how to grant permissions on the portal, see the [Set permissions on a portal](#) section.

- Click the **Portal Templates** tab to select the template for your portal.
- Click **Save** to accept creating your new portal.

### Switch between portals

This function enables you to select and use another portals (gateway, starting site). You can perform this action only when you are assigned the appropriate permission by the administrators.

To switch between portals, hover your cursor over **My Sites** on the Administration bar for a list of all portals in which you have at least access rights, then click the desired portal. You need to wait a few seconds to be switched to your selected portal.



### Edit a portal

#### Note

The function allows you to edit layouts, navigations and properties of a portal. To do this, you must have the edit permission by contacting your administrator.

**When you have the edit permission, follow either of two ways below to go to the relevant form that allows you to do actions related to editing a portal.**

#### The first way

1. Hover your cursor over **My Sites** on the Administration bar and select the portal you want to edit from the drop-down menu.

You will be switched to your selected portal just after a few seconds.

2. Continue hovering your cursor over **Edit** on the Administration bar to open the drop-down menu.

##### i. Select **Site --> Layout**.

You will be directed to the **Edit Portal** page. From here, you can make changes on the [layout of your selected portal](#), or on [its configurations](#) by selecting **Site's Config** at the bottom of the **Edit Inline Composer** form.













##### ii. Select **Site --> Navigation**.

From here, you can [edit your selected portal's navigation](#).

#### The second way

1. Hover your cursor over  to open the drop-down menu.

2. Select **Portal --> Sites** to show the list of active portals.

acme	 Edit Layout	 Edit Navigation	 Edit Portal's Config	 Delete
default	 Edit Layout	 Edit Navigation	 Edit Portal's Config	
intranet	 Edit Layout	 Edit Navigation	 Edit Portal's Config	 Delete
				

3. Specify your desired portal, and do the following actions:

- *Edit the portal's layout* by clicking **Edit Layout**.
- *Change the portal's navigation* by clicking **Edit Navigation**.
- *Edit the portal's configurations* by clicking **Edit Portal's Config**.
- Also, *delete the portal* by clicking **Delete**.

## Edit layout

To edit your selected portal's layout, your first need to follow [one of ways above\[48\]](#) to open the **Edit Layout** form.

New applications, containers or gadgets can be dragged and dropped from the **Edit Inline Composer** window to the main portal body.


You can rearrange elements in the portal body by dragging and dropping them into your desired positions. Also, you can edit or remove any element by hovering your cursor over it and selecting



or



respectively.




**Note**


For more details on how to edit elements, see the [Edit a specific portlet](#) section.

**Edit navigation**

To edit your selected's navigation, your first need to follow [one of ways above \[48\]](#) to open the **Edit Navigation** form.



The **Navigation Management** form appears.



## Note

For more information about actions, which can be done in the [Navigation Management \[50\]](#) form, see the [Manage navigation nodes](#) section.

## Edit configurations

Configurations of a portal include settings, properties and permissions that can be set by following [one of ways above \[48\]](#) to open the **Edit Configurations** window.

The screenshot shows a 'Portal Settings' dialog box with three tabs: 'Portal Settings', 'Properties', and 'Permission Settings'. The 'Portal Settings' tab is selected. Inside the dialog, there are five fields: 'Portal Name' with the value 'acme', 'Label' (empty), 'Description' (empty), 'Locale' with a dropdown menu showing 'English', and 'Skin' with a dropdown menu showing 'Default'. Each field has a small asterisk icon to its right. At the bottom of the dialog, there are two buttons: 'Save' and 'Cancel'.

In this window, you can make changes on fields in the various tabs, except the **Portal Name** in the **Portal Settings** tab.

### Note

For more details on these fields, refer to the [Create a new portal](#) section.

## Delete a portal

### Note


To delete a portal, you must be in the group that has the **Edit Permission** on that portal.

1. Open the list of existing portals by following steps as stated in the [second way](#). [48]
2. Click **Delete** corresponding to the portal you want to delete.
3. Click **OK** in the confirmation message to accept your deletion.

## Manage navigation nodes

If you are the portal administrator or the portal administrator has granted you the appropriate permission privileges, you can execute some special actions related to portal nodes, including copying, editing, cutting, cloning, deleting, adding existing nodes. To do so, you first need to go to the nodes list by following steps described in the [Edit navigation](#) section, then right-clicking your desired node to open the drop-down menu.





## Add a new node

1. Select **Add New Node** to create a node as a sub-node of the selected node.

- If you want to create a new node at the root level of the portal, click



then right-click the empty space and select **Add New Node**.

- Or, simply click the **Add Node** button.

The **Add/Edit Page Node** form appears.

2. Enter values in the **Page Node Settings** tab.

**ADD/EDIT PAGE NODE**

Page Node Settings | Page Selector | Icon

Uri:

Node Name:  \*

Extended Label Mode: ☒

Language:

Label:

Visible: ☒

Publication Date & Time: ☒

Start Publication Date:

End Publication Date:

**Details:**

**Table 3.3.**

Field	Description
<b>Asterisk (*)</b>	This mark next to each field means that it is required to enter values in the field.
<b>Uri</b>	An identification of the node that is auto-created after the new node has been created.
<b>Node Name</b>	The node name which must be unique. Only alphabetic, numeric and underscore characters are allowed with its length from 3 to 30 characters and without ANY SPACES.
<b>Extended Label Mode</b>	Tick this checkbox to activate the extended label mode for your page node's label. If this checkbox is deselected, the <b>Language</b> field will disappear.
<b>Language</b>	Select your desired language for the node label from the drop-down menu.
<b>Label</b>	The display name of the node on the screen in the selected language. This field is not required and may be changed. Its length must be between 3 and 120 characters, including SPACES. For example, if you want to create a French label for your node, first

Field	Description
	select the <b>Extended Label Mode</b> checkbox. Next, from the <b>Language</b> drop-down list, select your desired language and enter your French label into the <b>Label</b> field.
<b>Visible</b>	This checkbox enables the page and its node to be shown or hidden at the navigation bar and sitemap.
<b>Publication Date &amp; Time</b>	This option enables this node to be published for a given period. Two fields, including <b>Start Publication Date</b> and <i>End Publication Date</i> only display when this option is checked.
<b>Start Publication Date</b>	The start date and time to publish the node.
<b>End Publication Date</b>	The end date and time to publish the node.

## Note

You can set date and time by clicking **Start Publication Date** and **End Publication Date** and selecting a date from the calendar pop-up.

3. Select a page for this node in the **Page Selector** tab if you want.

**ADD/EDIT PAGE NODE**

Page Node Settings | **Page Selector** | Icon

**Selected Page Info**

Page Id:

Name:  \*

Title:

Clear Page Create Page Search and Select Page

Save Back

**Details:**

**Table 3.4.**

Field	Description
<b>Page Id</b>	The identification string of the page which is created automatically.

Field	Description
<b>Name</b>	The selected page's name.
<b>Title</b>	The selected page's title.
<b>Clear Page</b>	Remove the inputted page information from fields.
<b>Create Page</b>	Create a new page with the inputted name and the title.
<b>Search and Select Page</b>	Search and select an existing page.

You do not need to enter values in these fields. They are automatically recorded after you have selected an existing page by clicking **Search and Select Page**.

The **Select Page** form appears.

The screenshot shows a window titled "Select Page" with a search bar at the top containing "Title", "Site Name", and "Type" (set to "portal"). Below the search bar is a table with the following data:

Page Id	Title	Access Permission	Edit Permission	Action
portal::intranet::spaces	Spaces	[*:/platform/users]	manager:/platform/admi	✓
portal::intranet::invitati	Invitation Space	[*:/platform/users]	manager:/platform/admi	✓
portal::intranet::pendin	Pending Space	[*:/platform/users]	manager:/platform/admi	✓
portal::intranet::publicS	Public Spaces	[*:/platform/users]	manager:/platform/admi	✓
portal::intranet::forum	Forum	[*:/platform/users]	*:/platform/administratc	✓
portal::intranet::mail	Mail	[*:/platform/users]	*:/platform/administratc	✓
portal::intranet::calend	Calendar	[*:/platform/users]	*:/platform/administratc	✓
portal::intranet::contact	Contact	[*:/platform/users]	*:/platform/administratc	✓
portal::intranet::docume	documents	[*:/platform/users]	*:/platform/administratc	✓

This window lists all existing pages of **Portal** or **Group** with basic information for each page.

You can select a page for creating a node by simply clicking



or search for a specific page as follows:

i. Enter your page title into the **Title** field to search by title;

Or, enter the site name into the **Site Name** field to search by the page's site name;

Or, enter values into both fields to further limit your search results by both **Title** and **Site Name**.

ii. Select the area in which you want to search into the **Type** field.

iii.

Click



to perform your search. All pages matching your search criteria will be listed.

iv.

Click



on the row of the page to select.

After selecting a page, the details of this page will be displayed in the **Page Selector** form.

4. Select one icon in the **Icon** tab if you want.
5. Click **Save** to accept the new node page, or **X** to close the form.

### Note

To select a page, you must be a member in the **Access Permission** or **Edit Permission** list of the selected pages. When the page type is 'User', you cannot select a page of another users.

If you do not have the access permission for any page in the list, please contact your administrator to get appropriate permissions.

## Edit a node

This function is used to edit the node settings and reselect a page for a node.

1. Select **Edit this Node** from the drop-down menu to open the form with all similar fields when you [Add a new node](#).
2. Change values in fields of the current node, except the **Node Name**.
3. Click **Save** to complete your changes.

## Copy/Paste a node

These functions are used to reproduce a node in another place.

1. Select **Copy Node** from the drop-down menu.
2. Right-click the position you want to paste this node and select **Paste Node**.
3. Click **Save** to accept your changes.

### Note

Two same node names in the same place are NOT allowed.

### Clone a node

The **Clone Node** function allows you to copy a node. The difference between **cloning** and **copying** a node is that the cloned node has its own page with the same content as the selected node. Therefore, there will be a new page that has the same name as the cloned node's page shown in the pages list when you access the **Pages Management** page.

1. Select **Clone Node** from the drop-down menu.
2. Right-click the position that you want to paste this node and select **Paste Node**.

The cloned node will be reproduced in a new place.

3. Click **Save** to accept your changes.

### Cut a node

This function enables you to change the position of a specific node, such as changing the page path.

1. Select **Cut Node** from the drop-down menu.
2. Select the position that you want to paste this node and click **Paste Node**.
3. Click **Save** to accept your change.

The cut node will be moved to your newly selected place.

### Note

Two same node names in the same place are not allowed.

### Delete a node

This function is used to remove a node linking to a page. After the node has been removed, the page has been still existing.

1. Select **Delete Node** from the drop-down menu.
2. Click **OK** in the confirmation message to accept your deletion.
3. Click **Save** to accept your change.

### Change nodes order

You can easily move the position of nodes up or down in the navigation bar following these steps:

1. Select **Move Up** or **Move Down** from the drop-down menu.
2. Click **Save** to accept your changes.

## Manage pages

### Add a new page using Page Creation Wizard

The **Page Creation Wizard** is available to the portal's administrators and facilitates them to create and publish portal pages quickly and easily. The whole process to create a new page can be divided into **3** specific steps:

#### Select a navigation node and create the page

In the first step, you have to set **Node Name** and **Display Name** of your page. You are also able to decide the pages visibility and the publication period of the page.

1. Hover your cursor over **My Sites** and click one portal/site to which you want to add a new page from the drop-down menu.

You will be switched to your selected portal only after a few seconds.

2. Hover your cursor over **Edit** on the Administration bar.
3. Select **Page --> Add Page** from the drop-down menu to open the **Page Creation Wizard** form.

The wizard is divided into two sections.

- The left pane contains existing pages/nodes displayed in the tree hierarchy. Here, you can navigate up and down the node/page structure.
- The right pane displays **Page Editor** where you can make changes on the selected navigation node. You can input parameters for your new page in this pane.

#### Details:


Table 3.5.

Field	Description
<b>Selected Page Node</b>	The path of the selected node to add a new sub-page.
<b>Node Name</b>	The node name of the added page. This field is required with its length between 3 and 30 characters.
<b>Extended Label Mode</b>	Tick the checkbox to show the <b>Language</b> field for you to select another language for your created node's display name. It means that if this checkbox is deselected, the <b>Language</b> field will be deactivated.
<b>Language</b>	Select your desired language for the node's display name from the drop-down menu.
<b>Display Name</b>	The display name of the node which contains the added page and must have a length between 3 and 120 characters.
<b>Visible</b>	<p>This checkbox toggles the global visibility of this page.</p> <p>If this option is checked, the page or the page node appears on the navigation bar, the page navigation and the sitemap. If "Visible" is checked, the visibility also depends on the <b>Publication Date &amp; Time</b> option.</p> <p>If not being unchecked, the page is hidden under any circumstances, even if the publication period is valid.</p>
<b>Publication Date &amp; Time</b>	This option allows the page to be published for a given period. If this option is checked, <b>Start Publication Date</b> and <b>End Publication Date</b> will be shown.
<b>Start Publication Date</b>	The start date and time to publish the page.
<b>End Publication Date</b>	The end date and time to publish the page.

4. Click **Next** or number '2' of the wizard steps to go to [Step 2](#).



## Select a page layout template




1. Select **Empty Layout** or click the down-arrow icon in the right pane to see more templates.
2. Click **Next** or number '3' of the wizard steps to go to the *last step*.

## Arrange the page layout

In this step, you can arrange the page's layout as follows:

- Add your desired applications, containers or gadgets by dragging and dropping them from **Page Editor** to the main page body.



**Details:**

**Table 3.6.**

Tab	Description
Applications	

Tab	Description
	This tab lists all existing categories and their portlets that you easily can drag and drop into the container.
<b>Containers</b>	<p>This tab contains all existing containers to build your page layout. You can add a container to your page area by dragging and dropping available containers from <b>Page Editor</b> to the main page body.</p> <ul style="list-style-type: none"> <li>• There are various layouts available, including <b>Rows Layout</b>, <b>Columns Layout</b>, <b>Autofit Columns Layout</b>, <b>Tabbed Layout</b>, and <b>Mixed Layout</b>.</li> <li>• For each layout, you can edit different layers, from the parent container to its child containers. The parent container holds its child containers and the child containers can hold applications. You can also drag a container to another one that helps you create various layouts to your desires.</li> <li>• Remember that you can also drag and drop the container to another one that helps you create your own various layouts to your desires.</li> <li>• For any container layout, you can edit the parent container or its child containers separately. Deleting the parent container means that its child containers are removed as well.</li> <li>• You cannot drag and drop a child container to change its location, but can drag it outside its parent container.</li> </ul>

- Rearrange elements in the page body by dragging and dropping them into your desired positions. Also, you can edit or remove any element by hovering your cursor over it and selecting



or



respectively.

- View page properties by clicking **View Page Properties** at the bottom of the **Page Editor** window.
- Preview your changes by clicking **Switch View Mode**.

**Note**

Click



in the **Page Editor** window to save all changes, or



to close without saving your changes.

**Add a new page using Page Management**

1. Hover your cursor over  to open the drop-down menu.
2. Select **Portal --> Pages** to go to the **Pages Management** page.

Site Name  Type

	Title	Access Permission	Edit Permission
spaces	Spaces	[*:/platform/users]	manager:/platform/administrators
invitationSpace	Invitation Space	[*:/platform/users]	manager:/platform/administrators
pendingSpace	Pending Space	[*:/platform/users]	manager:/platform/administrators
publicSpace	Public Spaces	[*:/platform/users]	manager:/platform/administrators
forum	Forum	[*:/platform/users]	*:/platform/administrators
mail	Mail	[*:/platform/users]	*:/platform/administrators
calendar	Calendar	[*:/platform/users]	*:/platform/administrators
contact	Contact	[*:/platform/users]	*:/platform/administrators
documents	documents	[*:/platform/users]	*:/platform/administrators
detail	Detail	[Everyone]	*:/platform/administrators
overview	Overview	[Everyone]	editor:/platform/web-contributors
news	News	[Everyone]	editor:/platform/web-contributors
products	Products	[Everyone]	editor:/platform/web-contributors
searchResult	SearchResult	[Everyone]	editor:/platform/web-contributors
tail	Detail	[Everyone]	*:/platform/administrators

Add New Page

3. Click **Add New Page** to open the **Add New Page** form with the **Page Settings** tab.

Page Settings
Page Layout
Permission Settings

Page Id:

Owner Type:

Owner Id:

Page Name:  \*

Page Title:

Show Max Window: ☐

Save Cancel

Details:

Table 3.7.

Field	Description
<b>Page Id</b>	The page's identification string which will be automatically generated when the page is created.
<b>Owner Type</b>	<ul style="list-style-type: none"> <li>If <b>Owner Type</b> is "portal", the page is created for a portal. Therefore, only users who have the <i>edit</i> permissions at the portal level can create this page type.</li> <li>If <b>Owner Type</b> is "group", the page is created for a group. Therefore, only users who have the <i>manager</i> permissions for that group can create this page type.</li> </ul>
<b>Owner Id</b>	The identification name of the page's owner which will be automatically created after you have selected <b>Owner Type</b> .

Field	Description
	<ul style="list-style-type: none"> <li>When the owner type is set to "group", a list of groups will allow you to select one user as the 'owner'.</li> <li>The name of the current portal is automatically selected for <b>Owner Id</b>, ensuring the edit permissions are assigned to users who can edit the current portal.</li> </ul>
<b>Page Name</b>	The page name which is required and must be unique. Only alphabetical, numerical and underscore characters are allowed with its length from 3 to 30 characters.
<b>Page Title</b>	The page title which is optional with its length from 3 to 30 characters.
<b>Show Max Window</b>	The option enables the page to be shown at the maximum size or not.


4. Define the page layout in the **Page Layout** template.
5. Define permissions in the **Permission Settings** tab.
6. Click **Save** to accept creating a new page.

## Edit a page

1. Open the **Page Properties** page by following one of the two ways:

### The first way

- i. Open the **Navigation Management** form by doing the steps in the [Edit navigation](#) section.
- ii. Right-click your desired node and select **Edit Node's Page** from the drop-down menu.



### The second way

- i. Hover your cursor over




and select **Portal --> Pages** to open the **Pages Management** page.

- ii. Click



corresponding to the page you want to edit.



The **Edit Page** form will be displayed in the **Page Properties** window.





2. Click **View Page Properties** in the **Page Editor** window to edit page properties.
  - i. In the **Page Settings** tab, you cannot change values in **Page Id**, **Owner Type**, **Owner Id**, and **Page Name**.
  - ii. In the **Permission Settings** tab, you can change or add more access and edit permissions. This form is only supported for pages of a *group* or a *portal*. Because the user's page is private, no one can access or edit it, except the creator.

### Note

For more details on how to assign permissions on a page, refer to the [Set permissions on a page](#) section.

3. Click **Save**, then select  in **Page Editor** for all changes to take effect, or  to abort.

## Delete a page

1. Hover your cursor over  and select **Portal --> Pages** to open the **Pages Management** page. You will see a list of all existing pages.
2. Click  in the row of the page you want to delete.
3. Click **OK** in the confirmation message to accept your deletion.

## Manage page navigation

Navigation types in eXo Platform are outlined in the [Manage navigation nodes](#).

### Portal's page navigation

The `/platform/administrators` group can do actions related to the page navigation of a portal, including adding/deleting portals, editing the layout/navigation/portal configuration.

#### Note

The page navigation of portal is created automatically when a portal is created.

The navigation will be deleted automatically after its portal has been deleted.

### User's page navigation

Actions related to the page navigation of users include adding a new page, editing a page/page layout. These actions are based on permission settings set to a page.

#### Note

The page navigation of a user will be created automatically when the user is created (registered).

Only the user who is the owner of the user page navigation can edit it.

No one can create a user page navigation so that no one can delete it. The navigation will be deleted automatically when its user is deleted.

### Group's page navigation

Each group has only one page navigation. Only managers of the navigation group and users of the administrators group can add/list/edit/delete the navigation or edit properties.


























To manage the group's page navigation, hover your cursor over



on the Administration bar, then select **Portal --> Group Sites** from the drop-down menu.

The **Group Navigation Management** page will appear.



<b>Content Management</b> Description: the /platform/web-contributors group	 Edit Navigation	 Edit Properties	 Delete Navigation
<b>eXoEvolution</b> Description: the /spaces/exoevolution group	 Edit Navigation	 Edit Properties	 Delete Navigation
<b>eXo evolution</b> Description: the /spaces/exo_evolution group	 Edit Navigation	 Edit Properties	 Delete Navigation
<b>Development</b> Description: the /developers group	 Edit Navigation	 Edit Properties	 Delete Navigation
<b>Administration</b> Description: the /platform/administrators group	 Edit Navigation	 Edit Properties	 Delete Navigation
<b>Employees</b> Description: the /organization/employees group	 Edit Navigation	 Edit Properties	 Delete Navigation
<b>Executive Board</b> Description: the /organization/management/executive-board group	 Edit Navigation	 Edit Properties	 Delete Navigation
<b>Visitors</b> Description: the /platform/users group	 Edit Navigation	 Edit Properties	 Delete Navigation
			

## Edit a group's page navigation

Click **Edit Navigation** corresponding to the group navigation you want to edit. The **Navigation Management** form will appear.

In this form, you can edit the group's page navigation through doing many actions, such as adding a new node to this group, cloning, moving up/down, and more. To learn more about specific actions, refer to the [Manage navigation nodes](#) section.

## Create a new page navigation

### Note

Only users who are "managers" of a group can create new pages for that group, while others in this group cannot.

1. Select **Add Navigation** at the bottom of the **Group Navigation** form. The groups list will be displayed with the **Add Navigation** buttons.
2. Click **Add Navigation** corresponding to the group you want to add the new page navigation.

After being added, the new group navigation will be displayed in the **Group Navigation** page.


Each group has only one navigation. If you add a new group navigation that has been existing, there will be a message, informing that you cannot create the navigation.

## Change priority of page's navigation

This function is to change the priority of a navigation. Only users who have the right can take this action.

1. Click **Edit Properties** corresponding to the navigation you want to edit.

The **Page Navigation Form** will appear.



The screenshot shows a dialog box titled "Page Navigation Form" with a close button (X) in the top right corner. Inside the dialog, there is a section titled "Page & Navigation Explorer". Below this title, there are three input fields: "Owner Type:" with the value "group", "Owner Id:" with the value "/platform/web-contributors", and "Priority:" with a dropdown menu showing "1". At the bottom of the dialog, there are two buttons: "Save" and "Close".

2. Select another priority from the list of available priorities.
3. Click **Save** to accept changes.

### Delete a group's navigation

This function is used to delete the existing navigation. It is only supported for the group navigation. A user navigation or a portal navigation will be automatically deleted when the user or portal is deleted respectively.

1. Click **Delete Navigation** corresponding to the navigation you want to delete.
2. Click **OK** in the confirmation message to accept your deletion.

After the navigation deletion has been confirmed, the selected navigation will be removed from the **Group Navigation** page and its nodes/hyperlinks to pages will also be deleted.

## Manage applications

In eXo Platform, applications can be managed *inside a portal* or *inside Desktop*.


### Inside a portal

#### Manage portlets and gadgets

To manage portlets and gadgets in a portal, you first need to hover your cursor over




on the Administration bar, and select **Applications**. The **Manage Applications** page will appear.



Portlets and gadgets are organized into different categories. Each category contains one or several portlets or gadgets. You can also mix portlets and gadgets into one category. By default, all gadgets are placed in the *Gadgets* category.


## Import portlets and gadgets

This feature enables you to import default portlets and gadgets into different categories as follows:

1. Click  at the right corner on the action bar.
  2. Click **OK** in the confirmation message to accept importing portlets and gadgets automatically.
- All portlets and gadgets of all categories will be imported and listed on the left pane.

## View/Edit detailed information of a portlet/gadget

To view details of a portlet/gadget, simply select one portlet/gadget in the left pane. The details of that portlet will be shown on the right pane.



### Left pane

All portlets and gadgets grouped by categories.

### Right pane

Details of a portlet: Name, Display Name, Description.

### Edit a portlet

1. Click



on the top corner of right pane.

The **Edit Application Information** form will appear.

**Edit Application Information**

Application Name: ApplicationRegistryPortlet \*

Display Name: Application Registry

Description: Application Registry

Save Cancel

2. Make changes on these fields, except **Application Name**.

### Edit a specific portlet

This section tells you how to access the edit mode of a portlet and edit it.

1. Define your desired portlet to check if this portlet has been existing in the portal or page. If not, drag and drop it from **Edit Inline Composer** to the main portal body while *editing the portal's layout*, or from **Page Editor** to the main page body in the *Step 3 while creating a page* and/or while *editing a page*.



2. Click **Edit** over

at the upper left corner of that portlet.

The **Edit** form will be displayed.

**Edit** Window Settings Select Icon Decoration Themes Access Permission

Content Selection

Content Path: Welcome \*

Display Settings

☐ Show Title ☐ Show Date ☐ Show Option Bar

Print Settings

Show in Page: printviewer

with: content-id

Advanced

Save Cancel Close

Normally, a portlet has four tabs: **Window Settings**, **Select Icon**, **Decoration Themes** and **Access Permission**. However, some portlets may also have **Edit Mode** and **Preferences** tabs. For example, IFrame and Dashboard portlets have the **Edit Mode** tab where administrators can define the interface details.

3. Make changes on fields in the various tabs.

- The **Window Settings** tab allows you to change values related to settings of your selected portlet.

**Details:**

**Table 3.8.**

Field	Description
<b>Display Name</b>	The display name of portlet which cannot be changed.
<b>Window Title</b>	The portlet title with the length between 3 and 60 characters.
<b>Width</b>	The portlet's vertical size. The value of this field must be in numeric format.
<b>Height</b>	The portlet's horizontal size. The value of this field must be in numeric format.
<b>Show Info Bar</b>	The option enables the information bar to be shown or hidden. If the <b>Show Info Bar</b> checkbox is not selected, portlet mode and window state will not be displayed in that portlet.
<b>Show Portlet Mode</b>	The option enables the portlet mode to be shown or hidden.
<b>Show Window State</b>	The option enables the portlet's window state to be shown or not.
<b>Description</b>	The brief information of the portlet. The length must be between 0 and 255 characters.

- The **Select Icon** tab allows you to select an icon for the portlet. By clicking **Get Default**, you do not have to select any icon from the list, the suitable icon will be got automatically.
- The **Decoration Themes** tab allows you to select a theme for the portlet from the themes list. By clicking **Get Default**, you do not have to choose any theme, it will be automatically set.

- The **Access Permission** tab allows you to set the access permission on the portlet. The portlet can be made public to everyone or restricted to specific groups.


### Note

See the [Set access permission on a portlet](#) section for details on how to assign the access permission on a portlet.

4. Click **Save And Close** to accept your changes.

## Add a gadget

To add a gadget, you first need to turn into the **Gadget** page by selecting **Gadget** on the tab bar of the **Manage Applications** page.



You can add a remote gadget using its URL or create a new gadget into the list.

### Add a remote gadget

1. Click the **Add a Remote Gadget** link.
2. Enter the link of your desired gadget which is in the **.xml** format in the **Gadget URL** field.

The form consists of a text input field labeled 'Gadget URL' with a small icon to its right. Below the input field, there are two buttons: 'Add' and 'Cancel'.

3. Click **Add** to accept your inputted URL.

The selected gadget will be added to the gadgets list in the left pane with its details in the right pane.

### Create a new gadget

1. Click the **Create a New Gadget** link.
2. Enter values in the form.

For example:

Name:  \*

Source:  \*

```
<?xml version="1.0" encoding="UTF-8"?><Module><ModulePrefs title="hello world example" description="The hello world gadget."/><Content type="html"> <![CDATA[ Hello, world! ]]></Content></Module>
```

3. Click **Save** to accept creating your new gadget.

## Note

To add the newly added remote gadget to a specific category, simply click the "Click here to add into categories" link at the bottom of the right pane. The table listing all categories will appear that allows you to select your desired category.

To update information of the added gadget, simply click



to refresh information.

- You can delete a local gadget using



corresponding to each gadget in the left gadgets list.

## Add a new gadget from Dashboard

See the [Add more external gadgets from Dashboard](#) section for instructions on how to add new gadgets from the dashboard.

## Edit a gadget

Click



located in the header of the **Gadget Details** page to display the following window.

Name:

Source: 

```
<?xml version="1.0" encoding="UTF-8" ?>
<Module>
  <ModulePrefs title="10 slowest templates"
    author="Frederic DROUET"
    author_email="frederic.drouet@exoplatform.com"
  >
    <Require feature="dynamic-height" />
    <Locale messages="locale/default.xml" />
    <Locale lang="fr" messages="locale/fr.xml" />
  </ModulePrefs>
  <Content type="html">
    <![CDATA[
      <head>
        <title>10 slowest templates</title>
        <link type="text/css" rel="stylesheet" href="http://ajax.googleapis.com/ajax/libs/jqueryui/1.8.9/themes/ui-lightness/jquery-ui.css" />
        <link rel="stylesheet" type="text/css" href="/exo-gadget-resources/skin/exo-gadget/gadget-common.css" />

        <script language="javascript" type="text/javascript" src="/social-resources/javascript/eXo/social/SocialUtil.js"></script>
        <script language="javascript" type="text/javascript" src="/exo-gadget-resources/script/jquery/1.6.2/jquery.min.js"></script>
      </head>
    </![CDATA[
  </Content>
</Module>
```

### Dashboard portlet

This portlet is to host mini-applications known as gadgets. The dashboard uses a variety of graphical effects for displaying, opening and using gadgets.

Gadgets within the Dashboard portlet may be moved or rearranged. Users can create new gadgets and delete unnecessary ones. Also, users can open many gadgets with different settings at once.

### Use the Dashboard workspace


In addition, eXo Platform is compatible with most gadgets which can be found [here](http://www.google.com/ig/directory?synd=open). [http://www.google.com/ig/directory?synd=open]



1. Click **Dashboard** on the Administration bar to access the Dashboard portlet.



2. Click **Add Gadgets** to open the **Dashboard Workspace** window which lists all available gadgets.



3. Select a gadget in the **Dashboard Workspace** window.
4. Drag and drop the selected gadget into the workspace.


### Change gadget preferences

The edit icon on gadgets only displays when the gadget has some gadget preferences. This icon enables users to display the edit form and change preferences of a gadget.



### Change preferences of a gadget (for example, RSS Reader)

1. Click the edit icon to open the edit form of the RSS gadget.



2. Enter your preferred RSS into the **FEED URL** field and one numeric character (from 1 to 100) in the **Items** field. The numeric character you entered is the number of items displayed in the RSS gadget.
3. Click **Save** to accept your changes.


### Add more external gadgets from Dashboard

1. Obtain the URL (.xml or .rss) of the gadget you want to add from the gadgets source. For example, <http://bejeweledg.googlecode.com/svn/trunk/bejeweled.xml>.

## Note

Remote gadgets can be only created using an .xml link or RSS URL. However, if you use a link that generates an RSS feed (for example, <http://feeds.feedburner.com/gatein> [http://feeds.feedburner.com/gatein]), a new RSS reader gadget will be created automatically even if the URL does not end with .rss.

2. Return to your portal and click **Dashboard** in the Administration bar.
3. Click **Add Gadgets** in the Dashboard to open the **Dashboard Workspace** window.
4. Paste the URL in Step 1 into the textbox.



5. Click



to add the new gadget to the page.

## Use Gadgets in your dashboards

eXo Platform provides a gadget package that contains many useful gadgets. They can be categorized into:

- *Engagement gadgets*

- [Audit gadgets](#)
- [Collab gadgets](#)
- [Management and Monitoring gadgets](#)

### Engagement gadgets

**Engagement** gadgets include gadgets designed to aid users in engagement activities and events. These gadgets analyze the existing communications and community engagement in your organization, then show what is going on by providing statistics.

#### Latest Forum Posts

The **Latest Forum Posts** gadget shows the latest posts in Forum. You can decide the specified number of the latest posts to be shown. This gadget helps you always stay updated with what is going on in the forum.

Latest Forum Posts

Total:

Forum portlet:

Subscription url:

Last post Forum ▾

Hi, I saw that eXo Mobile was deployed on iPhone and Android platform. It's great because...  
Tue Oct 11 2011 07:29:30

We are looking for a platform where we should be able to basically program and run WAP (xhtml for...  
Tue Oct 11 2011 07:28:55

I have read your mobile feature listing here:....  
Tue Oct 11 2011 07:20:00

I'm looking for a documentation about developing exo groovy template. In details, for...  
Tue Oct 11 2011 07:13:58

eXo Forums have been upgraded to eXo Knowledge 2.0. The migration of content from the 1.x version...  
Tue Oct 11 2011 07:07:31


**Latest Forum Posts settings:**

Field	Description
<b>Total</b>	The number of last posts to be displayed in this gadget.

Field	Description
<b>Forum portlet</b>	The URL pointing to the Forum portlet.
<b>Subscription URL</b>	The URL to the service which you request to get data from (in this case, the data are last posts). For example: <a href="http://localhost/portal/rest/ks/forum/getmessage">http://localhost/portal/rest/ks/forum/getmessage</a> .


## Top Voted Topics

The **Top Voted Topics** gadget lists the highest rated topics in a forum. You can decide the maximum number of posts to be shown.



By clicking the post previewed-content, you will go to that post in the forum.

**Top Voted Topics gadget settings:**



Select the maximum number of topics to be displayed in the **Maximum to display** drop-down list, then click **Save** to save the changes.


### Forum Statistics

The **Forum Statistics** gadget displays statistics about the forum's activity. This gadget is especially useful for administrators who always need global as well as detailed view about how the forum is going on. Based on these statistics, the administrators can find the solution to increase the forum activities.

The statistics include the total number of the topics, posts, members, active members and the maximum number of online users.

You can switch between different views:

- Global statistics view (default):



- Weekly statistics view:


Click



to switch to Weekly statistics view.

After switching to the Weekly statistics view, you can display the statistics in a list or a chart.

- - List view:



- Chart view:

Click




to switch to the Chart view. Click



to go back to the List view or click




to go to the Global statistics view:



### Friend Suggestions

The **Friend Suggestions** gadget will suggest you to connect with people that have mutual friends with you.



To send the invitation to connect with the suggested people right on this gadget, simply click **Send invitation** under their usernames.

### Audit gadgets

#### User Login History

The **User Login History** gadget records user's login history and provides statistics.



**Login History**

Statistics | History

User  Find Latest

User	Last login	Before that	More
Nguyen Dai Duc	8 secs ago	3 mins ago	
Tung Tran	5 mins ago	1 hr, 58 mins ago	
Brice Revenant	10 mins ago	1 day, 20 hrs ago	
Nguyen Huu Tue	10 mins ago	2 hrs, 3 mins ago	
Do Thanh Tung	13 mins ago	1 day, 20 hrs ago	

You can look up a specific user by entering his username in the search box and click **Search**.

- To view the global statistics and global history, click the **Statistics** and **History** link respectively.

- Click




or




corresponding to the user you want to view the login statistics or the login history.

- User's login statistic:



- User's login history:




## Collab gadgets


The **Collab** gadgets include gadgets designed for collaborative activities.

## eXo Calendar Gadget

The eXo Calendar gadget displays a mini calendar and allows you to quickly add an event.



### Appearance:



If you have more than one personal calendar, you can select which calendar to display. Select the calendars from the list, then click **Save**. Only the event in the calendar of your choice will be displayed.

**Quick add:** You can add a new event to your personal calendar in this gadget by simply entering the date, time and description,

then click **Add** to create your new event.

Appearance Quick add Refresh

defaultCalendarName

From 2011 Oct 12 14:29:46

To 2011 Oct 12 15:29:46

Summary

close add

the calendar for the event

the time when the event starts

the time when the event finishes

event summary

add the event

eXo Calendar Gadget settings:

eXo Calendar Gadget

Rest URL:

Save Cancel

Appearance Quick add Refresh

« 2011 Oct »

M T W T F S S

26 27 28 29 30 1 2

3 4 5 6 7 8 9

10 11 12 13 14 15 16

enter the REST URL then click Save to update

Field	Description
REST URL	REST URL from which the gadget will get data. For example: <a href="http://localhost:8080/rest/">http://localhost:8080/rest/</a>


Normally, regular users do not have to care about this setting. If administrators make changes on the server that affects the REST URL, you need to contact administrators to get the new REST URL.

## Management and Monitoring Gadgets

The **Management and Monitoring** gadgets include gadgets designed for providing the overall vision of the system. These gadgets monitor the system and provide the current system performance statistics which are especially useful for the system administrators and developers.

### Memory Charts

The **Memory Charts** gadget provides the chart of memory used during runtime.




The chart shows:

- The ratio between free and used heap memory.
- The ratio between free and used non-heap memory.


## Cache Levels

The **Cache Levels** gadget displays the eXo cache levels and settings. Based on these statistics, the administrators can configure the cache settings properly to get better performance:

- If the cache is full but the hit ratio is low (or missed ratio is high), it means the cache is full of unnecessary data. It should be cleared and/or its size is increased, or its lifetime is decreased.
- If the cache is full and the hit ratio is high, this is good. It means most data are retrieved from the cache not the database, so the system gets better performances.
- If the cache is empty, it should be configured differently, for example, increasing its lifetime.



- The **Consumption** tab shows the overall cache consumption in the system.
- The **Hit ratio** tab shows the ratio between requested data fetched from cache and data fetched from database.



- The **Details** tab shows the cache level and the current cache settings:

Consumption		Hit ratio	Details
<b>Template Service</b>			<b>0 % full</b>
• max size			300
• Time to live			600
• Hit / Missed			98 % / 2 %
<b>MOP Session Manager</b>			<b>2 % full</b>
• max size			5000
• Time to live			600
• Hit / Missed			92 % / 8 %
<b>query</b>			<b>0 % full</b>
• max size			300
• Time to live			600
• Hit / Missed			0 % / 0 %
<b>Resource Bundle Data</b>			<b>61 % full</b>
• max size			3000
• Time to live			600
• Hit / Missed			96 % / 4 %
<b>composer</b>			<b>0 % full</b>
• max size			300
• Time to live			600
• Hit / Missed			0 % / 0 %
<b>Script Service Impl</b>			<b>1 % full</b>
• max size			300
• Time to live			600
• Hit / Missed			100 % / 0 %
<b>drive</b>			<b>2 % full</b>
• max size			300
• Time to live			600
• Hit / Missed			86 % / 14 %
<b>Initial Web Content Plugin</b>			<b>0 % full</b>
• max size			300
• Time to live			600
• Hit / Missed			0 % / 0 %

- 
- Max size: The maximum size of the cache.
- Time to live: The lifetime (in seconds) of cache entries before being cleared.
- Hit/Missed: The percentage of data fetched from cache versus the percentage of data fetched from database.

## Applications Statistics

The **Application Statistics** gadget displays how fast applications are. It shows administrators and developers which applications should be optimized.



Applications Statistics (30)	
ApplicationRegistryPortlet/ACTION_PHASE min: 220 ms   max: 3 392 ms   exec: 2	1 806 ms
ApplicationRegistryPortlet/RENDER_PHASE min: 10 ms   max: 3 176 ms   exec: 4	812 ms
ChatBarPortlet/RENDER_PHASE min: 2 ms   max: 2 007 ms   exec: 13	459 ms
ContentListViewerPortlet/RENDER_PHASE min: 72 ms   max: 2 236 ms   exec: 3	1 061 ms
DashboardPortlet/ACTION_PHASE min: 0 ms   max: 2 703 ms   exec: 31	730 ms
DashboardPortlet/RENDER_PHASE min: 59 ms   max: 66 990 ms   exec: 62	2 612 ms
ForumPortlet/ACTION_PHASE min: 0 ms   max: 597 ms   exec: 91	71 ms
ForumPortlet/RENDER_PHASE min: 1 ms   max: 5 884 ms   exec: 98	522 ms
GadgetPortlet/RENDER_PHASE min: 6 ms   max: 1 374 ms   exec: 21	205 ms

Applications that take long time to execute will be highlighted so that you can easily recognize:


Applications Statistics (17)	
DashboardPortlet/ACTION_PHASE min: 0 ms   max: 2 401 ms   exec: 4	607 ms
DashboardPortlet/RENDER_PHASE min: 214 ms   max: 3 505 ms   exec: 9	1 043 ms
PlatformAdminToolbarPortlet/RENDER_PHASE min: 11 ms   max: 675 ms   exec: 5	223 ms
TabbedDashboardPortlet/RENDER_PHASE min: 4 ms   max: 557 ms   exec: 5	172 ms

Each application is provided with these statistics:

- The number of executions (exec).
- The minimum execution time (min).
- The maximum execution time (max).

### All Template Statistics

The **All Template Statistics** gadget displays how fast templates are. It shows administrators and developers which templates should be optimized.




Each template is provided with these statistics:

- The number of executions (nb exec).
- The minimum execution time (min).
- The maximum execution time (max).
- The average execution time (avg).

### 10 Slowest Templates

The **10 Slowest Templates** gadget displays the 10 slowest groovy templates and their speed statistics. It helps administrators and developers specify what templates are slowing down the system performance most.



Similar to the **All Template Statistics** gadget, each template is provided with these statistics:

- The number of executions (nb exec).
- The minimum execution time (min).
- The maximum execution time (max).
- The average execution time (avg).

## Services Management

The **Services Management** gadget provides an easy access to REST management API.

Services Management

Services: **skinservice** ⓘ

Method: **reloadSkin**

Name	Value
Name	reloadSkin
Description	Reload a specified skin
Method	post
Parameters	skinId

Properties: **SkinList**

Name	Value
Name	SkinList
Description	The list of registered skins identifiers

Select the service from the **Services** drop-down list.

Click



to get the description of the selected service.

For each selected service, its method(s) and properties are shown respectively.

**Services Management settings:**

Services Management

Services URL:

Save Cancel

Services: **skinservice** ⓘ

Method: **reloadSkin**


Name	Value
------	-------

Field	Description
Service URL	

Field	Description
	If you want to manage a remote service on another Platform installation, you can enter the link to the service in this field.

## eXo Scripting Console

The **eXo Scripting Console** gadget provides a Groovy console that developers can use to interact with the runtime. This gadget is useful when you want to experiment on code. It accepts eXo API and can access eXo components deployed in the portal container, so this can be used as a tool for drafting code, testing or exploring eXo API/components/data interactively on a live system. The eXo Scripting Console gadget is better viewed on the entire screen. You should configure an entire page or a Dashboard tab for it.



- Click



to change the font size.

- Click



to change the font color.


- Click



to view the Groovy Console Help.

### Inside Desktop

To go into the Desktop application, simply click **Desktop** on the **Administration** bar. You will be directed to the Desktop user interface as below:



Described areas	Description
1	The administration bar which provides quick access to managing tasks.
2	The WebOS desktop.
3	The Dockbar which provides easy access to applications via icons.
4	The application icons which are used as shortcuts to gadgets, applications or pages.
5	The application.

This section covers the following topics:


- *Add an application to the Dockbar*
- *Open an application*
- *Quit an application*
- *Change the Desktop title and background*

## Add an application


In Desktop, you can add an application as follows:

1. Open the **Add Application** form via one of two ways:


- The first way: Hover your cursor over the Dock bar and click the **Add Application** icon.



- The second way: Right-click any area inside the Desktop background and select **Add Application** from the drop-down menu.



The **Add Application** form appears as below:



2. Select a category on the left pane. The applications of this category will be shown on the right pane.

3. Click



corresponding to your desired application. Your selected application is then automatically added to the Dockbar.

## Open an application

- To open an application, hover your cursor over the Dockbar and click this application icon. The hovered icon will display the application name, allowing you to recognize your desired application easily.




The application window will be shown on the Desktop. When an application is running,





will appear right under its icon on the Dock bar to indicate that application is running.



- To minimize the running application window, click



on the info bar of the application or



on the Dock bar.



is remained, stating that the application is still running.

- To show the running application window, click



or the application icon on the Dock bar.

- To maximize the opened application window, click



on the info bar of the application to view its full size.



will be changed into



. Click



if you would like to restore to the original size of the application.

- To reset a changed application, right-click any area outside the application window and select **Refresh**.

### Quit an application


To exit a running application, do one of these following ways:

**The first way:** Click





at the right top of the application window.

**The second way:** Right-click the application icon on the Dock bar and select **Quit**.



**The third way:** This way allows you to close all running applications. Right-click any empty area on the desktop page and select **Close All** from the drop-down menu.



You will notice that the 

disappears after the running application has been closed.

### Change the Desktop title and background

























First, right-click any area on the Desktop background.

- **To change the title:**
  1. Select **Page Title** from the drop-down menu.
  2. Enter your desired new name into the **Page title** field, and click **Save** to accept your change.
- **To change the background:**
  1. Select **Change Background** from the drop-down menu.

All available images for the WebOS background are displayed in the **Choose Background Image** form.

Choose Background Image

[Get Default](#)

File Name	Action
background_0.jpg	  
background_1.jpg	  
background_2.jpg	  
background_3.jpg	  
background_4.jpg	  
background_5.jpg	  
background_6.jpg	  
background_7.jpg	  

Upload

Close

2.  Click

to preview your background.

3.

Click



to select and apply the relevant background.

To get the default background again, click the **Get Default** link at the right corner of this form.

Also, from this form, you can do the following actions:

- **To delete any background:**

Click




corresponding to the background you would like to delete.

- **To upload an image from your local device:**

1. Click the **Upload** button at the bottom of the **Choose Background Image** form.

2. Select your desired image by clicking **Browse...** on the **Upload Images** form.



3.

Click




to load your selected image. At this step, simply click



to add more images, or



to delete the uploaded image.



4. Click **Save** to accept your upload, or **Back** to go back to the previous step.



# Organize Your Content

This chapter focuses on how to manage, store, preserve, and deliver content, and more, via the following main topics:

- **Structure content** introduces types of drives and views, functions on action tabs, actions on folders and documents, and content administration.
- **Manage content** shows how to contribute content, and to manage content (for example, creating/editing/publishing/deleting content).
- **Manage newsletters** includes information of newsletter viewer and newsletter manager, and actions which can be done on the newsletter manager.
- **Manage workflows** represents default processes, including holiday and pay raise, and how to create and manage these processes. Also, this section also focuses on how to upload or view details of a process.

## Structure content

**Content** is a main part of a website that may consist of various elements, such as texts, images, sounds, videos, animations, and more. In eXo Platform, you can manage both structured and unstructured content.

To create and manage the content more effectively and dynamically, you need to pay attention to the structure of each content, including:

**Main content** contains all key contents, such as texts, images, links, tables, and more.

**Illustration** is an image which is used to clarify or explain the content. Also, a summary also can be added to this image.

**default.css** contains CSS data which are used to present the web content, such as layout, font, color, and more.


**default.js** contains JS data which are used to make web content more animating and dynamic.

## Access Sites Explorer


This page is used to manage all documents in different drives. This is really a flexible way because you can do through Internet whenever and wherever. By default, anyone can access **Sites Explorer**, but the ability to do actions on **Sites Explorer** depends on the role of each user.

- Hover your cursor over 

on the **Administration** bar, then select **Content --> Sites Explorer** from the drop-down menu.



A list of all drives organized in groups (**Personal** drives, **Group** drives and **General** drives) in the **Sites Explorer** displays.



### Personal drives

**Personal** drive is the working space of a user. If you want to do in private, select the **Private** drive, no one else can access or get your private resources. If you want to create resources and share them with others, work in the **Public** drive.

### Group drives

The drive of a group is the working space of users in that group.



In the following example, the user "root" joins in three groups : "executive-board", "administrators" and "users" so he has the right to access these group's drive.


### General drives

This is the working space for everyone but your access right in different drives depends on your role. If you access as an administrator role, you can see all drives; otherwise, you can see some drives only as a web contributor role.

## Drives

### Private drive

The **Private** drive contains personal data of registered users. Hence, only these individuals can access data in this drive type.



By default, there are some initialized folders to store private resources of users.

In Private drive, there are many functions on the **Action** bar, including:


- Create new folders/documents.
- Upload files from your computer.
- Add Symlinks.
- Overload Thumbnails.
- Watch/Unwatch documents.
- Add tags to a document.
- Set multiple languages for a document.
- Vote for a document.
- Comment on a document.
- By selecting the Search tab, you can:

- Do the simple search.
- Do the advanced search with more constraints, or by adding new queries to search.
- Do search by existing queries.
- In addition, you can:
  - Set up your browse preferences.
  - Cut/Copy/Paste/Delete nodes.
  - Lock nodes.
  - Rename nodes.
  - View document content by the WebDAV function.
  - Download documents (folders) to your machine.

### Public drive


With the **Public** drive, there is no initialized folder but you can create by yourself.

In the **Public** drive, you also can take similar actions to those in the **Private** drive.



### Drive of a specific group

By default, there are two initialized folders but you also can add more and take actions that is similar in the **Private** drives. Only users in a specific group can access its drive.





## Hide/Show the sidebar in a drive

The sidebar is used to show nodes like a tree or show the related documents, tags, clipboard and saved searches.

You can hide/show the sidebar in two ways:

### The first way


1. Click  to open the **Preferences**.




2. Deselect the **Show Sidebar** checkbox, then click **Save** to accept your changes.


- To show the sidebar, tick the **Show Sidebar** checkbox in the **Preferences** form.


### The second way

- Simply click  to hide the sidebar as the illustration below.



The drive will be displayed like the illustration below.



- Click  to show the sidebar.

## Views

There are many drives in **Sites Explorer**. Each drive has some views that enable you to view data in the drive in a particular way. Each view has some action tabs and each action tab contains some functions.

eXo Platform supports you some ways to view nodes in a specific folder and show actions of corresponding tab on the **Action** bar.

## Note

The number of view types depends on which drive you are browsing. In eXo Platform, you can manage view types by selecting




--> **Content** --> **Content Administration** --> **Content Presentation** --> **Manage View**.

See the [Manage views](#) section for more details.

## Admin view

In this view, each item in the list includes following information: **Name**, **Date Created**, **Date Modified**, **Owner**, **Versionable** and **Auditing**. These information will help you manage nodes easily.




You also can sort nodes to the nodes information by clicking the label of corresponding column.

- indicates that nodes are ordered in the ascending order
- means nodes are in the descending order.

## Cover Flow view

This view is defined as a dynamic one with the side-scrolling view to nodes in a folder. In this view, when a node is selected, its name is set with bold effect to more outstanding than others.




To move from one node to another one, you can do one of these ways:

- Use the mouse wheel.
- Hold and move the yellow circle button to the left or the right.
- Click the folder/document name that you want to select.

### Icons view


In this view type, nodes in a specific folder will be viewed as icons. The name of each node will be shown under its icon.



### Thumbnails view


By using the **Thumbnails** view, nodes in a specific folder are viewed as icons bounded by frames. Name of each node is shown under its icon.

If nodes are image files, their thumbnails will be shown like the screenshot below.




### Slide Show view

In this view type, pictures in folders are viewed in the slide show.

To view pictures in the slide show, click  .








If nodes are pictures, they are displayed like the following illustration.




The **Slide Show** view automatically shows all picture nodes. Users can control this slide show by clicking the below buttons.


**Table 4.1.**

Button	Function
	Go to the first picture node.
	View the previous picture node.
	Pause the slide show. After clicking this button,  will become  Click

Button	Function
	 to continue viewing the pictures node.
	View the next picture node.
	View the last picture node.


Timeline view



This view enables users to view all nodes created and uploaded by simply clicking .



All the nodes, which have been created and uploaded, will be displayed.

You can directly click the node name to view its content in details.



You can also click  to mark your item as favorite, or  of a favorite node again to remove it from favorites.


Functions on action tabs

Functions are added to tabs in **Sites Explorer** by administrators. The number of displayed actions depends on each tab and each drive you are browsing and your role.

This section shows you how to take all actions in **Sites Explorer**.

Add a category

This function enables you to add a category to a node.

1. Select a node to which you want to add a category.
2. Select  **Add Category** on the **Action** bar to open the **Add Category** form.



3. Enter a name for the category in the **Category Name** field.
4. Click **Save** to accept creating the new category.

## Add a document

There are several types of document in eXo Platform, such as **File, Article, Podcast, Sample node, File Plan, Kofax and more..**

The table below shows types of nodes which can be added to various document types. The rows indicate which nodes in the left column can be added. The columns indicate which nodes at the top can contain.

**Table 4.2.**

	File	Article	Podcast	Sample node	File Plan	Kofax documentfolder	Content folder	Document folder
<b>File</b>								
<b>Article</b>								
<b>Podcast</b>								
<b>Sample node</b>								
<b>File Plan</b>								
<b>Kofax</b>								
<b>Uploaded file</b>								
<b>Content folder</b>								
<b>Document folder</b>								

### Note




indicates that the corresponding document can be added into. A blank entry means that the corresponding document cannot be added into.

Following the horizontal, you will know which nodes can be added.


Following the vertical, you will know which node can be included.

### Add a new document


1. Select a folder from the left pane where you want to add a new document.
2. Click  **Add Content** on the **Action** bar to open a list of content templates.
3. Click your desired template. See more details in [Step 3 \[216\]](#) of the [Add a content](#) section.


Each document (except Article) must be added to categories when being created.

### **Attach files to a document**

1. Select a document or a folder that you want to attach files, and click  **Upload Files** on the **Action** bar.

The **Upload File** form will appear.



2. Enter a name into the **Name** field. If not, the **Name** field is automatically filled with the file name.
3. Click **Browse...** to select the attachment file. You can click  to add more files.
4. Click **Save** to attach the files.

To view the attached file directly in **Sites Explorer**, simply click its name.




## Note

eXo Platform enables you to view all types of documents, such as Open Office, Microsoft Office in the PDF format.

### Create a new article

1. Follow the steps in the [Add a new document\[117\]](#) section to open the corresponding form to add a new Article document.
2. Input name and title of the Article in the **Name** and **Title** fields. Special characters (@ # % & \* ( ) " ' : ; [ ] { } / ! ) are not allowed in the **Name** field.
3. Input values for both fields: **Summary** and **Content**.
4. Click **Save** or **Save & Close** to accept the inputted values.

After being created, your newly added Article document will be shown as below.



The **Links** area lists all its related documents. After adding relations to a document, Article will be displayed. You can click these links to view the content of the related documents. For more details about how to add a relation to a document, refer to the [Add a relation](#) section.

The **Attachments** area lists all its uploaded files/documents which are attached with the Article.

You can remove the attachments by clicking .

For more details about how to add an attachment, see the [Attach files to a document \[118\]](#) section.

### Note

The name of document may be as the same to that of the existing one. When a new document is created with the same name as other existing document, a numeric index will be added to the name (for example, test [2]).

### Create a new Podcast

1. Follow the steps in the [Add a new document \[117\]](#) section to open the corresponding **Podcast** form.

---

Name

Categories

Title

Link

Author

Explicit

Category

Keyword

Publish Date

Language

Description

Upload File

Mime Type

Length

**Details:****Table 4.3.**


Field	Description
<b>Name</b>	The document name which is required. Special characters (@ # % & * ( ) " ' : ; [ ] { } / ! ) are not allowed in the <b>Name</b> field.
<b>Categories</b>	Categories of a document.
<b>Title</b>	The display name of a document.
<b>Link</b>	The link to the source path of the uploaded media file that is required.
<b>Author</b>	The author of the uploaded media file.
<b>Explicit</b>	It is used to indicate if your Podcast episodes contain an explicit content or not.
<b>Category</b>	The category of the uploaded media file, for example music, film, or short clip.
<b>Keyword</b>	This field allows you to search your Podcast files more quickly. You can use commas to separate between keywords.
<b>Publish Date</b>	The date when an episode was released.
<b>Description</b>	Information about the uploaded media file.
<b>Mime Type</b>	The type of the uploaded media file.
<b>Length</b>	The length of the uploaded media file.

## Chapter 4. Organize Your Content

---

2. Input values for fields. To upload a media file, click **Browse...** and select the media file from your device.
3. Click **Save** or **Save & Close** to finish.


Once being created, a Podcast will be displayed.

<b>Podcast:</b>	Proud of you
<b>Title:</b>	Proud of you
<b>Link:</b>	youtube.com
<b>Author:</b>	
<b>Explicit:</b>	no
<b>Category:</b>	
<b>Keywords:</b>	Proud, love
<b>Publish Date:</b>	November 28 2011
<b>Mime Type:</b>	audio/mp3
<b>Length:</b>	
<b>Description:</b>	
	My favorite song :)
	
	Avg. Rating: 0.0 Votes: 0

### **Create a new Sample node**

1. Follow the steps in the [Add a new document \[117\]](#) section to open the **Sample node** form.
2. Complete the appropriate fields.
3. To upload an image, click the **Browse...** button and select an image from your computer.
4. Click **Save** or **Save & Close** to finish.

After being created, a new sample node will be displayed.

<b>Node Name</b>	sample-node
<b>Title</b>	Sample Node
<b>Date</b>	November 28 2011
<b>Date Time</b>	November 28 2011 10:20:15
<b>Description</b>	One of the best sight-seeings in Vietnam.
<b>Image</b>	
<b>Summary</b>	The fresh and quite atmosphere.
<b>Content</b>	It is a good place to relax at weekend :)
<b>Relations</b>	
<b>Attachments</b>	

The **Relations** area is used to list all its related documents. See the [View relations](#) section.

You can click the links to view content of the related document.

The **Attachments** area is used to list all its uploaded files. See the [Attach files to a document \[118\]](#) section for more details.

### Create a new File Plan

1. Follow the instructions in the [Add a new document\[117\]](#) section to open the corresponding form to add a **File Plan** document.


Name	Record Properties	Process Properties
Name	<input type="text"/>	*
Categories	<input type="text"/>	+
Language	en	▼
File Plan Note	<div></div>	

#### Details:

- The **Name** tab

**Table 4.4.**

Field	Description
Name	The name of the file plan.

Field	Description
<b>Categories</b>	The categories of your file plan. Select the categories for your file plan by clicking  .
<b>Language</b>	The language of the File Plan document.
<b>File Plan Note</b>	Note for presenting any other information for users.

- The **Record Properties** tab

Name **Record Properties** Process Properties

Record Category Identifier \*

Disposition Authority \*

Permanent Record Indicator True \*

Disposition Instructions

Contains Records Folder True \*

Default Media Type Electronic \*

Default Marking List None \*

Default Originating Organization \*

**Table 4.5.**

Field	Description
<b>Record Category Identifier</b>	The alphanumeric identifier indicates a unique record category. This must be a unique ID. If this field is left blank, it will be created automatically by the system.
<b>Disposition Authority</b>	A reference number to the regulations that govern the disposition.
<b>Permanent Record Indicator</b>	A type of record indicators which should never be deleted.
<b>Disposition Instructions</b>	A readable guideline on how to handle the records associated with the file plan.
<b>Contains Records Folder</b>	The confirmation is about whether the records folder is contained or not.
<b>Default Media Type</b>	The choice for preset media types which are made available to simplify the data entry for the record. The frequently-chosen value is "electronic" or paper.



Field	Description
<b>Default Marking List</b>	Handling and classifying information that are printed at the bottom of the record, such as UNCLASSIFIED or NOCONTRACT.
<b>Default Originating Organization</b>	This option is to enter the original arrangement as default which is made available to simplify the data entry for the record and to assume that originating organizations are the same for the information in the file plan.
<b>Vital Record Indicator</b>	This flag is to allow tracking or reminding you of the record as essential or not.
<b>Vital Record Review Period</b>	The choice for the interval of time between vital record reviews.

- The **Process Properties** tab

The screenshot shows the 'Process Properties' tab with the following settings:

- Process Cutoffs: True
- Event Trigger: (empty)
- Cutoff Period: One Minute
- Cutoff on Obsolete: True
- Cutoff on Superseded: True
- Process Hold: True
- Hold Period: One Minute
- Discretionary Hold: True
- Process Transfer: True
- Default Transfer Location: (empty)
- Transfer Block Size: (empty)
- Process Access: True
- Access Location: (empty)
- Access Block Size: (empty)
- Process Destruction: True

**Table 4.6.**

Field	Description
<b>Process Cutoffs</b>	The Boolean data type is used to break a process. If the process cutoff flag is set in the file plan, the record is cutoff after the expiration, or after it has been obsolete or superseded, depending on the information in the file plan.
<b>Event Trigger</b>	The text data type is an automatic executing code which is used to tell the event to perform some actions.
<b>Cutoff Period</b>	



Field	Description
	The duration for the record cutoff performance.
<b>Cutoff on Obsolete</b>	The record is cutoff when it is obsolete.
<b>Cutoff on Superseded</b>	The record is cutoff when it is removed or replaced.
<b>Process Hold</b>	This boolean data type is used when a record process may be held before the further disposition is handled.
<b>Hold Period</b>	The duration when a record may be held after cutoff which is normally measured in Years.
<b>Discretionary Hold</b>	The Boolean data type is used when a hold may be discretionary, such as after a command change. So, the discretionary hold flag allows the records management module to track these manual checks.
<b>Process Transfer</b>	The boolean data type is used to determine how a record process will be transferred.
<b>Default Transfer Location</b>	The text data type is used to determine where a record is transferred by default.
<b>Transfer Block Size</b>	The float data type is used to determine in what size blocks for organizational purposes that is normally measured in Years.
<b>Process Access</b>	The Boolean data type is flagged when a record, which is held permanently, must be ultimately transferred to the national records authority.
<b>Access Location</b>	The text data type is flagged to specify an area for the access transfer.
<b>Access Block Size</b>	The text data type is flagged to determine the blocks size for organizational purposes which is normally measured in Years.
<b>Process Destruction</b>	The Boolean data type is flagged if there is any record to be destroyed. After that, the record is marked in the Alfresco system to be permanently destroyed so that all information, metadata and physical traces are removed and cannot be recovered.

2. Fill in the appropriate fields of the tabs in the form.
3. Click **Save** or **Save & Close** to finish.

### Create a new Kofax document

1. Follow the instructions in the [Add a new document \[117\]](#) section to open the **Add Kofax Document** form.



2. Input a name for a Kofax document in the **Name** field which is required. Special characters (@ # % & \* ( ) " ' : ; [ ] { } / ! ) are not allowed in this field.
3.  Select categories for a Kofax document by clicking .
4. Click **Save** or **Save & Close** to finish.

After being created, a Kofax document will be displayed.




- The **File View** tab is used to display all added nodes in that Kofax. Besides, all added files in Kofax are also displayed in the **Document View** tab.

### Create a new event

1. Follow the instructions in the [Add a new document \[117\]](#) section to open the **Add an event document** form.
2. Enter a title for the event.

3. Input the location where the event will take place in the **Location** field. Select the **Google Maps** checkbox if you want the location of the event to be shown on Google Maps.
4. Enter the **Start** and **End Date/Time** of the event.
5. Fill the **Summary** and **Content** fields.
6. Click **Save** or **Save & Close** to finish.

After being created, the event will be displayed like the illustration bellow.




### Add a folder

You can create a document immediately in a specific drive. However, adding a document to a specific folder enables you to manage documents better.

There are two types of folder:

- Content folder.
- Document folder.



In the default skin, the icon for a content folder node is displayed in blue and the icon for a document folder node is displayed in yellow.

### *File and folder types in a folder*


#### Content folder


- Add a Content folder to a Content one.
- Add a Document folder to a Content one.
- Add documents to a Content folder.
- Upload files (images, MS Word documents, Open Office documents, .pdf files, .txt files, .xml file, and more) into a Content folder.
- Import sub-nodes which were exported into a Content folder.

## Document folder

- Add a new Document folder to a Document folder.
- Add File, Podcast, File Plan documents to a Document folder.
- Upload files (images, MS Word documents, OpenOffice documents, .pdf files, .txt files, .xml file, and more) into a Document folder.
- Cannot add a Content folder to a Document folder.
- Cannot import an exported Content folder into a Document folder.
- Cannot import an exported Article, Sample node, Kofax into a Document folder.

## Create a folder

1. Select the path to create a folder.
2. Click  **Add Folder** on the **Action** bar. The **Add Folder** form is displayed:



3. Select a folder type.
4. Input values for both **Name** and **Title** fields which are required. Special characters (@ # % & \* ( ) " ' ; [ ] {} / !) are not allowed in these fields.
5. Click **Save** to accept creating a new folder.

## Note

The name of a folder may be the same as that of the existing one. When a new folder is created with the same name as other existing folders, an index will be added to the name of your newly created folder (for example, test[2]).


You can only create a content folder in another content folder.

You can create a document folder in a content folder or a document folder.


### Add translations to a document


This function enables users to add multiple languages for a document. This action is similar to adding a language.


1. Select a document to which you want to add the translation. For example, select an **Article** in *English*.



2. Click  **Add Translation** on the **Action** bar. The **Symlink Manager** will appear.




3. Click , then browse to the target document that has different language with the first document. For example, the **Article** version in French.




4. After you have selected the document, click **Save** on the **Symlink Manager** form.
5. Select the document to which you have added the translation, then click the **Relation** button on the **Filter** bar.

You will see the available language for the selected document. Click the language on this pane to view the document in the corresponding language version.



## Add a Symlink



You also easily add a Symlink to a document. This function allows you to access your desired documents quickly.


1. Select a node where you want to add a Symlink.
2. Click  **Add Symlink** on the **Action** bar. The **Symlink Manager** pop-up will appear.

**Details:**


**Table 4.7.**

Field	Description
<b>Path Node</b>	The path of a link.
<b>Symlink Name</b>	The name of a link.

3. Click  to open the **Select Target Node** form.
4. Select the workspace which contains the node that you want to add a Symlink.
5. Click  in the row of the node that you want to add. The path that the node will appear in the **Path Node** field and the name of the node is set by the name of the selected node. You can also edit this name.



6. Click **Save** to finish adding a Symlink.




## Comment

This function is used to comment on a document.

### Note

You cannot comment on a **File Plan** document.


1. Select a document to which you want to add your comment.
2. Click  **Comment On Document** on the **Action** bar.

The **Comment** form appears.

3. Add your comment to the **Comment** field.
4. Click **Save** to commit.

The comments are shown at the bottom of the document.





### The best places for summer 2011

**Summary :**

If you're on the lookout for a fantastic deal on summer holidays in 2011, you've come to the right place. With plenty of low cost package holidays available, we've got something for everyone. Whether you're a couple looking to get away for a relaxing break, a group of friends in search of some fun in the sun or a family planning a child-friendly trip abroad, there are a host of cheap summer holidays on offer in 2011.

**Content :**

If you're on the lookout for a fantastic deal on summer holidays in 2011, you've come to the right place. With plenty of low cost package holidays available, we've got something for everyone. Whether you're a couple looking to get away for a relaxing break, a group of friends in search of some fun in the sun or a family planning a child-friendly trip abroad, there are a host of cheap summer holidays on offer in 2011.

**Links :**

**Attachments :**

Avg. Rating: 0.0 Votes: 0 ★★★★★

Last comment posted by *mary* at 11:44 AM. Thu, Jul 14, 2011

[1 Comment\(s\)](#) [Show comments](#)

To view your comment, click the **Show comments** link:

Commented by *John* - Email: [john.smith@acme.exoplatform.com](mailto:john.smith@acme.exoplatform.com) - 5:57 AM, Mon, Nov 28, 2011


It's interesting :)

You can edit your comment by clicking  or delete it by clicking .

## Edit a document

There are two ways to edit a document.

### The first way

1. Select a document you want to edit in the left panel.
2. Click  **Edit Document** on the **Action** bar.

### The second way


1. Select a folder that contains the document you want to edit.
2. Right-click the document you want to edit and select **Edit** from the menu.

The **Edit Document** form will appear. All information of the selected document will be displayed in this form and ready for you to change except the **Name** field.

- 3. Click **Save** to commit your changes.

Export nodes

Nodes can be exported into either **.xml** or **.zip** file types.

- 1. Select a node that you want to export.
- 2. Click  **Export Node** on the **Action** bar to show the **Export Node** form.

Export Node

Path to Export: /Users/j\_\_\_\_/jo\_\_\_\_/joh\_\_\_\_/john/Private/Documents/plf-user-guide

Format: ☒ System View  
☐ Document View

Zip: ☐

Export

Export Version History

Cancel

Details:

Table 4.8.

Fields	Description
Path to Export	The path of the node being exported. This field will be pre-populated.
Format	The format of the original node.
System View	Each node and each property of that node is included in a different tag.
Document View	Each node is a tag and properties of that node are considered to be elements of that tag.
Zip	If this field is checked, the node will be exported as a <b>.zip</b> file.

- 3. Click **Export** and select a location to save the exported file.


Note


The **Export Node** form can contain **Export Version History** if the exported node or any of its child nodes is versioned.

This action exports all of the node's version history.

## Import nodes

Nodes which are in the **.xml** file format can be imported into the JCR Explorer system.

1. Select the location where you want to import the new node.
2. Click  **Import Node** on the **Action** bar. The **Import Node** form appears.



3. Click **Browse...** next to the **Upload File** field and navigate to the file you want to import.
4. Select one value from the **UUID Behaviour** drop-down menu, including:

### Create New

If you select this behavior, the imported nodes receive new UUIDs which are completely independent of any existing nodes. As the imported nodes get new UUIDs, there are no UUID conflicts with the existing nodes in the workspace. The existing nodes in the workspace are not moved, modified or deleted. The imported nodes are considered as new nodes and therefore, do not have a version history. You cannot import a version history for these nodes.

### Remove Existing

If you select this behavior, the imported nodes in a selected path receive the same UUIDs of the exported nodes. As the result, there is UUID conflicts with the existing nodes. Therefore, the existing nodes are removed from the workspaces and the new nodes will have the same version history as the existing nodes.

### Replace Existing

If you select this behavior, you only can import the exported nodes into their original workspaces where they are exported. When the new nodes are created with the same UUIDs of the existing nodes, causing UUID conflicts with the existing nodes in the workspaces. Therefore, the existing nodes are replaced by the new ones in the same location and the new nodes have the same version history as the existing nodes.


### Throw Exception

If you select this behavior, there is a message which will alert that you can not import this node in case this node has been existing in the workspace. If this node hasn't existed, a new node will be created.

5. Click **Browse...** next to **Version History** to select a version to import.
6. Select a format.
7. Click **Import** to import the file's selected version.


### Manage actions

#### Add an action

1. Select the node to which you want to add an action.
2. Click  **Manage Actions** on the **Action** bar.

The **Manage Actions** form will appear.

3. Select the **Add Action** tab.



The screenshot shows the 'Manage Actions' dialog box with the 'Add Action' tab selected. The 'Create Action of Type' dropdown is set to 'exo.addMetadataAction'. The 'Add/Edit Action' section contains the following fields:

- Name:** A text input field.
- Lifecycle:** A list box with options: 'User Action', 'Content Addition', 'Content Removal', 'Property Addition', and 'Property Removal'.
- Metadata:** A dropdown menu set to 'metadata.siteMetadata'.
- Is Deep:** A checked checkbox.
- Node Types:** A text input field with a '+' and a magnifying glass icon.
- Description:** A large text area.
- Affected Node Types:** A text input field with a '+' and a magnifying glass icon.

At the bottom of the 'Add/Edit Action' section are 'Save' and 'Back' buttons.

**Details:**

Table 4.9.

Field	Description
<b>Name</b>	The name of this action. This name is internal to the JCR explorer.
<b>Lifecycle</b>	<p>Select the lifecycle for this action. The action will be executed, depending on the lifecycle:</p> <ul style="list-style-type: none"> <li>• <b>'User Action'</b>: The action is executed when right-clicking the folder and then selecting the action.</li> <li>• <b>'Content Addition'</b>: The action will be executed on a new document, but not on a subfolder when the document or the subfolder is created in the folder to which an action has been added. It is also applied to a new document in the subfolder of the folder.</li> <li>• <b>'Content Removal'</b>: The action will be executed on a document, but not on a subfolder in the folder when the document or the subfolder is moved.</li> <li>• <b>'Property Addition'</b>: The action will be executed on a document when a property is added to the document.</li> <li>• <b>'Property Removal'</b>: The action will be executed on a document when a property is removed from the document.</li> <li>• <b>'Property Modification'</b>: The action will be executed on a document when a property of the document is modified.</li> <li>• <b>'Schedule'</b>: The action is done at specific time.</li> </ul> <p>If you need the same action to be executed in several lifecycles, you have to create several actions.</p>

4. Select one type for your action from the **Create Action of Type** drop-down menu.

```
exo:addMetadataAction
exo:autoVersioning
exo:createRSSFeedAction
exo:enableVersioning
exo:getMailAction
exo:populateToMenu
exo:sendMailAction
exo:taxonomyAction
exo:transformBinaryToTextAction
```

Details:

**Table 4.10.**

Field	Description
<b>exo:AddMetadataAction</b>	Add metadata.
<b>exo:autoVersioning</b>	Add a version automatically.
<b>exo:createRSSFeedAction</b>	Create an RSS file.
<b>exo:enableVersioning</b>	Enable versioning.
<b>exo:getMailAction</b>	Fetch mails.
<b>exo:populateToMenu</b>	This type is not supported.
<b>exo:sendMailAction</b>	Send mails.
<b>exo:taxonomyAction</b>	Create categories.
<b>exo:transformBinaryToTextAction</b>	Convert <i>.pdf</i> or <i>.doc</i> file types into plain text.

5. Complete all the fields in the form. The **Name** and **Lifecycle** fields are required.
6. Click **Save** to commit the action.

All actions of a node are listed in the **Available Actions** tab.

Once an action is added to a node, it is auto-added to any child nodes of the selected node.


If an action is added with the lifecycle named 'User Action', it will be applied to the current node.

If an action is added with other lifecycles, it will be applied to the child nodes.

### Note

Not all actions are listed in a right-click menu of nodes. Some actions can be performed immediately when that action is added.

### View actions

1. Open the **Manage Actions** form and select the **Available Actions** tab.
2. Click  that corresponds to the action you want to view.

The details will be displayed in the **Action Info** tab.

**Manage Actions**

Available Actions   Add Action   **Action Info**

Action Name	add action
Is Deep	true
Node Type Names	
Lifecycle	node_added
Affected Node Types	
Metadata	metadata:siteMetadata
Description	

Cancel

## Edit an action

1. Open the **Manage Actions** form and select the **Available Actions** tab.

**Manage Actions**

Available Actions   Add Action

Name	Triggered Action	Life Cycle	Action
User action	[exo:addMetadata]	User Action	

Close

2. Click that corresponds to the action you want to modify.
3. Edit properties in the **Action Form**.

**Edit action**

**Action Form**

Name: add action \*

Lifecycle: User Action, **Content Addition**, Content Removal, Property Addition, Property Removal

Metadata: metadata:siteMetadata

Is Deep: ☒

Node Types: [empty] + 🔍

Description: [empty]

Affected Node Types: [empty] + 🔍

Save Back


4. Click **Save** to accept your changes.

### Delete an action

1. Open the **Manage Actions** form and select the **Available Actions** tab.


**Manage Actions**

Available Actions Add Action

Name	Triggered Action	Life Cycle	Action
User action	[exo:addMetadata,	User Action	

Close

**Delete**


2. Click  that corresponds to the action you want to modify.
3. Click **OK** in the confirmation message to delete the action.


### Manage auditing


This function logs property changes in nodes.

1. Select a node.



- Click  **Manage Audit** on the **Action** bar. The **Activate Auditing** message appears.



- Click **Activate** to enable auditing on the selected node.
- Click  **Manage Audit** again to view the audit information of the selected node.

The **Auditing Information** list appears.

Operation	Username	Date	Version
Property added	john	09/30/2011 18:22:17	No Version

Close

If the node has no audit information, the form will appear as below.


Operation	Username	Date	Version
Empty Data			

Close

## Manage categories


### Assign a category to a node

You can add categories to the document type nodes only.

- Select the node to which you want to add a category.
- Click  **Manage Categories** on the **Action** bar.

The **Add Category** form appears.

- Select the **Select Category** tab to show the available categories.




4. Click  to add the corresponding category to the node.

The category, which has been added to a node, is listed in the **Referenced Categories** tab.

All nodes, which belong to a category, can be viewed as follows:

**View a category**

1. Go to the drive which contains the category you have added. There will be a list of categories available.
2. Select your desired category. The documents in that category will be listed.






**Note**

When copying and pasting a node in a drive, a new node with the same content will be created with a different name.

When copying and pasting a node in the category tree, a reference to the original node will be created. This reference is a link rather than a copy. This feature is used to preserve the disk space.


## Delete a category

1. Select a categorized node.
2.  Click  that corresponds to the category you want to delete.
3. Select the **Referenced Categories** tab.
4. Click  that corresponds to the category you want to delete.

## Show/Hide a content


Nodes can be hidden or shown easily.

### **Hide a node**

1. Select the node you want to hide.
2. Click  **Hide/Show Content** on the **Action** bar to hide the node.


A confirmation message, which notifies that the node has been hidden, will appear.

### **Show a node**

To show a hidden node, click  **Hide/Show Content** again.

## Manage publication

This function is used to manage node publication.

1. Select a node (on the left or right pane) which you want to manage its publication.
2. Click  **Manage Publications** on the **Action** bar.

The **Manage Publication** form appears.

Revision: 1

Status:

Draft → Pending → Approved → Staged → Published

Scheduled

From  To

Revisions	Date	Author	Status	Action
Revision: The best places for honeymoon	Sep 29, 2011 1:47:54 PM	John	Draft[current revision]	
Revision: 1	Sep 29, 2011 1:49:20 PM	John	Published	

Save Reset Close

The **Revision** tab displays some basic information and the current state of the selected node.

3. Click to view the content of the node or click to restore a version (refer to the [Manage versions](#) section for information about versioning).
4. Select the **History** tab to view the publications history of the node.
5. Click **Save** to accept your changes.

### Note

See the [Publication process](#) section to understand more **Manage Publication**.

## Manage relations


You can use this function to create relations between nodes.

### Add a relation

1. Select the node you want to add a relation to.
2. Click **Manage Relations** on the **Action** bar.

The **Add Relation** form appears.

3. Select the **Select Relation** tab to see a list of other documents.

- Click  that corresponds to the documents related to the document selected in the **Step 1**.



Documents linked to the original via a relation will be listed in the **Relation List** tab.

## Note

Relations can only be added to document and uploaded file node types.

A node cannot have a relation to itself.


## Delete a relation

- Select a node that has links to related documents.
- Click the  button on the **Action** bar.
- Select the **Relation List** tab to view relations of the selected node.
- Click  corresponding to the relation you want to remove.
- Click **OK** in the confirmation message to accept your deletion.


The related document will be removed from the list.

## View relations

- Select a node that has links to related documents.
- Click the relation button on the **Filter** bar.




All nodes related to the selected node will be displayed in the left pane.




3. Click the name of the related node to view the document.

### Manage versions


#### Add versions to a node


1. Select a node to add a version to.
2. Click  **Manage Versions** on the **Action** bar.


The following message will appear.



3. Click **Activate** to enable a version for the node.
4. Right-click the selected node and select **CheckIn** from the drop-down menu.



5. Click  **Manage Versions** again to open the **Version Info** window.



The node selected in Step 1 has been added as the *Base version*..

6. Right-click the node again and select **CheckOut** to obtain a version of this node.



## Note


No actions (copying/cutting/renaming) can be taken on a node in the **Check In** status. You must check it out before you can perform any actions on it.

If you want to add more versions to a node, right-click the selected node above and select **CheckIn** and then **CheckOut**.

## Add/Remove labels for versions

### Add a label

1. Select a versioned node.
2. Click  **Manage Versions** on the **Action** bar.
3. Click  icon on the **Version Info** window to show the **Add Label** field under the version list.



4. Enter a value into the **Label** field.


The label must be unique without containing any special characters, such as @, #, \$.


5. Click **Save** to submit the new label.

### ***Remove a label***

1. Select a versioned node which has at least one label.

2. Click  **Manage Versions** on the **Action** bar.

3. Click  on the **Version Info** window to show the **Remove Label** field under the versions list.



4. Select the label you want to remove from the drop-down menu.


5. Click the **Remove** button to remove the selected label.

### **View versions**

1. Select a versioned node.




2. Click  **Manage Versions**.
3. Click  to see the current versions of the selected node.





## Note

Version viewing is not supported on folder nodes.

If you click  while the selected node is a folder, a message will appear.

## Restore a version

1. Select a node which has at least two versions stored.
2. Click  **Manage Versions**.
3. Select the version that you want to restore as the base version.
4. Click  to restore the selected version.

## Delete a version

1. Select a node which has at least two versions.


2. Click  **Manage Versions**.
3. Click  corresponding to the version you want to delete.  
A confirmation message will appear.
4. Click **OK** to delete the version.

### Note


You cannot delete a base version.

## Multi-Languages

This function is used to add multiple languages to a document. Each document can be displayed in many languages.


1. Select a document that you want to add languages.
2. Click  **Add/Edit Localised Contents** on the **Action** bar.

The **Multi Language** form will appear.



The **View Language** tab contains a list of all languages. The default language for the document will be automatically populated.

3. Select the **Add Language** tab. This tab will be displayed differently, depending on which file you selected. However, the area where you can add languages to a document is the same. The below illustration shows the **Add Language** tab for a **Sample node** file:



4. Select a language you want to add from the **Language** drop-down list.

If the selected language has not been added to the current document, the content field will be blank.


Select the **Set Default** checkbox if you want to set your selected language as a default language.

5. Click **Save** to be returned to the **View Language** tab. Your selected language is now added to the **Language** field.


You can view this document in your newly added language by selecting that language from the **Language** drop-down list, then click the **View** button.

#### ***View the languages list of a document***

1. Select a document that you want to view the languages list, then click the **Relation** button on the **Filter** bar:



2. The list of language (and all related documents) will be displayed on the left pane.



You can view the document in the new language by clicking the corresponding link in **Languages List**.

For more details about **Relations**, refer to the [Views relations](#) section.


### Note

You cannot add multiple languages to a **File Plan** document.


When a document is a sub-node of **File Plan**, you also cannot add language to it.

## Overload thumbnails

You can overload a thumbnail image for a folder. Overloading allows a folder to be represented by a thumbnail image, rather than a folder icon (see the [Thumbnail view](#) section).

1. Select the folder you wish to overload with a thumbnail image.
2. Click  **Overload Thumbnail** on the **Action** bar.

The **Add Thumbnail Image** form appears.



3. Click the **Browse...** button to select the image which will be used as the display icon for the selected folder.
4. Click **Save** to accept your changes. The node will be stored in an `exo:thumbnails` folder.

## Request approval

If you want to publish one created content but not obtaining the 'Publish' right, you must send a request for approving your content.

1. Select the content that you want to send the request for publishing it.
2. Click the **Request Approval** button on the **Action** bar.

The content is displayed at the bottom of the **Sites Explorer** of the people who have the right to approve contents.

## Approve a content

When a content is created by users, it is possible to approve the publication if there is an approval request. To approve a content, do the followings:

1. Select a content that needs approving.
2. Click the **Approve Content** button on the **Action** bar and the content is ready to be published.

### Note

The **Approve Content** button is only visible for users who have the right to approve contents.

By default, this button is not displayed on the **Action** bar.

Enable this function by selecting



--> **Content --> Content Administration --> Content Presentation --> Manage Views**. See the [Manage views](#) section to know how to add the **Approve Content** button to the tabs on the **Action** bar in **Sites Explorer** .

## Publish a content

After the content is approved, it can be published by people who have the "Publish" permission.

1. Select a content that you want to publish.
2. Click the **Publish Content** button on the **Action** bar. The content will be published as the schedule that you set up.

### Note

The **Publish Content** button is only visible for users who have the "Publish" right.

By default, the button is not displayed on the **Action** bar.

Enable this function by selecting



--> **Content** --> **Content Administration** --> **Content Presentation** --> **Manage Views**. See the [Manage views](#) section to know how to add the **Publish Content** button to the tabs on the **Action** bar in **Sites Explorer**.

### Show drives

This function enables you to show or hide all the drives in **Sites Explorer**.

To show drives, click  **Show/Hide Drives** on the **Action** bar.

To hide drives, click  **Show/Hide Drives** again.


### Show JCR Structure

This function allows you to view document nodes in a tree structure.

#### *Show the JCR Structure*

1. Select a document.
2. Click  **Show/Hide Like JCR Structure** on the **Action** bar.


#### *Hide the JCR Structure*

1. Select a document which is showing the JCR structure.
2. Click  **Show/Hide Like JCR Structure** again.

### Tag documents

A tag is a keyword or term associated with or assigned to a piece of information (a picture, a geographic map, a blog entry, a video clip, and more). Each tag describes one item and enables the keyword-based classification and search of information.


#### *Add a new tag to a document*

1. Select a document to which you want to add tags.
2. Click  **Tag Document** on the **Action** bar. The **Tag Manager** will be displayed.


Details:


**Table 4.11.**

Field	Description
<b>Tag Names</b>	The tag names that users want to add tags to documents.
<b>Tag Scopes</b>	Classify the tags. There are four tag types: private, public, group, and site. Currently, the two first types are activated ("Private" means that a user who creates tags can view and edit tags; "Public" means that all users can view and edit tags).
<b>Linked Tags</b>	List all tags of a document after the <b>Add Tags</b> button has been clicked.

3. Input a value into the **Tag Names** field. Several tags can be added to a document at a time. To do that, input all tag names in the **Tag Names** field and separate by commas.
4. Select a value for the **Tag Scopes** field.
5. Click **Add Tags** to accept, or **Close** to quit. Only you can see this tag in this document.
6. Click  to delete tags.


#### ***Remove tags from a document***


1. Select a document with tags that you want to delete the tags.
2. Click  **Tag Document** on the **Action** bar to open the **Tag Manager** form.

3. Click  corresponding to the tags you want to delete.
4. Click **OK** in the confirmation message to delete the tags.


### Upload files into folders


This function allows you to upload a file from your device. All file types can be uploaded. Special characters (! @ \$ % & [ ]) are not allowed.

1. Select the folder that you want to upload a file into from the left/right pane.
2. Click  Upload Files on the **Action** bar to open the **Upload File** form.



3. Browse and select a file on your device by clicking the **Browse...** button. The selected file name will be displayed in the **Select File** field.

If you want to upload multiple files at the same time, click  to open more **Upload File** forms.







Click  to close a **Upload File** form.


To change the uploaded file, click  in the **Select File** field and select **Browse...** again to select another one.


4. Optionally, type a name in the **Name** field which is not required. Special characters (! @ \$ % & [ ]) are not allowed in this field. If not, the name of the uploaded file will be kept as original. new name in

5. You can click  next to the **Categories List** field to select categories to which you want to add this file.




- i. Select a category in the left pane to open its child nodes in the right pane.

- ii. Click  corresponding to a child node that you want.



## Note


You can add more categories to a file by clicking  again to open the **Add Categories** form.


Click  to delete a category in **Upload File** form.


You also manage categories which have been added to files by using the **Manage Categories** function. See the [Manage categories](#) section.


6. Complete uploading file by clicking **Save**.


After being saved, the main information of the uploaded file will be displayed.



7. Optionally, click  to see more details about its external metadata information. The **List External Metadata** tab will be enabled and you can do some actions in this tab.



- Click  corresponding metadata that you want to edit.
- Click **Add metadata** to add more metadata to the uploaded file. Then, tick the checkbox, and click **Add**.



The new metadata are displayed in the **List External Metadata** tab.

8. Click **Close** to quit the **Upload File** form.


After being uploaded, the tree is displayed in the left pane.


### Note

The size of the uploaded file depends on the size limit of the uploaded file that you set up in the 'Edit' mode of **Sites Explorer**. If your file size exceeds the limit, the alert message will appear.

## View metadata

This function allows you to view metadata attached to File nodes, Podcast nodes, File Plan child nodes and uploaded file nodes (**nt:file** nodes).

1. Select an appropriate node (**nt:file**).
2. Click  **View Metadata**. The **View Metadata** form appears.




The 'View Metadata' dialog box displays a two-column grid of metadata fields. The left column contains: Date (2011-08-08T09:26:38.000+07:00), Description (N/A), Creator (Adobe InDesign CS5 (7.0.3)), Contributor (N/A), Resource Type (N/A), Relation (N/A), and Source (N/A). The right column contains: Subject (N/A), Languages (N/A), Publisher (Mac OS X 10.6.8 Quartz PDFContext), Identifier (N/A), Format (N/A), Rights (N/A), and Coverage (N/A). At the bottom are 'Add/Edit' and 'Cancel' buttons.

Field	Value
Date	2011-08-08T09:26:38.000+07:00
Description	N/A
Creator	Adobe InDesign CS5 (7.0.3)
Contributor	N/A
Resource Type	N/A
Relation	N/A
Source	N/A
Subject	N/A
Languages	N/A
Publisher	Mac OS X 10.6.8 Quartz PDFContext
Identifier	N/A
Format	N/A
Rights	N/A
Coverage	N/A

3. Click the **Add/Edit** button at the bottom of the **View Metadata** form to add metadata.

4. Complete the desired fields in the **Add/Edit Properties** form. Click  to add further metadata.




The image shows a dialog box titled "Add/Edit Properties" with a close button (X) in the top right corner. The dialog contains a list of metadata fields, each with a text input field and a plus icon (+) to its right. The fields are: Title, Creator, Subject, Source, Contributor, Resource Type, Date (pre-filled with "11/29/2011 10:50:08"), Publisher (pre-filled with "eXo Platform"), Description, Rights, Relation, Format, and Coverage. A vertical scrollbar is visible on the right side of the dialog.


Field	Value
Title	
Creator	
Subject	
Source	
Contributor	
Resource Type	
Date	11/29/2011 10:50:08
Publisher	eXo Platform
Description	
Rights	
Relation	
Format	
Coverage	

5. Click **Save** to accept the new metadata values.



































## View node types

This function allows you to view the detailed information of a node.

1. Select a node that you want to view its detailed information.
2. Click  **View Node Types** to view detailed information about the selected node.



The screenshot shows a window titled "Properties Management" with a close button (X) in the top right corner. Inside the window, there are two tabs: "Properties" (selected) and "Add New Property". Below the tabs is a table with the following columns: "Name", "Multi Value", "Value", and "Action".

	Name	Multi Value	Value	Action
	jcr:primaryType	 false	nt:file	
	jcr:mixinTypes	 true	exo:datetime; exo:sortable; exo:modify; mix:referenceable; exo:ownable; mix:i18n; mix:votable; mix:commentable; exo:rss-enable; publication:authoring; publication:authoringPublication; mix:versionable	
	jcr:uuid	 false	ed6de0a6c0a801263ef07637c631	
	exo:dateCreated	 false	2011-11-29T10:46:00.999+07:00	 
	exo:dateModified	 false	2011-11-29T10:46:01.118+07:00	 
	exo:index	 false	1000	 
	exo:language	 false	en	 
	exo:lastModifiedDate	 false	2011-11-29T10:52:15.436+07:00	 
	exo:lastModifier	 false	john	 
		 false		 

3. Click the tabs at the top of the form to view categorized information.

### View permissions

This function allows an administrator to manage the permissions for nodes.

1. Select a node.
2. Click  [View Permissions](#). The **Permission Management** form appears.

Permission Management

User Or Group	Read	Add Node	Set Property	Remove	Action
root	true	true	true	true	
*:/platform/administrators	true	true	true	true	
*:/platform/web-contributors	true	true	true	true	
any	true	false	false	false	

**Add a permission to that node**

User Or Group  \*

Read Right ☐

Add Node Right ☐

Set Property Right ☐

Remove Right ☐

By opening the **Permission Management** form, you can perform the following actions:

### Add permissions

#### 1. Add permission for specific users

- i. Click next to the **User Or Group** field.

Select User Permission Select a user in a specific group

Group:   Username


Username	First Name	Last Name	Email	Action
demo	Jack	Miller	jack.miller@acme.exoplatform.com	<span style="color: red;">Select a user</span>
james	James	Davis	james.davis@acme.exoplatform.com	
john	John	Smith	john.smith@acme.exoplatform.com	
mary	Mary	Williams	mary.williams@acme.exoplatform.com	
root	Root	Root	root@localhost	


- ii. Click next to the users to whom you want to grant permissions.

#### 2. Select users from a specific group

- Enter a group name in the **Group** field at the top of the form (for example, **/platform/users**). All users in the nominated group will be displayed.

Or;

- Click  beside the **Group** field to open a form that lists groups and their sub-groups. Select a sub-group to add all users to that sub-group.



### 3. Search for a user

- i. Select an information parameter (Username, First Name, Last Name, Email) from the drop-down menu in the other field at the top of the page and enter information into the textbox.

- ii. Click  to search for users matching with your selected information.

### 4. Add permissions based on memberships

- i. Click  next to the **User Or Group** field.

The **Select Membership** form will appear that allows you to select users by membership.

- ii. Select a group on the left pane, and membership types on the right.


### 5. Add all users/groups with read access

- Click  next to the **User Or Group** field.




6. Select the permission you want to grant the selected users or groups by ticking the corresponding checkboxes beside rights you want to add.
7. Click **Save** to accept your changes. The new permissions will appear in the permissions table above.

### ***Edit permissions***


1. Select the permission of a user or a group in the table of list permissions.
2. Click .
3. Change the permissions as desired.
4. Click **Save** to accept your changed permissions.

### ***Delete permissions***

1. Select the permission of a user or a group in the table of list permissions.
2. Click .
3. Click **OK** in the confirmation message to remove the permission.

## **View properties**

This function allows users to review all the properties and values of a node. It can also be used to add values to a node.

1. Select the node you want to review or add values to.
2. Click  **View Node Properties** to show the **Properties Management** form.























This form has two tabs:

#### **Properties**

This tab displays all properties and values for the selected node.

Properties Management

Properties Add New Property

	Name	Multi Value	Value	Action
	jcr:primaryType	 false	exo:taxonomy	
	jcr:mixinTypes	 true	exo:sortable; exo:modify; exo:datetime; exo:ownable; exo:privilegeable; mix:referenceable; exo:actionable; mix:versionable	
	jcr:uuid	 false	b9caeddac0a8014f0090e472b68df143	
	exo:dateCreated	 false	2011-09-30T17:04:36.699+07:00	
	exo:dateModified	 false	2011-09-30T17:04:36.700+07:00	
	exo:index	 false	1000	
	exo:lastModifiedDate	 false	2011-09-30T17:04:36.699+07:00	
	exo:lastModifier	 false	__system	
	exo:name	 false	events	
	exo:owner	 false	__system	
	exo:permissions	 true	*/platform/administrators read; */platform /administrators add_node; */platform /administrators set_property; */platform /administrators remove; */platform /web-contributors read; */platform /web-contributors add_node; */platform /web-contributors set_property; */platform	

### Add New Property

This tab contains fields to add new properties to the selected node.

Properties Management


Properties Add New Property



Namespace

Name  \*

Type

Multiple


Value  \* 

\*  

3. Select the **Add New Property** tab to add new properties to the selected node.
4. Select the namespace for the property.



5. Enter a name for the new property in the **Name** field.
6. Select the property type from the **Type** drop-down menu.
7. Enter a value for the property in the **Value** field.

To add multiple new values, click  and repeat the above steps.

To remove a value, click .

8. Click **Save** to accept your new values, or **Reset** to clear all modified fields.

After you have made changes on new properties, you will be returned to the **Properties** tab. The newly added values will be displayed.


In this form, you can edit a property by clicking , or delete it by clicking .

## View relations


This function shows/hides documents related to a selected node.

- **View relations.**

Select a node, then click  **Show/Hide Relations**. Documents related to the selected node will be shown in the **Filter** bar.



If the node does not have any related documents, the message **No Related Document** will appear instead.



- **Hide relation**


Click  **Show/Hide Relations** again to hide relations.

## Vote for a document


This function is used to vote for a document.

### Note

You cannot vote for a **File Plan** document.


1. Open the document you want to vote for.
2. Click  **Vote For Document** on the **Action** bar.

The **Vote Document** form will appear.




A dialog box titled "Vote Document" with a close button (X) in the top right corner. Inside the dialog, there is a horizontal row of five empty stars. Below the stars is a "Cancel" button.

3. Rate the document by clicking the appropriate star level.



A dialog box titled "Vote Document" with a close button (X) in the top right corner. Inside the dialog, there is a horizontal row of five stars. The first four stars are filled with yellow, and the fifth star is empty. Below the stars is a "Cancel" button.

After a vote has been added, the rating will appear at the bottom of the document:



A horizontal rating bar. On the left, it says "Avg. Rating: 4.0" and "Votes: 1". To the right of the text are five stars. The first four stars are filled with yellow, and the fifth star is empty.


### Watch documents

By using this function, whenever any change is made on the document, a notification message will be sent to your email address. To receive that email, you must configure in your mail server.

#### **Watch a document**

Select the document you want to watch and click .

The **Watch Document** form will appear. Click the **Watch** button to finish.



A dialog box titled "Watch Document" with a close button (X) in the top right corner. Inside the dialog, there is a "Notification Type" dropdown menu with "Email" selected. Below the dropdown, there is a "Watch" button and a "Cancel" button. A red arrow points to the "Watch" button, and the word "Click" is written in red next to it.

**Stop watching a document**

Select the document and click .


A message will appear to confirm the action.

**Actions on folders and documents**


This section represents actions on folders and documents through the right-click menu (Adding to favorites, copying, cutting, pasting, adding Symlink, locking/unlocking, viewing/renaming/downloading document, and allowing edition and copying URL to clipboard) and other actions (dragging and dropping folders or documents).

Depending on the actions on folders or documents, the right-click menu (drop-down menu) is different.

The actions in the right-click menu for documents:




The actions in the right-click menu for folders:



### Add to favorites

This function helps users easily add nodes (documents, folders or files) as favorite.

1. Right-click a node you want to add as a favorite.
2. Click  **Add To Favorite** from the drop-down menu.

A symlink of your favorite nodes (folders, documents, files) will be created in the **Favorite** folder.

### Copy/Paste & Cut/Paste

This function is used to make a copy of a node (including sub-nodes) to other places.

There are two ways to cut/copy & paste the node:


#### The first way

1. Right-click the node, then select **Copy** or **Cut** from the drop-down menu.
2. Right-click a destination node that you want to be the parent node of the copied/cut node, then select **Paste** from the drop-down menu. Note that the **Paste** function is enabled in the menu only after selecting the **Copy/Cut** action.


The copied/cut folder (and its sub-folders) will be pasted into the new selected path.

#### The second way

1. Right-click the node and select **Copy/Cut** from the drop-down menu.
2. Select the destination node that you want to be the parent node of the copied node.
3. Select the *Clipboard* icon on the **Filter** bar.



The **Clipboard** window will appear.



4. Click in the clipboard window to paste the copied/cut node into the selected destination node in Step 3.

- You can click to delete a specific waiting statement.
- You can also click the **Clear All** link to delete all waiting statements in the list.
- After the action has been taken, a confirmation message will appear with detailed information about the destination path.

## Note

You only can take the **Copy** action if you have this right on the source node.

You only can take the **Paste** action if you have the right on the destination node.

If the destination node has the same name with the copied node, after being pasted, an index will be added to the name of the pasted node, for example *Live* and *Live[2]*.

You cannot copy a content folder into a document folder.

After taking the **Copy** action, you can take the **Paste** action on different nodes before taking another **Copy** action.

### Edit documents

To edit a document, refer to the [Edit a web content](#) section.

### Delete folders and documents

This function helps you remove folders/documents from their locations easily. Do the same steps as in the [Delete a web content](#) section.

#### Note


You can only take the **Delete** action if you have the right on a node.

If the deleted node contains sub-nodes, these sub-nodes will be deleted, too.


### Drag and drop folders and documents

This function allows you to move folders/documents from a current location to another one by using the drag and drop feature.

1. Hover your cursor over folders/documents in the right pane, or hold the **Ctrl** or **Shift** key to

select multiple folders/documents at once until the cursor changes to  .

2. Press the left-mouse button and drag the selected folders/documents.



3. Drop them into another folder in either the right or left pane by releasing the left-mouse button. The "dragged" folders/documents will be relocated to the destination folder.

### Lock/Unlock folders and documents

This function is to avoid changes on specific folders/documents and actions by others, during a specific time.



### ***Lock folders/documents***

Just right-click a folder/document (on either the right or left window pane) and select **Lock** from the drop-down menu. The selected folder/document will be locked.

#### **Note**

Only users with appropriate rights can lock folders/documents.

After being locked, other users can only view the folders/documents.

The lock will be kept as current for a session only. If the locking user signs out, the node will be unlocked.

Other users can copy the locked node (by using the **Copy/Paste** functions outlined above); however, the original node cannot be removed or altered.

If no action is taken on a locked node within 30 minutes, the lock will be automatically removed.

### ***Unlock folders/documents***


To unlock the locked folder/document, right-click it and select **Unlock** from the drop-down menu. The folder/document will then be unlocked and other users can take actions on it.

## **Rename folders and documents**

This function is used to change the folder/document name.

1. Right-click a folder/document that you want to rename, then select **Rename** from the drop-down menu.

The **Rename** form will appear.



2. Input a new name in the **Name** field. You can also change the its title by entering a new one in the **Title** field.
3. Click **Save** to accept your changes.

### Add a Symlink

A symlink embedded into a node allows you to quickly access the node even if you are in other nodes.

- Right-click a document that you want to add a Symlink, and select **Add Symlink** from the drop-down menu.

The symlink will be added to the selected document immediately. To view its content, simply click the symlink.

### View WebDAV

WebDAV enables users to access files, folders, and read/write documents over the web. Thanks to its benefits of easy, quick and flexible manipulations and time-saving, WebDAV is used to view nodes.

1. Select the path of node you want to view WebDAV or open that folder from the left/right pane.
2. Right-click the node and select **Download And Allow Edition** from the drop-down menu.
3. With each type of node, the form to view in WebDAV will be different:
  - **Folder:** The sub-nodes list of the current folder will be displayed in WebDAV.
  - **nt:file:** The content of the document will be shown.
  - **Article:** This node type does not, by default, list any folders. However, if the Article includes actions, added language or other data, all folders will be listed and named; *exo:actions*, *exo:language* and so on.
  - **Podcast:** Being viewed in WebDAV, this node type will be attached a form which must be completed to download this document.
  - **Sample Node:** This node lists folder names as *exo:images*. Like **Article**, if the **Sample** node contains actions or added languages, folders will be named as *exo:actions*, *exo:language*, and more.
  - **File Plan:** This node behaves the same way as **Article** and **Sample Node**.
  - **Kofax:** This node behaves the same way as **Article** and **Sample Node**.

### View information

eXo Platform supports you to view all information of a document, such as name, title, creator, and publication state of the document.

- To view information of a document, right-click the document, and select **View Information** from the drop-down menu.

The **View Information** form appears as below.

View Information	
Name	events
Title	events
Type	exo:taxonomy
Owner	__system
Last Modifier	__system
Created Date	2011-09-30T17:04:36.699+07:00
Last Modified Date	2011-09-30T17:04:36.699+07:00

Close

## View document

The **View Document** item is visible in the drop-down menu when you right-click a document. This function allows you to view the document on another tab with the link containing the document path.


- To view a document, right-click a document that you want to view, and select **View Document** from the drop-down menu.

The document is opened in another tab.


## Copy a URL to the clipboard

The **Copy URL To Clipboard** enables you to copy the WebDAV URL of a selected folder or a document. You then can view it with the WebDAV view on a browser.

- Right-click a folder/document, and select **Copy URL To Clipboard**.
- Paste the URL on another tab.




You can view the folders of the node you copied its URL or download documents to your computer. You also view other nodes by clicking ... above the current folder to go up the root node as below.




## Manage tags

Tags are easily managed by editing or deleting them with the **Tag Manager**.


### Edit a tag


1. Click **Tag Cloud** on the **Filter** bar, then click  at the upper-right corner of the tags pane.



The **Edit Tag** form will appear.




2. Click  that corresponds to the tag you want to edit.
3. Edit the tag to your desires.



A dialog box titled "Tag" with a close button (X) in the top right corner. Inside the dialog, there is a text input field labeled "Tag Name" containing the text "content". To the right of the input field is an asterisk (\*). Below the input field are two buttons: "Save" and "Cancel".

4. Click **Save** to accept your changes.


#### **Delete a tag**

1. Do [Step 1 \[176\]](#) from the procedure above.
2. Click .
3. Click **OK** in the confirmation message to delete the tag.

#### **Use your created tags**

1. Click .

You will see all existing tags which are listed and classified by private or public tags.



Depending on the popularity of tag, the display of each tag will be different from others by: font-size, font-weight, color, font-family, text-decoration. For example, when a tag is added to over 10 documents, it will be displayed in red color, size:20px, bold. This can also be configured in the [Manage Tag](#) tab.


2. Each tag is similar to a link which lists all documents that it is added. To display the documents list in the right pane, click a tag name.

## **Content Administration**











This page is used to manage all workspaces, drives, node types, metadata, templates, queries, and more. Only administrators can access the **Content Administration** page.

- Hover your cursor over 

--> **Content** --> **Content Administration** on the **Administration** bar.



The **Content Administration** page will appear.

Manage ECM Main Functions		Manage Categories				
Categories & Tags		Name	Workspace	Home Path	Permissions	Action
Manage Categories		System	dms-system	/exo:ecm /exo:taxonomyTrees /storage /System	...erty:__system remove	 
Manage Tags		acme	collaboration	/sites content /live /acme /categories /acme	...erty:__system remove	 
Content Presentation		events	collaboration	/sites content /live /acme /events	...erty:__system remove	 
Content Types		default	collaboration	/sites content /live /default /categories /default	...erty:__system remove	 
Advanced Configuration		intranet	collaboration	/sites content /live /intranet /categories /intranet	...erty:__system remove	 
Add Category Tree						

This page enables you to access:

- **Categories & Tags:** Manage categories and tags.
- **Content Presentation:** Manage template, metadata, views, and drives.
- **Content Types:** Manage namespace registry, and nodetype.
- **Advanced Configuration:** Manage queries, scripts, and create an action type.

## Categories and Tags

### Manage tags

The **Manage Tags** function enables you to manage tag styles. The tag styles will change, depending on the number of documents in a tag.

Go to **Categories & Tags --> Manage Tags.**

Style Name	Document Range	Tag Style	Action
normal	0..2	font-size: 12px; font-weight: bold; color: #6b6b6b; font-family: verdana; text-decoration: none;	
interesting	2..5	font-size: 13px; font-weight: bold; color: #5a666e; font-family: verdana; text-decoration: none;	
attractive	5..7	font-size: 15px; font-weight: bold; color: blue; font-family: Arial; text-decoration: none;	
hot	7..10	font-size: 18px; font-weight: bold; color: #ff9000; font-family: Arial; text-decoration: none;	
hottest	10..*	font-size: 20px; font-weight: bold; color: red; font-family: Arial; text-decoration: none;	

### Add a tag style

1. Click the **Add Style** button. The **Edit Tag Style Configuration** form will appear.

**Details:**

**Table 4.12.**

Field	Description
<b>Asterisk (*)</b>	This mark next to each field means that it is required to input values.

Field	Description
<b>Style Name</b>	Give the tag name which cannot be edited.
<b>Document Range</b>	Give the number of document assigned to a tag.
<b>HTML Style</b>	Include font-size, font-weight, color, font-family, text-decoration.

- Input values in the fields: **Style Name**, **Document Range**, **HTML Style**.
- Click **Update** to accept adding a new tag style.

### Note

The format of valid range must be: a..b where 'a', 'b' are positive integers. You can use \* instead of 'b' to indicate it is unlimited. For example, 0..2 (means 0-2 documents assigned to a tag), 10..\* (means at least 10 documents assigned to a tag).

The 'HTML style' textbox cannot be empty. You can change values of font-size, font-weight, color, font-family, and text-decoration.

### Edit a tag style

The **Tag Manager** tab enables you to edit the existing tags.

#### *Edit an existing tag*

- Click the pen icon corresponding to the tag name which you want to edit in the **Action** column to edit the tag style configuration. The **Edit Tag Style Configuration** form appears which is similar to that of adding a tag style.
- Change values in the fields, including **Document Range** and **HTML Style**, except **Style Name**.
- Click **Update** to save new changes.

### Delete a tag style

To delete one tag style, simply click the corresponding **Delete** icon and select **OK** in the confirmation to accept your deletion.

### Tag Permission Manager

The **Tag Permission Manager** tab helps you set permissions regarding to editing and deleting public tags.



**Manage Tags**

Tag Manager **Tag Permission Manager**

Memberships	Action
*:/platform/administrators	

**Add Permission**

Memberships:  \* Select membership

### Set Permission To Tag Management

1. Click beside the **Memberships** field to select memberships to add a permission to those memberships. The **Select Membership** form will appear.

**Select Membership**

**developers**

**Select Group**

- ↑
- developers**
- organization
- platform
- sandbox
- spaces

**Select Membership**

- ▶ member
- ▶ author
- ▶ editor
- ▶ manager
- ▶ redactor
- ▶ validator
- ▶ \*

2. Select a group on the left and the corresponding membership on the right. The selected membership will appear in the **Memberships** field.
3. Click **Save** to accept adding a permission for the membership to the **Memberships** column.

Tag Manager **Tag Permission Manager**

Memberships	Action
*:/platform/administrators	
author./developers	

**Add Permission**

Memberships:  \*

You can also delete memberships that have permissions by clicking



regarding to that membership, then click **OK** in the confirmation message.

### Manage categories

A category can be understood as a classification practice and science. It is used to sort documents, aiming at facilitating searches. The category management includes adding, editing and deleting a category tree.

Go to **Categories & Tags --> Manage Categories**.

Manage Categories				
Name	Workspace	Home Path	Permissions	Action
System	dms-system	/exo:ecm /exo:taxonomyTrees /storage /System	...erty;__system remove	
acme	collaboration	/sites content /live /acme /categories /acme	...erty;__system remove	
events	collaboration	/sites content /live /acme /events	...erty;__system remove	
default	collaboration	/sites content /live /default /categories /default	...erty;__system remove	
intranet	collaboration	/sites content /live /intranet /categories /intranet	...erty;__system remove	

Add new category → Add Category Tree

### Add a category tree

1. Click the **Add Category Tree** button to add a new category. The **Add Category Tree** form will appear.

Add Category Tree

Specify the category name, workspace and home path.

Name

Workspace

Home Path


Reset

Next


Close

Click to next step

2. Enter the category tree name in the **Name** field which is required.
3. Select the workspace you want to work with.
4. Select the home path by clicking . The **Select Home Path** form will appear.



The 'Select Home Path' dialog box features a title bar with a close button. Below the title bar is a workspace selection dropdown menu currently set to 'dms-system'. Underneath, the 'Root Path' is indicated with a green checkmark icon. The main area is divided into two sections: a left pane showing a folder tree with an 'exo:ecm' folder, and a right pane with a table listing the selected path.

Name	Add
exo:ecm	

- Click



next to **Root Path** if you want to select the root path or;

- Click the arrow icon to go to the up level path and click the plus sign to expand the folder in the left pane.

Click





corresponding to the path that you want to select as a home path.

5. Click **Reset** if you want to reset values that have just been selected or **Next** to select permissions for a category tree.


Add Category Tree


Set permission for the category tree.


User or Group	Read	Add Node	Set Property	Remove	Action
any	true	true	true	false	 

Add permissions to this node

User or Group







Read ☐

Add Node ☐

Set Property ☐

Remove ☐




Previous

Save

Reset

Next

Close

i. Click  to select a user or  to select memberships or  to select everyone to set permissions. The user or membership that you have just selected will be displayed in the **User or Group** field.

ii. Check at least one of these below options to set rights for the selected user to membership:

Table 4.13.

Field	Description
Read Right	Select the <b>Read</b> right or not.
Add Note Right	Select the <b>Add Node</b> right or not.
Set Property Right	Select the <b>Set Property</b> right or not.
Remove Right	Select the <b>Remove</b> right or not.

6. Click **Save** to save all values, or **Reset** to change values that have just been set. After clicking **Save**, click **Next** to go to the next step.

184

**Add Category Tree**

**Add an action to the category tree**

Name  \*

Lifecycle 

Content Addition  
Content Removal  
Property Addition  
Property Removal  
Property Modification

 \*

Is Deep ☒

Node Types  + 🔍

Home Path  \*

Target Workspace 

system

Target Path  \* 🔍 🗑️

Affected Node Types 

nt:file

 🗑️ 🔍

exo:article

 🗑️

exo:podcast

 🗑️

exo:sample

 🗑️

rma:filePlan

 🗑️

kfx:document

 🗑️ +

7. Enter the name for an action of the category tree in the **Name** field which is required.
8. Select values for **Lifecycle**, **Node Types**, **Target Workspace**, **Target Path**, **Affected Node Types** which are required.
9. Click **Save** to save all values, then select **Next** to go to the next step.


### Note


Do not input some special characters into the **Name** field, such as: !, @, #, \$, %, &, \*, (, ).

Do not add a category which has the same name and level with existing taxonomies in a node.



The category name must contain less than 30 characters.


### Edit a category tree


1. Click  corresponding to the category tree you want to edit.



The 'Edit Category Tree' dialog box has a title bar with a close button. Below the title bar is a text instruction: 'Edit the taxonomy tree by adding, copying, cutting and selecting permissions.' The main area contains a tree view on the left showing a 'System' node with a plus icon and a dashed arrow. To the right of the tree view is a table with two columns: 'Name' and 'Add'. The 'Name' column contains the text 'System'. The 'Add' column contains a blue plus icon in a red square and a clipboard icon. Below the table are two buttons: 'Previous' and 'Close'.

Name	Add
System	 

2. Click  in the **Add** column to add more category trees. The **Edit Category Tree** form will appear.



The 'Edit Category Tree' dialog box shows the 'Parent' path as '/exo:ecm/exo:taxonomyTrees/storage/System'. Below this is a 'Category Name' field with the text 'Vacation' and an asterisk indicating it is required. At the bottom are 'Save' and 'Cancel' buttons.

Parent /exo:ecm/exo:taxonomyTrees/storage/System

Category Name  \*

3. Enter a category name in the **Category Name** field which is required.
4. Click **Save** to save the category name.
5. Click **Previous** to return to the previous steps.
6. Click **Save** to save all changes, or **Previous** or **Next** if you want to edit more.

### Note

You can delete a category by clicking



corresponding to the category that you want to delete. Click **OK** in the confirmation message to accept your deletion.

You cannot delete categories that have been referenced.

## Content Presentation

### Manage a template

When creating a node in eXo Platform, you must set its properties. Thus, each node needs to have a form to enter data for their properties (called the **Dialog** template), and display the existing values (called the **View** template). The template management allows users to view, delete and modify the predefined templates or to add a new template.

Template Name	Action
exo:addMetadataAction	
exo:announcement	
exo:article	
exo:autoVersioning	
exo:businessProcessModel	
exo:comments	
exo:contact_us	
exo:createRSSFeedAction	
exo:cssFile	
exo:enableVersioning	

### Add a new template

1. Click **Content Presentation --> Manage Templates**.
2. Click the **Add** button in the **Manage Templates** form to open the **Template Form**.

3. Select the template type from the **Name** drop-down menu.
4. Specify a name for the template in the **Label** field. It is required.
5. Select the **is Document Template** checkbox if you want your created template to become a template for a document.

6. Click



next to the **Permission** field to open the **Select Permission** dialog. It is required.


- Select the group from the left pane and the membership from the right pane. Or,

- 



knowledge for You

next to **Any Permission**.



7. Optionally, select the **Dialog** tab and enter the value in the **Dialog Content** field.
8. Optionally, select the **View** tab and enter the value in the **View Content** field.
9. Optionally, select the **CSS** tab and enter the value in the **CSS Content** field.
10. Click **Save** to create the template.

### **Edit a template**

1. Click **Content Presentation --> Manage Templates**.

2. Click



in the **Action** column, corresponding to the template you want to edit.

3. Make changes on the values of each tab, including:

### **Note**

You cannot delete the default dialog. You must create a new one before you can delete the current default dialog.



- In the **Template** tab, you can edit the label of the template.
- In the **Dialog** tab, you can do the followings:

***Add a dialog***

- i. Input content for this dialog in the **Content** field.
- ii. Input the name for this dialog that is required.
- iii. Select permissions for a group that can use this dialog that is required.

***Edit an existing dialog***


- i. Click



in the dialog row you want to edit.

- ii. Edit the dialog properties.
- iii. Click **Save** to accept all changes in the **Dialog** tab.

***Delete an existing dialog:***

- i. Click  in the dialog row you want to edit.
- ii. Click **OK** to accept your deletion.

- In the **View** tab, you can do the followings:

***Add a view***

- i. Enter content into the **Content** field.
- ii. Input name for this view that is required.
- iii. Select permissions for a group that can use this view that is required.

***Edit an existing view***

- i. Click



in the **Actions** column, corresponding to the view you want to edit.

- ii. Edit the view properties.
- iii. Click **Save** to accept all changes in the **View** tab.

### Note

You cannot change the view name.

If you click **is Enable Version** checkbox, this view automatically increments one version after you have clicked **Save**. It is displayed at **Version** column in the **View** tab.

If the dialog has at least two versions, in the **View** tab, it displays the **Restore** button. You can use **Restore** to roll back to the previous View.

### *Delete an existing view*


- i. Click



in the **Actions** column, corresponding to the view you want to delete.

- ii. Click **OK** to accept your deletion.
- iii. Click **Save** to accept all changes.

### *Delete a template*

1. Click  corresponding to the template you want to remove in the **Manage Templates** page.
2. Click **OK** in the confirmation message to accept your deletion.

## Manage metadata

Metadata is generally defined as "data about data". Metadata is information which describes, or supplements the central data. In the **Manage Metadata** tab, you can manage nodes in the metadata format in the eXo Platform system. The metadata may be considered as information used to describe the data. When data are provided to end-users, the metadata allows users to understand about information in more details. All metadata nodes can combine with other nodes to create a new node (add mix).

### *View metadata*

1. Click **Content Presentation --> Manage Metadata**.

**Manage ECM Main Functions**

Categories & Tags >

Content Presentation >

- Manage Templates
- Manage Metadata**
- Manage View
- Manage Drives

Content Types >

Advanced Configuration >

**Manage Metadata**

Maximum Page Size: 10

Icon	Metadata Name	Internal Use	Mixin Type	Template's Actions
	dc:elementSet	false	true	
	metadata:siteMetadata	false	true	
	rma:accessionable	true	true	
	rma:cutoffable	true	true	
	rma:destroyable	true	true	
	rma:holdable	true	true	
	rma:record	true	true	
	rma:transferable	true	true	
	rma:vitalRecord	true	true	

View Edit Delete

2. Click



corresponding to the metadata you want to view.

The **Metadata Information** form will open.

**Metadata Information**

Metadata Information

Metadata Name	Is Mixin Type	Orderable children
dc:elementSet	true	false

Elements

	Element Name	Type	Description
	dc:resourceType	String	Description
	dc:coverage	String	Description
	dc:creator	String	Description
	dc:description	String	Description
	dc:language	String	Description
	dc:publisher	String	Description
	dc:subject	String	Description
	dc:contributor	String	Description
	dc:source	String	Description
	dc:rights	String	Description
	dc:title	String	Description

**Edit metadata**

1. Click



in the **Template's Actions** column, corresponding to the metadata you want to edit.

The **Edit Metadata's Template** form will open.

2. Change the required properties of the metadata.

### Note

You cannot edit the metadata name.

3. Click **Apply** to save all metadata changes.

### Delete metadata

1. Click



corresponding to the metadata you want to delete.

2. Click **OK** in the confirmation message to accept your deletion.

## Manage views

The **Manage View** function is used to control view ways of a user. It has two tabs: **View** and **ECM Templates**

To open the **Manage View** function, click **Content Presentation --> Manage View**. The **Manage View** form displays.

**Manage View**

Views **ECM Templates**

Maximum Page Size: 10

Name	Permissions	Action Tab	Base Version	Action
admin-view	*:/platform/administrators	[ Admin ]	1	
authoring-view	*:/platform/web-contributors	[ Publication ] [ Collaboration ]		
cover-flow	*:/platform/users	[ CoverFlow ]		
icon-view	*:/platform/users	[ Icons ]		
list-view	*:/platform/users	[ List ]		
simple-view	*:/platform/users	[ Actions ] [ Collaboration ]		
timeline-view	*:/platform/users	[ Timeline ]		
wcm-category-view	*:/platform/web-contributors	[ Publication ] [ Collaboration ]		
wcm-view	*:/platform/web-contributors	[ Publication ] [ Collaboration ] [ System ]		

Add View

### Views tab

In this tab, you can add, edit, delete, and preview views.

### Add a view

1. Click the **Add View** button located at the bottom of the **Manage View** form.

The **Add View** form will open.

2. Specify the view name in the **Name** field that must be unique, and only contains standard alphanumeric characters. It is required.
3. Set permissions for the view by clicking the plus icon. It is required.

- Click



next to **Any Permission** to assign permission to every one.

- Or select a group from the left pane and the membership from the right pane.

4. Click the **Templates** field and select a template from the drop-down menu for this view.
5. Click the **Add Tab** button to create a functional tab on this view. It is required.

The screenshot shows the 'Add View' dialog box with the 'Tab Form' tab selected. The 'Name' field contains 'Admin' and is highlighted with a red box and an arrow pointing to it from the text 'The tab name'. Below the 'Name' field is a list of functions with checkboxes: 'Add Category' (checked), 'Add Document' (checked), 'Add Folder' (checked), 'Add Translation' (unchecked), 'Add Symlink' (unchecked), 'Comment' (unchecked), 'Navigation by Content' (unchecked), 'deleteNode' (unchecked), 'Edit Document' (unchecked), 'Export Node' (checked), 'Import Node' (checked), 'Manage Actions' (unchecked), and 'Message Auditing' (unchecked). An arrow points from the text 'Specify functions on the tab' to the 'Add Symlink' checkbox.

i. Enter the name for the tab in the **Name** field.

ii. Specify functions to add to the tab.

iii. Click **Save** to finish creating a tab;

Or click **Reset** to clear the **Tab** form;

Or click **Back** to return to the **View Form** tab of the **Add View** form.

The newly created tab is displayed on the **Tabs** field.

The screenshot shows the 'Add View' dialog box with the 'View Form' tab selected. The 'Name' field contains 'List View'. The 'Permission' field contains '\*' and has a green plus icon and a trash icon to its right. The 'Tabs' field shows 'Admin' with a trash icon next to it, and an arrow points from the text 'Delete the tab' to this trash icon. The 'Templates' field is a dropdown menu showing 'List View'. At the bottom are four buttons: 'Save', 'Reset', 'Cancel', and 'Add Tab'.

- Click **Save** to apply all settings and close the form.

### Edit a View

- Click



in the **Action** column, corresponding to the view you want to edit.

- Edit the view properties.

### Note

You cannot change the view name.

If you select the **Enable Version** checkbox, this view automatically increases to one version after you click **Save**. It is displayed at the **Base Version** column in the **View** tab.

If the dialog has at least two versions, in the **View** tab, it displays the **Restore** button. You can use **Restore** to roll back to the previous View.

- Optionally, click the **Add Tab** button to open the **Tab Form** tab that allows you to add more Tabs to the View.
- Optionally, click an added **Tab** to add or remove functions on it. Note that you cannot change the tab name.
- Click **Save** to apply all changes in the **View** tab.

### Delete a view

- Click



corresponding to the view you want to delete in the **Manage View** page.

2. Click **OK** to delete the view in the confirmation message.

### Note

You cannot delete a view which is in use.

### Preview a view

1. Click



in the **Action** column of the view you want to preview.

The **View** form will open.

The screenshot shows a 'View' form with the following fields and values:

- Name:** admin-view \*
- Permission:** \*/platform/administrators \*
- Tabs:** [ Collaboration ]  
[ Actions ]  
[ Info ]  
[ Admin ]
- Templates:** ListView
- Enable Version:** ☐

A 'Close' button is located at the bottom right of the form.

2. Click **Close** to exit the **View** form.

### ECM Templates tab

#### Add a new ECM Template

1. Select the **ECM Templates** tab.



**Manage View**

Views **ECM Templates**

Maximum Page Size: 10

Name	Value	Base Version	Action
ContentView	/exo:ecm/views/templates /ecm-explorer/ContentView		
CoverFlow	/exo:ecm/views/templates /ecm-explorer/CoverFlow		
IconView	/exo:ecm/views/templates /ecm-explorer/IconView		
ListView	/exo:ecm/views/templates /ecm-explorer/ListView		
SlideShowView	/exo:ecm/views/templates /ecm-explorer/SlideShowView		
SystemView	/exo:ecm/views/templates /ecm-explorer/SystemView		
ThumbnailsView	/exo:ecm/views/templates /ecm-explorer/ThumbnailsView		
TimelineView	/exo:ecm/views/templates /ecm-explorer/TimelineView		

**Add**

- Click the **Add** button to open the **Add ECM Template** form.

**Add ECM Template**

**Content**

**Name**

- Input the content of the template in the **Content** field.
- Input a name for the template in the **Name** field.
- Select a type for the template in the **Template Type** field.
- Click **Save** to accept adding a new template, or **Reset** to change values.

### **Edit a template**

1. Click



next to the template you want to edit.

2. Change the current template's properties.
3. Click **Save** to accept all changes.

### Note

You cannot edit the template name.

If you tick the **Enable Version** checkbox, this template will automatically increase to 1 version after you have clicked **Save**. It is displayed at the **Base Version** column in the **ECMS Template** tab.

If the template has at least two versions, in the **Edit ECM Template** form, it displays the **Restore** button that allows restoring the template version.

### *Delete a template*

1. Click



corresponding with the template you want to delete. A confirmation message will appear.

2. Click **OK** to accept deleting this template.















## Manage drives



The function supports you to manage drives in the **Sites Explorer**. It allows adding, editing and deleting drives.

Go to **Content Presentation --> Manage Drives**.

**Manage Drives**

Maximum Page Size: 10

Icon	Name	Workspace	Home Path	Permissions	View	Action
	acme-category	collaboration	/sites content /live /acme /categories /acme	*:/platform /web-contributors	wcm-category-view	 
	collaboration	collaboration	/	*:/platform /web-contributors,*:/platform /administrators	admin-view, authoring-view	 
	default-category	collaboration	/sites content /live /default /categories /default	*:/platform /administrators	wcm-category-view	 
	Groups	collaboration	/Groups\${groupId}	*:\${groupId}	timeline-view, list-view, icon-view, cover-flow	 
	intranet-category	collaboration	/sites content /live /intranet /categories /intranet	*:/platform /administrators	wcm-category-view	 
	Managed Sites	collaboration	/sites content /live	*:/platform /administrators,*:/platform /web-contributors	admin-view, wcm-view	 
	Personal Documents	collaboration	/Users /\${userId}	*:/platform/users	timeline-view, list-view, icon-view, cover-flow	 

Add a new drive → **Add Drive**   Edit Delete

## Add a new drive


1. Click the **Add Drive** button in the **Manage Drives** page to open the **Add Drive** form.


**Add Drive**



Drive Apply Views

Name  \*

Workspace  ▼

Home Path  

Workspace Icon  


Permissions  \*  

Show Referenced Documents ☐

Show Non-document Nodes ☐

Show Sidebar ☐

Show Hidden Nodes ☐


Allow Folder Creation  


Unstructured folder


exo.webFolder


exo.linkFolder

2. Input a name for the new drive in the **Name** field that is required.
3. Select a workspace for the drive from the drop-down menu by clicking the **Workspace** entry.




4. Select the home path for the drive by clicking  beside the **Home Path** entry.




5. Browse an icon for the workspace by clicking  beside the **Workspace Icon** entry.

Select an icon by clicking  corresponding to your desired icon file.



6.

Select permissions for groups that have access rights to this drive by clicking  beside the **Permissions** entry.

7. Select or deselect the various checkboxes to hide or show the drive elements respectively.

Show Referenced Document

Allow viewing preference documents.

Show Non-document Nodes

Allow viewing non-documents.

Show Sidebar

Allow showing the sidebar.

Show Hidden Node

Allow showing the hidden nodes.

8. Select the document type that will be created in this drive.

exo:jsFolder

Unstructured folder

Only **nt:unstructured** folders can be created in this drive.


exo:webFolder

exo:linkFolder

exo:cssFolder

Folder


Only **nt:folder** folders can be created in this drive.


9. Select the **Apply Views** tab and select the view types you want to be available in the drive.


Prefix	Namespace URI
app	http://www.gatein.org/jcr/application-registry/1.0/
cia	http://www.bull.com/fr/aladinn/cia/1.0
cmis	http://www.exoplatform.com/jcr/cmisis/1.0
dc	http://purl.org/dc/elements/1.1/
exo	http://www.exoplatform.com/jcr/exo/1.0
exoide	http://exoplatform.org/ide/1.1.x/
fn	http://www.w3.org/2005/xpath-functions
fn_old	http://www.w3.org/2004/10/xpath-functions
Fwd	http://www.exoplatform.com/jcr/Fwd/1.1/
gtn	http://www.gatein.org/jcr/gatein/1.0/

10. Click **Save** to complete creating the new drive, or **Refresh** to clear the form.

### Edit a drive

1. Click  corresponding to the drive you want to edit. The **Edit Drive** form will appear.




2. Edit the properties as required.
3. Click **Save** to commit the changes.

### Note

The drive name cannot be edited in this form.

### Delete a drive

1. Click  that corresponds to the drive you want to delete.
2. Click **OK** to delete the drive in the confirmation message.

## Content Types

### Namespace registry

The namespace is a prefix in the node type name. It enables you to create node types without fearing any conflict with existing node types. The registry helps you manage the namespaces used in the system.

Select **Content Types --> Namespace Registry** to open the **Namespace Registry** form.

**Manage ECM Main Functions**

Categories & Tags >

Content Presentation >

Content Types >

**Namespace Registry**

Manage Node Type

Advanced Configuration >

**Namespace Registry**

Maximum Page Size: 10

Total pages: 4

Prefix	Namespace URI
app	http://www.gatein.org/jcr/application-registry/1.0/
cia	http://www.bull.com/fr/alanding/cia/1.0
cmis	http://www.exoplatform.com/jcr/cmisis/1.0
dc	http://purl.org/dc/elements/1.1/
exo	http://www.exoplatform.com/jcr/exo/1.0
exoide	http://exoplatform.org/ide/1.1.x/
fn	http://www.w3.org/2005/xpath-functions
fn_old	http://www.w3.org/2004/10/xpath-functions
Fwd	http://www.exoplatform.com/jcr/Fwd/1.1/
gtn	http://www.gatein.org/jcr/gatein/1.0/

Total pages: 4

Register

### Register a namespace

1. Click the **Register** button on the **Namespace Registry** form to register a new namespace.

**Register New Namespace**

Namespace Prefix  \*

URI  \*

Save Cancel

2. Enter the value for the **Namespace Prefix** field that is required.
3. Enter the value for the **URI** field which must be unique and required.

### Note

The namespace must not contain special characters, such as !, @, #, \$, %, &, \*, (, ).

## Manage node types

This function is used to control all node types in eXo Platform.

**Manage ECM Main Functions**

Categories & Tags >

Content Presentation >

Content Types >

Namespace Registry

**Manage Node Type**

Advanced Configuration >

**Manage Node Type**

Node Type Name

Total pages: 38


Icon	Node Type	Mixin Type	Orderable Child Nodes	Description	Action
	app:application	✗ false	✗ false	nothing	
	app:applicationregistry	✗ false	✓ true	nothing	
	app:category	✗ false	✓ true	nothing	
	app:gadgetdata	✗ false	✗ false	nothing	
	app:gadgetdefinition	✗ false	✗ false	nothing	
	app:gadgetregistry	✗ false	✗ false	nothing	
	app:localgadgetdata	✗ false	✗ false	nothing	
	app:remotegadgetdata	✗ false	✗ false	nothing	
	cmis:document	✓ true	✗ false	nothing	
	cmis:folder	✓ true	✗ false	nothing	

Total pages: 38

Add Import Export

### View node types

1. Click that corresponds to the node to be reviewed. The **View Node Type Information** form will appear.



The screenshot shows a web form titled "View Node Type Information" with a close button (X) in the top right corner. The form has a tab labeled "Node Type". Inside the form, there are several fields and a list:

- Name Space:** A dropdown menu with "app" selected.
- Node Type Name:** A text input field containing "application".
- Is Mixin Type:** A dropdown menu with "false" selected.
- Orderable Child Nodes:** A dropdown menu with "false" selected.
- Primary Item Name:** An empty text input field.
- Super Types:** A text input field containing "gtn:protectedresource, mix:referenceable, gtn:d".
- Property Definitions:** A list of property names in blue text:
  - [ jcr:primaryType ]
  - [ app:creationdate ]
  - [ app:lastmodificationdate ]
  - [ gtn:edit-permissions ]
  - [ gtn:description ]
  - [ gtn:name ]
  - [ gtn:access-permissions ]

2. Click **Close** to exit this form.

### **Add a node type**

1. Open the **Add/Edit Node Type Definitions** form by clicking the **Add** button on the **Manage Node Type** page.



2. Select a namespace for the node.
3. Enter a name in the **Node Type Name** field. This field is mandatory and its value must be unique.


### Note

The name must not contain special characters, such as !, @, #, \$, %, &, \*, (, ).

4. Select a value for the **Is Mixin Type** field.
  - True: This node is Mixin type.
  - False: This node is not Mixin type.
5. Select a value for the **Orderable Child Nodes** field.
  - True: Child nodes are ordered.
  - False: Child nodes are not ordered.
6. Enter a value for the **Primary Item Name** field.
7. Super Types: Click the plus icon to add more parent types.
8. Property Definitions: List all definition names of the **Property** tab.
9. Child Node Definitions: List all definition names of the **Child Node** tab.
10. Click **Save** to accept adding a new node type, or **Save as Draft** to save this node type as draft.

### *Export Node Types*

1. Open the **Export Node Types** form by clicking the **Export** button at the bottom of the **Manage Node Type** page.



Node Type	Selected
soc:relationshipdefinition	<input checked="" type="checkbox"/>
nt:folder	<input checked="" type="checkbox"/>
exo:linkable	<input checked="" type="checkbox"/>
exo:trashFolder	<input checked="" type="checkbox"/>
nt:childNodeDefinition	<input checked="" type="checkbox"/>
exo:tagHome	<input checked="" type="checkbox"/>
exo:answerHome	<input checked="" type="checkbox"/>
exo:article	<input checked="" type="checkbox"/>
exo:portalFolder	<input checked="" type="checkbox"/>
rma:destroyable	<input checked="" type="checkbox"/>

Export Cancel Uncheck all


2. Click **Uncheck all** if you do not want to export all node types. After clicking **Uncheck all**, this button becomes the **Check all** button.
3. Select nodes that you want to export by ticking the checkboxes.
4. Click the **Export** button in this form.
5. Select the location in your device to save the exported node.

### **Note**

You must select at least 1 node type to be exported. If you do not want to export the node, click **Cancel** to quit this pop-up.

### *Import Node Types*

1. Open the **Import Node Type From XML File** form by clicking the **Import** button at the bottom of the **Manage Node Type** page.



Import Node Type From XML File

File Name

- Click the **Browse...** button to upload a file.

### Note

You must upload an XML file. This file is in the node type's format.

- Click the **Upload** button.

### Note

If you want to upload another file, click



to delete the file which has just been uploaded, then upload other files.




- Tick the checkboxes corresponding to the nodes that you want to import.
- Click the **Import** button to complete importing a node type.

## Advanced Configuration

### Manage queries

The function enables you to manage queries. It allows adding, editing and deleting queries.


Go to **Advanced Configuration --> Manage Queries**.

Name	Type	Statement	Permissions	Actions
All Articles	xpath	//element(*,exo:article) [not(@jcr:mixinTypes = 'exo:restoreLocation')] order by @exo:dateCreated descending	*:/platform/users	 
Created Documents	xpath	//*[@jcr:primaryType = 'exo:article' or @jcr:primaryType = 'nt:file') and @exo:owner='\${UserId}' and not(@jcr:mixinTypes = 'exo:restoreLocation')] order by @exo:dateCreated descending	*:/platform/users	 
CreatedDocumentDayBefore	xpath	//element(*,exo:article) [(@exo:dateCreated < xs:dateTime('\${Date}')] and not(@jcr:mixinTypes = 'exo:restoreLocation')] order by @exo:dateCreated descending	*:/platform/users	 

Add a new query 

### Add a new query

1. Open the **Add Query** form by clicking the **Add Query** button in the **Manage Queries** page.




2. Enter a query name into the **Query Name** field.
3. Select the query type from the drop-down **Query Type** menu.
  - **xpath** (XML Path Language) is a language for selecting nodes. For example, `/jcr:root/Documents/Live`.
  - **SQL** (Structured Query Language) is a database computer language.
4. Enter the statement for the query that must be unique.
5. Check or uncheck the **Enable Cache Results** option. If you tick this checkbox, for the first time you use this query to search, the result will be cached. For the second time you search using this query, it will show the cached results. After 45 minutes, the cache will be removed.

For example, you have the query `Test` with statement `//element (*, nt:file)`. In the File Explorer, you have a `nt:file` document named `File1`. When you execute the query `Test`, only document `File1` will be shown. After that, create a `nt:file` document named `File2`


and execute query `Test`, only document `File2` document will be listed. After 45 minutes, the cache will be removed. When you execute the query `Test`, the documents `File1` and `File2` will be listed.

6.


Select permissions for a group that can use this query by clicking .

7. Click **Save** to finish adding a new query.

### Edit a query

1. Click  corresponding to the query you want to edit. The **Edit Query** form will appear.
2. Edit the properties of the selected query.
3. Click **Save** to accept all changes.


### Delete a query

1. Click  corresponding to the query you want to delete. A confirmation message will appear.
2. Click **OK** to accept deleting this query, or **Cancel** to discard this action.

## Manage Scripts

The function enables users to manage all script codes in the **eXo Platform** and **Browser Content** system.


Go to **Advanced Configuration --> Manage Scripts**.



The screenshot shows the 'Manage Scripts' interface. At the top, there's a tab labeled 'ECM Scripts'. Below it, a dropdown menu 'Select Category:' is set to 'action'. A table lists various scripts with columns for Name, Path, Base Version, and Actions. The 'Actions' column contains edit (pencil) and delete (trash) icons for each script. At the bottom right, there's a pagination bar showing 'Total pages: 2' and navigation buttons. A red arrow points to an 'Add' button located below the table.


Name	Path	Base Version	Actions
AddMetadataScript.groovy	...ction/AddMetadataScript.groovy		
AddTaxonomyActionScript.groovy	...AddTaxonomyActionScript.groovy		
AddToFavoriteScript.groovy	...ion/AddToFavoriteScript.groovy		
AutoVersioningScript.groovy	...on/AutoVersioningScript.groovy		
EnableVersioningScript.groovy	.../EnableVersioningScript.groovy		
GetMailScript.groovy	...er/action/GetMailScript.groovy		
PopulateToHomePageMenu.groovy	.../PopulateToHomePageMenu.groovy		
ProcessRecordsScript.groovy	...on/ProcessRecordsScript.groovy		
PublishingRequestScript.groovy	...PublishingRequestScript.groovy		
RSSScript.groovy	...plorer/action/RSSScript.groovy		

Total pages: 2 1 2

Add a new script 


### *Add a new script in ECM*

1. Click the **Add** button in the **Manage Script** page to open the **Add/Edit Script** form.



2. Enter a value for the **Script Content** field.
3. Enter a script name for the **Script Name** field.
  - The script name must be unique
  - The name must not contain special characters, such as !, @, #, \$, %, &, \*, (, ).
4. Click **Save** to accept adding the new script.

### *Edit an ECM script*

1. In the **ECM Scripts** tab, click  corresponding to the script that you want to edit. The **Add/Edit script** form will appear.

**Add/Edit Script**

**Script Contents**

```

/*
 * Copyright (C) 2003-2007 eXo Platform SAS.
 *
 * This program is free software; you can redistribute it and/or
 * modify it under the terms of the GNU Affero General Public License
 * as published by the Free Software Foundation; either version 3
 * of the License, or (at your option) any later version.
 *
 * This program is distributed in the hope that it will be useful,
 * but WITHOUT ANY WARRANTY; without even the implied warranty of
 * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
 * GNU General Public License for more details.
 *
 * You should have received a copy of the GNU General Public License
 * along with this program; if not, see <http://www.gnu.org/licenses/>.
 */

import java.util.Map;

import javax.jcr.Session;
import javax.jcr.Node;

import org.exoplatform.services.cms.scripts.CmsScript;
import org.exoplatform.services.jcr.RepositoryService;
import org.exoplatform.services.jcr.core.ManageableRepository;
import org.exoplatform.services.jcr.ext.app.SessionProviderService;
import org.exoplatform.services.jcr.ext.common.SessionProvider;


```

☐ is Enabled Version

Script Name

2. Edit the properties in this form.
3. Click **Save** to save all changes.


### Delete an ECM script

1. In the **ECM Scripts** tab, click  on the script that you want to delete. A confirmation message will appear.
2. Click **OK** to accept your deletion, or **Cancel** to discard this action.

### Create an action type

This function allows you to manage all action nodes in the **eXo Platform**.

1. Select **Advanced Configuration --> Create Action Type**.



2. Click the **Add** button to open the **Action Type** form.

Extend Action Type: exo:scriptAction

Name (starts with "exo:"): \*

is Action Move: ☐

Execute: ecm-explorer/action/RSSScript.groovy

Variables:

Save Cancel

3. Select the action type.
4. Input a name for the action.
5. Check/uncheck the **is Action Move** option. The action will have exo:move property or not.
6. Select an "execute" for the **Execute** field.
7. Click next to **Variables** field to add more values for the action.
- Click to delete a value.
8. Click **Save** to accept adding a new action type.

### Manage locks

All locked nodes are listed and managed by administrators in the **Content Administration** page. There are two ways that help administrators lock nodes: unlock nodes in the right-click menu in **Sites Explorer** or unlock nodes in the **Content Administration** page.


#### Unlock a node



1. Select **Advanced Configuration --> Manage Locks** on the **Manage ECM Main Functions** pane on the left. The locked nodes will be listed on the right pane.





- 2.


In the **Locked Node** tab on the right pane, administrators can unlock nodes by clicking  corresponding to nodes which need to be unlocked. The unlocked nodes will disappear from the locked nodes list.

Administrators can manage and add the unlock permission for another group and users in the **Manage Lock** tab.

3. Select the group on the **Select Group** pane and the corresponding membership on the **Select Membership** pane. The selected group will be listed in the **Groups Or Users** column.

However, administrators can also click  if you want to allow any users to unlock nodes.



4. In case you, as an administrator, want to remove the "Unlock" permission of groups, click  corresponding to the group to remove them from the "Unlock" permission list, except the group `*:/platform/administrator` and `root`.

# Manage content


## Contribute content

### Edit mode


When you access a site, by default, the site contents are in the published mode and you cannot edit them.

However, each site in eXo Platform has the **Edit** mode which enables you to edit all contents of the current site. When hovering your cursor over contents, you can see edit icons which enable you to quickly edit these contents. You can take advantage of this feature to submit contents to a page.


To turn on the **Edit** mode, hover your cursor over **Edit** on the **Administration** bar, then select **Content** from the drop-down menu.



For Single Content Viewer (SCV), you can see the current state of the content, the Edit Content icon and Preferences icon.



For Content List Viewer (CLV), you can see the current state of the content, the Edit Content icon, the Preferences icon, the Add Content icon and the Manage Content icon.



## InContext Editing

By using the **InContext Editing** feature, the process of editing a page becomes more intuitive. This feature allows you to edit content "in context" without using the WYSIWYG editor, and the new content will automatically override old one.

To use **InContext Editing**, turn on the **Edit Mode**.

### Add a content

Adding a new content by using **InContext Editing** is enabled for the **Content List Viewer** (CLV).


1. Turn on the **Edit Mode**, then hover your cursor over the CLV to which you want to add a new content.

2. Click




on the CLV.

You will be redirected to the **Sites Explorer** with a list of content templates for you to select.




3. Click one template for your content. Each template has an Info bar on the top of the template.



Details:

Table 4.14.

Field	Description
Change Content Type	Select another content types.
Save	Save the content without closing the content form.
Save & Close	Save the content and close the content form.
Close	Close the content form without saving the content.
	Switch on/off the full-screen mode.


4. Fill all the fields in the form. See the [Add a document](#) section to know how to create the different content types.
5. Click **Save** or **Save & Close** to save the document.


## Note


The folder, where a document is saved, is the path you have selected in the [Preferences](#) section.


## Edit a content

You can edit any contents on the homepage for SCV and CLV with **InContext Editing**. However, for CLV, you only can edit each content in it.

1. Turn on the **Edit** mode by hovering your cursor over **Edit** on the **Administration** bar, then selecting **Content**.
2. Hover your cursor over the content you want to edit, and click  at the right corner. You will be directed to **Sites Explorer** with the document form for you to edit.



3. Make changes on the content, then click **Save** or **Save & Close** to accept your changes.
4. Click  to return to the site. In the **Edit** mode, your new content will be in the "Draft" state with its visible modifications.



5. Click  , or  on the **Action** bar to publish your edited content. Your content is now in the "Published" state.

### Note

You cannot see the edited content in the draft state when you turn off the **Edit** mode.

## Manage content


With **InContext Editing**, you can easily manage a Content List Viewer on the homepage. You can add a new content in the CLV, edit, delete an existing content or copy/cut/paste to another CLV and take more actions in the right-click menu.

### Manage content in the CLV

1. Turn on the **Edit** mode.
2. Hover your cursor over the CLV which you want to manage on the homepage, and click



You will be directed to the **Sites Explorer** page.



3. To add a new document to the CLV, click **Add Content** on the **Action** bar and do the same steps as in the [Add Content](#) section.

To take other actions on a specific content in the CLV, right-click it to open a drop-down menu. For more details, see the [Actions on folders and documents](#) section.

## Preferences

Preferences enable you to edit contents in the Single Content Viewer (SCV) and the Content List Viewer (CLV), reset the display of the contents in SCV and CLV and publish contents.

### Content Detail Preferences


To edit the Single Content Viewer, do as follows:

1. Turn on the **Edit** mode.

2. Select




of a Single Content Viewer.



The **Content Detail Preferences** dialog appears.

**Content Detail Preferences**

Content Selection

Content Path  \*  ← The path to the content folder

Display Settings

☐ Show Title ☐ Show Date ☐ Show Option Bar ?

Print Settings

Show in Page  ?

with

**Dynamic Navigation**

Contextual Content ☐ Enabled ☒ Disabled ?

by  ?


**Contents Visibility**

☒ Restricted by Authentication ☐ Restricted by User roles ← Contents Visibility

Save Cancel

**Details:**


Table 4.15.

Field	Description
<b>Content Selection</b>	Select the path of the content that you want to show by clicking  .
<b>Display Settings</b>	<p>Configure the visibility of Title, Date and Option bar.</p> <ul style="list-style-type: none"> <li>• <b>Show Title:</b> Select this checkbox to display the title of the content.</li> <li>• <b>Show Date:</b> Select this checkbox to display the date of the content publication.</li> <li>• <b>Show Option Bar:</b> Select this checkbox to display the <b>Option</b> bar which is used to show the print link.</li> </ul>
<b>Print Settings</b>	<ul style="list-style-type: none"> <li>• <b>Show in Page:</b> The content is shown in the page.</li> <li>• <b>with:</b> Parameters contain the content path.</li> </ul>
<b>Advanced link:</b>	<p>When clicking this link, the <b>Advanced</b> pane will be shown with two parts.</p> <ul style="list-style-type: none"> <li>• <b>Dynamic Navigation:</b> Allow you to get a parameter to configure the portlet by URL. It means that the URL containing the content path can be dynamically changed.</li> <li>• <b>Disable:</b> By default, if the property is set as "Disable", the <b>Advanced</b> pane is closed by default. It means the single content will be opened by an URL containing the Content Path.</li> <li>• <b>Enable:</b> This portlet is configured with the provided parameter ("content-id" by default) and the content.</li> <li>• <b>By:</b> This parameter is the key in the URL to let SCV know which really is the path in the current URL. It is editable</li> </ul>



Field	Description
	<p>when the <b>Contextual Content</b> is set to "Enable".</p> <ul style="list-style-type: none"> <li>• <b>Contents Visibility:</b> Allow you to use a cache shared between users to get contents. If you want to get contents, which are displayed in CLV or SCV, from one cache, select <b>Restricted by Authentication</b>. If not, select <b>Restricted by User Roles</b>.</li> </ul>

## Note


Hover your cursor over  to see a quick help for each section.


3. Click



next to the **Content Path** to select another content. The **Select Content** dialog appears.

4. Select a folder on the left pane, and content in the folder on the right pane. The selected content will be displayed in the **Content Path** field.
5. Tick the checkboxes, including **Show Title**, **Show Date** and **Show Option Bar**, if you want to display the content title, the publication date and the print button like the illustration below.




- i. In the **Print Setting** part, click  to open the **UIPageselector** dialog. You will see **Printviewer**.
  - ii. Click the **Print** button. The content is opened in the print viewer page.
6. Click **Save** to save all your changes.

## Content List Preferences

To edit the Content List Viewer, do as follows:

1. Turn on the **Edit** mode.
2. Select the **Preferences** icon of a Content List Viewer.




The **Content List Preferences** dialog appears.

**Content List Preferences**

**Contents Selection**

Mode: ☒ By Folder ☐ By Contents

Folder Path: web contents \*  ← The path to the content folder

Order by: OrderByDateCreated

☐ Descendant ☒ Ascendant

**Display Settings**

Header: Featured Products Automatic Detection: ☒

Template: TwoColumnsCLVTemplate.gtmpl

Paginator: UIPaginatorEmpty.gtmpl

Items per Page: 4 \*

Show Title: ☐ Show Image: ☒ Show Summary: ☒

Show Header: ☒ Show Date: ☐ Show Link: ☒

Show Refresh: ☐ Show More Link: ☒ Show RSS Link: ☐

**Advanced**

**Dynamic Navigation**

Contextual Folder: ☐ Enabled ☒ Disabled

by: folder-id

Show in Page: detail

with: content-id

**Contents Visibility**

☒ Restricted by Authentication ☐ Restricted by User Roles

Save Cancel

Details:

Table 4.16.

Field	Description
<b>Contents Selection</b>	<p><b>Mode:</b> This mode is to select web content for the list viewer. There are two modes:</p> <ul style="list-style-type: none"> <li>• <b>By Folder:</b> This mode allows you to select a content folder in the <b>Folder Path</b> field.</li> <li>• <b>By Contents:</b> This mode allows you to select by the content in a specific folder in <b>Folder Path</b> field.</li> </ul> <p><b>Folder Path:</b> The path to a location of a folder that contains the content.</p>

Field	Description
	<p><b>Order by:</b> Sort content in the List Viewer by <b>Title</b>, <b>Date Created</b> or <b>Date Modified</b> in ascending or descending order.</p>
<b>Display Settings</b>	<p><b>Header:</b> The title of all contents that are listed in the List Viewer.</p> <p><b>Template:</b> The template which is used to view the content list.</p> <p><b>Paginator:</b> The template which is used to view each content in the list.</p> <p><b>Items per Page:</b> The number of items which will be displayed per page.</p> <p>The following options which can be shown or hidden by ticking or unticking checkboxes respectively.</p> <ul style="list-style-type: none"> <li>• <b>Show Title:</b> Title of each published web content/document.</li> <li>• <b>Show Header:</b> Header of each published web content/document.</li> <li>• <b>Show Refresh:</b> The <b>Refresh</b> button at the left bottom of the page.</li> <li>• <b>Show Image:</b> The illustration of each published web content/document.</li> <li>• <b>Show Date:</b> The created date of each published web content/document.</li> <li>• <b>Show More Link:</b> The <b>Read more</b> link to read all the content of a web content and/or document.</li> <li>• <b>Show Summary:</b> The summary of each web content/document.</li> <li>• <b>Show Link:</b> The link of web content/document.</li> <li>• <b>Show RSS Link:</b> The RSS link of all contents of a web content/document.</li> </ul>

Field	Description
<b>Advanced link</b>	<p><b>Dynamic Navigation</b></p> <ul style="list-style-type: none"> <li>• <b>Disable:</b> The single content will be opened by an URL containing the Content Path.</li> <li>• <b>Enable:</b> This portlet is configured with the provided parameter (content-id by default).</li> <li>• <b>By:</b> This parameter is the key in the URL to let CLV know which really is the path in the current URL.</li> <li>• <b>Show in Page:</b> A single content in CLV will be shown in a selected page. You can select any page but should take one with a Content Detail Portlet. The "Dynamic Navigation" is enabled in the Content Detail Portlet that interprets the URL and shows a single content.</li> <li>• <b>With:</b> This parameter is the key in the URL to let SCV know which really is the path in the current URL.</li> </ul> <p><b>Contents Visibility:</b> Allow you to use a cache shared between users to get contents. If you want to get contents, which are displayed in CLV or SCV, from one cache, select <b>Restricted by Authentication</b>. If not, select <b>Restricted by User Roles</b>.</p>

3. Browse the documents or web content of an available site by clicking



next to the **Folder Path** field.

4. If you select the **By Folder** mode, select an available site on the left, then select a folder that contains contents (documents and/or web content) on the right by clicking the folder.

If you select the **By Contents** mode, select an available folder from the left pane, all content in this folder will be listed on the right pane. Click a content on the right that you want to add to the content list. There will be a message, informing that you have successfully added it to the Content List. The selected content will be listed in the Content List.


5. Enter a header for the content list in the **Header** field if you want.
6. Select a template to display the content list in the template list.
7. Tick/Untick your desired options.
8. Click **Save** to accept your changes.

### Inline Editing


The **Inline Editing** mode allows you to edit directly on the page without going to a separate one. By using this mode, you can edit the text in the same location in such an intuitive and convenient manner.

To do the inline editing, do as follows:


1. Turn on the **Edit** mode on the **Administration** bar.
2. Hover your cursor over the area you want to edit. The editable area will be highlighted.
3. Double-click the area until the Edit area is shown as below.




In case the hovered area is in the Rich Text format, the Edit area will be displayed with the [CKEditor](http://docs.cksource.com/CKEditor_3.x/Users_Guide) [http://docs.cksource.com/CKEditor\_3.x/Users\_Guide] as below. (See more information about CKEditor [here](#).)




4. Make changes on your selected area, then click  to accept,

or  to discard changes.

- After you have made changes on your content, it is only in the **Draft** state.



- Click  to publish the content. Now, your edited content is in the **Published** state.

## CKEditor

When using CKEditor to write/edit a document, you can also:


- Insert a portal link to the document.
- Insert a content link to the document.

### *Insert a portal link*

1. Click



to open the **Insert Portal Link** form.



2. Enter the title of the portal in the **Title** field.

## Chapter 4. Organize Your Content

---


3. Enter the portal URL manually, or you can also click **Get portal link** to open a page containing all the portals in the same server, then select one that you want.
4. Click **Preview** to view the portal.
5. Click **Save** to accept inserting the portal to the document.

### *Insert a content link*


1. Click



to open a page.



2. Click the plus before the document name or click directly the document name on the left pane to show the contents in the right pane or click



to upload a file from your local device.



- Click a content that you want to insert to the document.

## Publication process

After a new content has been created, it is saved as draft and you can easily to publish it on your site. The publication process consists of four steps:

### Request for Approval --> Approval --> Stage --> Publish

In case you want to publish your content without having the "Approve" or "Publish" right, you first need to send your request for approval.

In case you have the right to approve or publish a content, you can yourself publish it with the **Stage** step immediately.

- Request Approval:** When a new content is created, it must be approved before publishing by clicking **Request Approval** on the **Action** bar of the Sites Explorer or clicking **Pending** in the **Manage Publication** form.

**Manage Publication**

Revision: plf-35-release

**Status:**

Scheduled

From  To

Revisions	Date	Author	Status	Action
Revision:plf-35-release	Nov 29, 2011 11:16:36 AM	john	Draft[current revision]	

Save Reset Close

- Approve:** To approve a content, click **Approve** on the **Action** bar of the Sites Explorer, or **Approved** in the **Manage Publication**.
- Stage:** This step allows you to publish a content in a period. After selecting the publication schedule for the content, it will be automatically published as the schedule.

To publish your content just in a stage, click **Stage**. Then, click **From/To** to select the start and end dates for publication from a mini-calendar.

To publish your content forever, you should not set time in the **To** field.

- Publish:** A content will be published when you have completed the **Stage** step.

### Note

You will see a list of draft contents, pending contents which are waiting for your approval if you have the approval right, and contents that will be published at the bottom of the **Sites Explorer**. Click your desired contents to review, approve or publish.

My Draft Contents	Waiting For My Approval	To Be Published Tomorrow
New: Invisibility	No Content	No Content

## Content inside categories

In eXo Platform, you can create new contents in any folders or directly in a CLV with **Incontext Editing**. However, to facilitate the content management, categories are usually used to sort and organize documents that makes your desired searches more quickly. Also, creating contents inside a category helps you manage and publish them effectively.

After creating a document, you should categorize it by adding it to a category. Otherwise, documents should be created right in a category and links to those documents will be automatically created in the category. In eXo Platform, categories are stored in JCR.


## Create a content

This section will show you how to create a content in a category.


1. Hover your cursor over




--> **Content --> Sites Explorer** on the Administration bar.



For example, select the **acme-category** drive as the following illustration.



- Click the **Add Content** button to create a new content. See the [Add a document](#) section to know how to add a new content. The new content is a Symlink. To view the content, simply click the Symlink.



## Manage content in Sites Explorer

Web content is a key resource which is used for a site. Other resources make a site more dynamic and animated by using layout, color, font, and more. This section focuses on how to manage a web content in a specific site.

### Note

Only users who have the right to access the **Sites Management** drive can do it.

## Create a new web content

This function is used to add a new web content to a specific site.

- Go to the **Sites Management** drive, then select a site to which you want to add a web content.
- Select the **web contents** folder on the left.


Note

In this step, you also can add a new web content into another folders (documents and media folders) of a site but you are recommended to select the **web contents** folder because:

Managing web content of a site becomes more easily.

You only may add a new web content in this folder so that you do not need to select a web content document in the list of document types. It makes adding a new web content more flexibly.

3. Click  **Add Content** on the **Action** bar to open a list of content templates.



4. Select a template to present the web content by clicking one.
5. Enter values in the fields of the **Add New Document** form.
6. Click **Save** or **Save & Close** to save the content or **Close** to quit the **Add New Document** form.

***Tabs in the Add New Document form***


The **Main Content** tab

**Table 4.17.**

Field	Description
<b>Title</b>	The title of a webcontent.
<b>Name</b>	The name of the webcontent that you want to add new.
<b>Language</b>	

Field	Description
	The language of the webcontent. At present, eXo Platform 3.5 supports two languages: English and French.
<b>Main Content</b>	The main content that you want to display when publishing this webcontent.

The **Illustration** tab allows you to upload an illustration that makes the site's content more attractive.



**Details:**

**Table 4.18.**

Field	Description
<b>Illustration Image</b>	The path to an image that you want to upload into a site. This image will be used like an illustration of that site.
<b>Summary</b>	You can give a short description about the webcontent because it will be displayed with the illustration image when the webcontent is listed. The main content will be shown when it is selected to be viewed.

### ***Upload an image***

1. Browse a list of images on your local device by clicking the **Browse...** button, then select a specific location.
2. Select an image in the list to upload.

The **Advanced** tab includes two parts: CSS Data and JS Data.




Details:

Table 4.19.

Field	Description
CSS Data	Contain the CSS definition to present data in a webcontent. You can optionally enter CSS data into this field to specify the style.
JS Data	Contain the JS content to make the webcontent more dynamic after being published. You can optionally enter the JS content in this field.

Edit a webcontent

This function is used to edit a webcontent in a specific drive of an existing site.

1. Go into the folder of a site which contains the webcontent that you want to edit.
2. Select the webcontent by double-clicking it on the left tree or on the right pane. The detailed information of webcontent will be viewed on the right pane.
3. Click  **Edit Document** on the **Action** bar to show the form to edit the selected webcontent. This form is similar to that of creating a new document.
4. Make changes on current values in the fields of this form.
5. Complete editing the selected webcontent by clicking **Save** or **Save & Close**.

Note

When you click **Edit Document**, the webcontent will be auto-locked for your editing. After finishing, the content is back to the unlock status. You can manage "Locks" in the [Unlock a node \[212\]](#) section.

## Delete a webcontent

This function is used to remove a webcontent from the webcontent folder in a specific site's drive.

1. Right-click the name of the webcontent that you want to delete, then select **Delete** from the drop-down menu.
2. Click **OK** to accept your deletion in the confirmation message.

## Publish a webcontent



This function helps you publish a webcontent that you have added to webcontent folder in **Sites Explorer**.

See the [Publication process](#) section to know how to publish a webcontent.


After the content is published, all users who have the right to access that position can view the published web content as a page on the **Navigation** bar.

## Preferences

This function is used to set up your browsing preferences.

1.  Click  on the right side of the **Sites Explorer** portlet.

The **Preferences** window will appear.



**Details:**

**Table 4.20.**

Field	Description
Sort by	

Field	Description
	Sort nodes in the nodes list by Alphabetic, Type, Created Date, or Modified Date
<b>Show Sidebar</b>	Display/Hide the sidebar.
<b>Enable Drag &amp; Drop</b>	Enable/Disable the "drag and drop" action.
<b>Nodes Per Page</b>	This number of nodes displayed per page.
<b>Show Non-document Nodes</b>	Display/Hide nodes that are non-documents.
<b>Show Referenced Documents</b>	Display/Hide referenced documents.
<b>Show Hidden Nodes</b>	Display/Hide hidden nodes.
<b>Query Type</b>	This query type.
<b>Enable DMS Structure</b>	Display/Hide nodes in a document the tree structure.

2. Configure the preferences as required and click **Save** to set them;

Or click **Close** to quit without submitting changes.

## Search in Sites Explorer


There are three ways to search an existing node:

- [Quick search](#).
- [Advanced search](#).
- [Search with saved queries](#)

### Quick search

With the quick search, you can directly type a search term in the search field. All documents, whose keywords are matched with the search term, are retrieved and listed in the Search results form.


1. Enter a keyword into the search text box.

2. Click  to perform the search.

Or press **Enter**.


The search results will be displayed in the right pane.






The search results are empty if no document contains the search string.

Type	Name	Score	Action
No results found.			


3. Click  to view the content containing the keyword.


Or click  to go to the node that contains the search result.


## Advanced search

### Perform an advanced search

1. Click  on the **Filter** bar.



2. Then click  to open the **Advanced Search** form.



The tabs in this form offer different search functions:

- [Search by Name](#)
- [Search with constraints](#)
- [Search by creating a new query](#)
- [Search by existing queries](#)

### Search by Name

Use the **Search by Name** tab to search nodes by name as follows:

1. Enter the exact name you wish to search in the **Content Name** field.
2. Click **Search**.


Results will return with the message *"No result found"* if there is no node with the entered name.

Results will be returned in the **Search Results** tab if the requested name is found.

### Search with constraints

This search enables you to search with more constraints to limit the returned results.

Extra search constraints are entered in the **Advanced Search** tab of the **Advanced Search** form.



The **Current location** field is not editable. It shows the path selected to search.

1. Enter search terms in the **A word of phrase in content** field.
2. Select the **Operator**.
  - Select **AND** operator to only return results that meet *both* the search terms and the entered constraints (see Step 3).
  - Select **OR** operator to return results that meet *either* the search terms or the entered constraints (see Step 3).
3. Click **Show/hide constraints form** to add more constraints.

A further constraint options window will appear.



The screenshot shows a 'Show/hide constraints form' window. At the top, there is a dropdown menu for 'Operator' set to 'and' with a circled '1' next to it. Below this are seven numbered constraint options (2-7) on the right side of the window:

- 2: ☐ Property:  Contain Exactly :
- 3: ☐ Property :  Contain :
- 4: ☐ Property :  Not Contain:
- 5: ☐ **CREATED** From  To
- 6: ☐ Document Type :
- 7: ☐ Category :

**Details:**

**Table 4.21.**

Item	Description
1	You can add more than one constraint with either of two operators (AND and OR).
2	Add a constraint to search by a property with specific values.
3	Add a constraint to search by a property that contains one of the word in the specific string.
4	Add a constraint to search by a property that does not contain the specific string.
5	Add a constraint to search by a duration of date (created, modified).
6	


Item	Description
	Add a constraint to search by a document type, including File, Article, Podcast, Sample node, File Plan, Kofax).
7	Add a constraint to search by categories.
	Add a document type.
	Add a category.

4. Select the constraint operator (**AND/OR**).
5. Add the required constraints using one of the following methods:

- [Add a constraint for exact values \[241\]](#)
- [Add a constraint including or excluding values \[244\]](#)
- [Add a constraint by date \[244\]](#)
- [Add a constraint by document type \[245\]](#)
- [Add a constraint by category \[247\]](#)

6. Click **Add** to add any/all activated constraints.

The constraints will be converted to an **SQL** query and displayed in the search form.




Advanced Search


Search by Name   Advanced Search   New Query   Saved Query   Search Results


Current location /sites content/live

A word or phrase in content

Operator And

More constraints (CONTAINS(dc:resourceType, 'Features of Platform')) 

and (jcr:primaryType = 'exo:article' or jcr:primaryType = 'nt:file' or jcr:primaryType = 'exo:product') 

and (exo:category = 'System/calendar') 

Show/Hide Constraint Form   Search   Save   Cancel

Remove unnecessary constraints with the  icon.


7. Click **Search** to launch the search. Results will be displayed in the **Search Results** tab.


8. Click **Save** and put a name for this search configuration if you want to save it to use at another time.

### Methods to add the required constraints



#### *Add a constraint for exact values*


1. Check the box that corresponds to the constraint you want.


2. Enter the property you want to locate or click  .




Operator: And ▼


☐ Property:   Contain Exactly:  

☐ Property:   Contain:

☐ Property:   Not Contain:


☐ Created ▼ From  To

☐ Document Type:  

☐ Category:  

Add Cancel

A list of possible properties appears.





3. Select a property from the list and click **Add**. The selected property will populate **Property** field.


4. Define the property value to search for by entering a value into the **Contain Exactly** field or click the




icon.


Operator: **And** ▼


☐ Property:   Contain Exactly:  

☐ Property:   Contain:


☐ Property:   Not Contain:


☐ Created ▼ From  To


☐ Document Type:  

☐ Category:  

The **Filter Form** will appear.

**Filter Form** 


Filter:  

Results: 

All pre-existing values for the property you selected will appear.

- If the value you require is in the list, select it and click **Select**.

- 

If the value you require is not in the list, enter it in the **Filter** field and click the  icon. The value will populate the **Contain Exactly** field of the constraints form.

Operator : **and** ▼

☒ Property : **dc:title** Contain Exactly : **uploaded image**

☐ Property :  Contain :

☐ Property :  Not Contain :

☐ **CREATED** ▼ From  To

☐ Document Type :

☐ Category :

### ***Add a constraint including or excluding values***

1. Check the box corresponding to the **Contain** or **Not Contain** constraint, as appropriate.
2. Enter the required property in the **Property** field or



(refer to **Step 2** in the [Add a constraint for exact values \[241\]](#) section for more information).

3. Enter the required values in the **Contain** or **Not Contain** fields.

### ***Add a constraint by date***

1. Click the check box beside the field with the drop-down menu (below the **Property** entries).
2. Define the search condition from the drop-down list (**CREATED/MODIFIED**).
3. Click in the **From** field.

A small calendar will appear.




Select the date you want to use as a constraint.


4. Repeat the above steps for the **To** field.

The selected dates will populate the **From** and **To** fields in the **Add constraint** form.

#### ***Add a constraint by document type***


1. Click the checkbox beside the **Document Type** field.

2. Enter the document type you want to search for or click  to open a list of document types:





3. Click the checkbox of the document type you want and click **Save**.


The selected document type will populate the **Document Type** field.



### Add a constraint by category

1. Click the checkbox beside the **Category** field.
2. Enter the category you want to search for or click  for a list of categories:



3. Click  that corresponds to the category you want.  
The selected category will populate the **Category** field.


### Search by creating a new query

You need a knowledge of the structure of query statements to configure a search using the parameters on the **New Query** tab.

1. Enter a unique name for this query in the **Name** field.
2. Select a query type from the drop-down menu: **SQL** or **xPath**.
3. Enter a query statement.
4. Click **Search** to perform the search and display the results in the **Search Results** tab.  
Or click **Save** to save the search query to the **Saved Query** tab.  
Or click **Cancel** to quit.

### Search by existing queries

This tab lists all saved search queries (that you have access rights to use).




- Click to perform the search and see the results in the **Search Results** tab.
- Click to edit the query statement. The query form will appear like when creating a query (see the [Search by creating a new query](#) section); however, you cannot edit the name of the saved search.
- Click the to delete a query (provided you have the access rights to that query).


Search with saved queries

Do the followings to perform a search with saved queries:

1. Click on the sidebar to see the list of existing queries.



A query list will appear. It contains the sections, including **All Articles**, **Created Documents**, **CreatedDocumentDayBefore** and **allArticles**.



2. Launch, modify or delete the queries as required (see the [Search by creating a new query](#) section for more information).
3. Filter results with the entries in the **All Items** and/or **By Type** panes on the left of the tab. Items matching the selections will appear in the right pane.
4. Click the required document or folder name to view or download them.

## Manage content with WebDAV

### What is WebDAV?

**WebDAV** is an abbreviation of **Web-based Distributed Authoring** and **Versioning**. It is used to publish and manage files and directories on a remote server. It also enables users to perform these functions on a website.

WebDAV provides the following features:

#### Locking

This feature prevents two or more collaborators from overwriting shared files.

#### Site Manipulation

WebDAV supports the "copy" and "move" actions and the creation of *collections* (file system directories).

#### Name Space Management

This function enables copying and moving webpages within a server's namespace.

### Why use WebDAV?

With WebDAV, you can manage content efficiently with the following actions:

- Copy/paste content on your device and have those changes reflected in a host-based website.
- Manipulate actions on a website easily, quickly and flexibly without accessing it directly with web-browsers. Files can be accessed from anywhere and are stored as in local directories.
- Easily and quickly upload content to a website simply by copying it into the appropriate directory.


### How to use WebDAV in eXo Platform?

To use WebDAV in eXo Platform, you first need to have the Internet or Intranet connected. Next, you can follow one of the two following ways:


#### The first way

You need to connect to the WebDAV server. For example, for Windows XP, do the following steps:


1. Navigate to the **My Network Places** on your local device. You will see all shared files and folders:



2. Click the **Add a network place** link on the left to open the **Add Network Place Wizard**.




3. Click **Next** to select a network location:



4. Select **Choose another network location** to create a shortcut.
5. Enter an address into the **Internet or network address** field.

For example, the address of the demonstration site *Acme* is `http://localhost:8080/portal/rest/private/jcr/repository/collaboration/sites/content/live/acme`.

6. Click **Next**. After a few seconds, a folder named **acme on localhost** appears in the **My Network Places** directory.




Each site managed by WebDAV appears as a folder in this location.


7. Take actions on the content in this folder to administrate the site content remotely.

### The second way


This way can be done through **Sites Management**.

1. Hover your cursor over  on the **Administration** bar, then select **Content --> Sites Explorer** from the drop-down menu.
2. Click the **Drives** button, then select **Sites Management**.






You will see all sites listed in the left sidebar.



3. Right-click the site you want to view with WebDAV and select the **Download and Allow Edition** item in the menu.

The selected site will be shown in WebDAV.



In this view, you can access documents in the directories that are linked to the web server.

### Actions

You will see all *default folders* of a site when accessing it via WebDAV. Manipulating content through WebDAV is the same as working on it in local folders. This means you can copy/paste files, list folders, rename, and more, in system directories.

### Add new content to a specific site

This function enables you to copy web content, such as an **.html** file, from your local device to a *web content* folder of a site.

1. Access a site via WebDAV (refer to the [How to use WebDAV in eXo Platform?](#) section), then go to a **web content** folder of the site.
2. Copy the web content on your local system into this folder.


The copied file will be converted to web content that is viewable by WebDAV automatically. The content is converted to a directory containing *CSS, documents, js and media*.

After a new content is added, it can be viewed as a folder in WebDAV or as a page content using a web browser.

### Delete a web content

This function enables site administrators to delete web content files separately or in batches.

1. Navigate to the folder that contains the content you want to remove.
2. Right-click the content files or directories (hold the *Ctrl* key to select multiple files at once), and select **Delete** from the drop-down menu.



The selected files will be removed from the site.

## Fast content creator

The **Fast Content Creator** portlet in eXo Platform enables you to quickly create and save a new document with only one template in a specific location without accessing **Sites Explorer**. This helps you save a lot of time when creating a new document.

There are two modes in **Fast Content Creator: Content Creator** and **Standard Content Creator**.

The **Standard Content Creator** mode allows you to add an action to your document. When [Configuring Fast Content Creator](#), the **Edit Mode** tab has the **Actions** part that allows you to add an action to the document and view actions added to the document.

Actions

Redirect ☐

Redirect Path

Name	Description	Instance of	Action
No actions			

Add

Save


Close



Click on the


to open the **Add Action** form. Do the same steps in the [Add an action](#) section.

To use the **Fast Content Creator** portlet, you need to add it to a specific page first by dragging and dropping **Content Creator** or **Standard Content Creator** from **Page Editor --> Applications --> Forms** to the main pane. This can be done when [creating a new page](#) or [editing an existing page](#) or [editing the layout of a portal](#).



### Configuration of fast content creator

In eXo Platform, the **Fast Content Creator** is applied in the **Question?** portlet with the **Content Creator** mode by default. Thus, in this guide, you are instructed how to configure the **Fast Content Creator** by editing the **Question?** portlet as an example.



1. Open the **Question?** page.
2. Hover your cursor over **Edit --> Page**, then click **Layout** on the **Administration** bar.

The edit page appear.

3. Hover your cursor over the portlet, then click



to edit the portlet.

The form with the **Edit Mode** tab appears.

**Details:**

**Table 4.22.**

Field	Description
<b>Location to Save</b>	Select the location to save documents or messages.
<b>Select Template</b>	Select a template for the document. There are different input fields corresponding to each selected template.
<b>Custom Save Button</b>	Change the label for the "Save" button.
<b>Custom Save Message</b>	Change the content of custom message that informs you have just saved a document.
<b>Redirect</b>	Allow you to redirect the path in the <b>Redirect Path</b> field.
<b>Redirect Path</b>	Show a path to which you will be directed after clicking <b>OK</b> in the confirmation message.


4. Select a specific location to save documents.


i.

Click



to open the **Select Location** form.



- ii. Select the parent node on the left pane and click  in the **Add** column to select the child node on the right pane. After being selected, this location will be displayed on the **Location to Save** field. Created documents will be saved in this location.
5. Select a template which is used to create a new document.
  6. Change the label for the **Custom Save** button, and the content for **Custom Save Message**.
  7. Tick the **Redirect** checkbox if you want to redirect to the path in the **Redirect Path** field after clicking **OK** in the confirmation message.
  8. Click **Save** to finish the configuration of **Fast Content Creator**. Then, click **OK** in the notification message to accept your changes.
  9. Click **Close** to quit the form to edit the configuration of **Fast Content Creator**.

## Create a new document by fast content creator

1. Go to your newly created page.
2. Fill values in all the fields in the page.
3. Click **Save** to accept creating the new document. A message appears to let you know that the document is created successfully at the location selected in the **Location to Save** field.

## View a document

After creating a new document by **Fast Content Creator**, you can view it as follows:


1. Go to **Sites Explorer**.
2. Select the drive and the path that you established in the configuration of **Fast Content Creator**. You will see this document.

## Contents by query

The **Contents By Query** portlet allows you to collect and display data throughout a workspace instead of selecting items by a folder or by contents.

To use this portlet, first you need to add the **Contents By Query** portlet to a specific page as follows:


1. Drag and drop the **Contents By Query** portlet from the **Page Editor --> Applications --> Contents** to the main pane. You can do this step while *creating a new page* or *editing an existing page* or *editing the layout of a portal*.



2. Edit the **Contents By Query** portlet by hovering your cursor over it, then click



to edit the portlet.



The form with the **Edit Mode** tab appears.

3. Enter a valid query into the **by query** field to get data that you want to display.
4. Select a workspace where you want to get data.
5. Click **Save** to complete adding the **Contents By Query** portlet.
6. Click



to quit the **Page Editor** page and see the displayed data.

### Note

To learn more about fields in the **Edit Mode** tab, refer to [Content List Preferences \[221\]](#).




## Form Builder

### Note

The **Form Builder** portlet is deprecated in eXo Platform. It remains fully supported for eXo customers, however it will not receive any enhancement and will be removed from the product scope in the future.


The **Form Builder** portlet allows users to create and edit the template of document types. Documents are stored in the so-called node; therefore, the term "node" and node types are often applied.

To use this portlet, you need to add it to a specific page first by dragging and dropping **Form Generator Portlet** from **Page Editor --> Applications --> Form Generator Portlet** to the main pane. This can be done when [creating a new page](#) or [editing an existing page](#) or [editing the layout of a portal](#).







### Create a content template

1. Open the **Form Builder** portlet.



2. Enter the template name into the **Name** field which is required.
3. Enter a brief description about the template.
4. Click the **Form Builder** tab that allows you to set properties for the template. Available components are displayed on the left pane.



5. Click the desired components on the left pane. The selected components will be displayed on the right pane.
6. Click  corresponding to the component to move this component up; or click  to move the component down.
7. Click  corresponding to the component to edit properties of that component. The form to edit properties appears like the illustration below:

Field Label  **Enter the label**

Width

Height

Default Value

Guidelines for User

Rules: ☐ Required

Details:

**Table 4.23.**

Field	Description
<b>Field Label</b>	The label of the field.
<b>Width</b>	The width of the field width.
Rules: <input type="checkbox"/> Required	If the checkbox is marked, the asterisk ( * ) will appear beside the textbox, indicating that it is required to enter values in this field.
<b>Height</b>	The height of the field.
<b>Default Value</b>	Display the default value.
<b>Guidelines for User</b>	Display instructions about this component.

After editing the properties of the components, the components look like the below illustration.



Title  \*

Place

Summary 

Textarea value

Upload field  Browse...


- To delete the component, click  corresponding to the component.
  - Click  again to hide the form to edit the properties.
8. Click **Save** to accept creating a new template, or **Reset** to edit this template again before saving.
- A message will inform that you have created the template successfully.
  - After the template has been created, you will see it in the content template list when creating a content.

## Category navigation

**Category Navigation Portlet** and **Parameterized Content List Viewer** portlets get rid of long URLs when you view a content and enable users to see published documents or web contents in specific categories in one page. Thanks to the symbolic link, no matter where the object physically resides, the database can retrieve it. In addition, the relations amongst shortcuts can be managed. Now, you can view documents or web content in the **Parameterized Content List Viewer** easily.


### *Access the Category Navigation portlet*

1. Go to **News** on the **Navigation** bar.



- The left pane lists all the categories containing documents or web contents.


- The right pane displays the documents selected in the left pane.
2. Select a category that you want to view on the left. The selected category will be shown on the right (only documents or web content published are shown).




**Edit Mode of the Category Navigation Portlet.** Administrators can edit the **Category Navigation** portlet as follows:



1. Open **News** page on the **Navigation** bar.
2. Hover your cursor over **Edit --> Page --> Layout**

The page for you to edit the **Category Navigation** portlet will appear.



3. Click  to open a form with the **Edit Mode** tab, allowing you to edit the portlet.



4. Click  to select the folder path which restores contents you want to display.
5. Edit some fields in the **Display Settings** part as you want. See more details in the [the section called "Preferences" \[221\]](#) section.
6. Click the **Advanced** link to set up some properties for the portlet. See more details [here](#).
7. Click **Save** to accept saving the configuration for the **Category Navigation** portlet.
8. Click **Close** to quit the form.
9. Click  on the **Page Editor** form to finish editing the **Category Navigation** portlet.

### Note

In the **Edit Mode** tab, some options are disabled.

## SEO management


SEO (Search Engine Optimization) allows you to improve the visibility of your webpages and web content in the major search engines (Google, Yahoo, MSN, Live) via the search results. The higher your website position is in the search engine results page, the more visitors access it. Therefore, it is very important for you to maximize your webpages and contents' position in the search engines.

In eXo Platform, the **SEO Management** feature is featured to meet this target. By using **SEO Management**, you can easily manage SEO data of web pages and web content and optimize your website for search engines.

### *Manage the SEO data*

1. Open a page or a content that you want to edit the SEO data.

2. Open the **SEO Management** form by hovering your cursor over **Edit --> Page --> SEO** on the **Administration** bar.



Depending on your SEO management for a page or a content, the content of the **SEO Management** form will be different.

- The **SEO Management** form for a content is as follows.

## SEO Management

Description:

Keywords:

Save

Cancel

- The SEO Management form for a page is as follows.



## SEO Management



Description:

Keywords:

eXo, PLF 3.5

Robots:

INDEX



FOLLOW



Sitemap:



Visible in sitemap

Frequency:

Always



Priority:

1.0

Save

Cancel

Details:

**Table 4.24.**

Field	Description
<b>Description</b>	The description of your page/content. This description will be seen in the results list of search engines.
<b>Keywords</b>	By using these keywords, other users can find out your page/content via search engines.
<b>Robots</b>	<p>Search engines can access the whole directories on a website, or individual pages, or individual links on a page and list your page/content or not, it depends on your options:</p> <ul style="list-style-type: none"><li>• INDEX: Allow search engines to index your page/content on the search engine results page.</li><li>• NOINDEX: Restrict search engines from indexing your page/content on the search engine results page. Use this option if you want to keep your page private.</li><li>• FOLLOW: Allow search engines to follow links from your page to find other pages.</li><li>• NOFOLLOW: Restrict search engines from following links from your page to find other pages. Use this option if you want to prevent spam links in comments of blogs, forums and others.</li></ul>
<b>Sitemap</b>	Allow you to see pages of the sites in the tree-like structure.
<b>Frequency</b>	Show how often pages are updated on the site. Also, setting your frequency levels tells the search engines which pages should be crawled over other pages. The frequency levels include: Always, Hourly, Daily, Weekly, Monthly, Yearly and Never. If you set "Never" for the frequency level, meaning that this page never gets updated,

Field	Description
	so search engines will move onto other pages that get updated more frequently.
<b>Priority</b>	Allow search engines to search the page with the higher priority level first. The acceptable value in this field is from 0 to 1. In which, 0 is the lowest priority level and 1 is the highest.

3. Fill out all the fields in the form.
4. Click **Save** to finish creating SEO data.

## Note



means that the SEO information is empty.



means that the SEO information has been updated but some information are not filled out yet.



means that the **SEO Management** form is filled out with the full SEO information.



means that the **SEO Management** feature is disabled.

## Print content

Users can easily print any content in a site by following these steps:

1. Click **Read more** to read all the content of a document or of an article in a site.

COMPANY NEWS

ACME News 1
Aug 21, 2009 3:55:11 AM by root root
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
Read more

ACME News 2
Aug 21, 2009 3:55:44 AM by root root
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
Read more

ACME News 3
Aug 21, 2009 3:56:17 AM by root root
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
Read more

2. Click the **Print** button. The **Print Preview** page will be displayed on another tab.
3. Click **Print** to print the content of this page, or **Close** to close this tab without printing.

## Manage newsletters

eXo Platform provides the **Newsletters** service, aiming at helping users quickly get the updated newsletters from a website.

### Newsletter viewer

#### Note

The **Newsletter** portlet is deprecated in eXo Platform. It remains fully supported for eXo customers, however it will not receive any enhancement and will be removed from the product scope in the future.

With **Newsletters**, you can instantly get newsletters from your email to update the last information about categories and subscriptions.

**Subscribe your email to get newsletters from eXo Service.**

1. Go to **Newsletters** on the **Navigation** bar. The **Newsletters** page will appear.

NEWSLETTERS

Your Email  **Enter your email**

**General** General information about us

Subscription	Check to subscribe
<b>acme Trainings</b> Learn how to use your new Super Powers	<input type="checkbox"/>
<b>acme Newsletters</b> Learn more about our offers	<input type="checkbox"/>

**Corporate** You want to know where we are, where we go ?

Subscription	Check to subscribe
<b>Results</b> Monthly newsletter about our financial results and forecasts	<input type="checkbox"/>

2. Enter your email address in the **Your Email** field.

3. Select the checkbox corresponding to the subscription that you want to get newsletters.
4. Click **Subscribe**. A message informing that you have just subscribed to the selected newsletter will appear.
5. Click **OK** in the confirmation message. You can reselect the subscription that you want or do not want to receive newsletters by re-selecting the checkbox in the **Check to subscribe** column.
6. Click **Change your subscriptions** to update your changes.
7. Click **Forget this email** if you want to unsubscribe from newsletters.


## Newsletter Manager

### Note

The **Newsletter Manager** portlet is deprecated in eXo Platform. It remains fully supported for eXo customers, however it will not receive any enhancement and will be removed from the product scope in the future.

eXo Platform facilitates administrators to easily and quickly manage newsletters.

To use this portlet, you first need to add it to a specific page by dragging and dropping **Newsletter Manager** from **Page Editor** to the main pane. This can be done when [creating a new page](#) or [editing an existing page](#) or [editing the layout of a portal](#).



### Note

In eXo Platform, the **Newsletter Manager** portlet is put in **Page Editor --> Applications --> Newsletter**.

Access the page with the **Newsletter Manager** portlet to open the **newsletter** page.

The screenshot shows a web interface for managing newsletters. At the top, there's a navigation bar with links: New Letter, New Subscription, New Category, and Manage Users. Below this, there are two main sections: General and Corporate.

**General** tab: General information about us

Subscription	Number of User	Pending Letter
acme Trainings	1	0
acme Newsletters	3	0

**Corporate** tab: You want to know where we are, ...

Subscription	Number of User	Pending Letter
Results	2	0

### Manage categories in Newsletter

This section shows you how to manage categories in a **Newsletter** page, including:

- Add a new category
- Edit a category
- Delete a category
- Manage users

#### Add a new category

1. Click **New Category** on the **Action** bar of the **Newsletter** page. The **Create New Category** form will appear.

The 'Create New Category' form is displayed. It has a title bar with a close button. The form contains the following fields:

- Name**: Text input field with the value 'FAQ' and a required field asterisk (\*).
- Title**: Text input field with the value 'FAQ' and a required field asterisk (\*).
- Description**: Text area with the value 'The questions related to the product....' and a required field asterisk (\*).
- Moderator**: Text input field with the value 'manager:/platform' and a required field asterisk (\*). To the right of the field are three icons: a person, a person with a red dot, and a trash can.


At the bottom of the form are two buttons: 'Save' and 'Cancel'.


**Details:**

Table 4.25.

Field	Description
<b>Asterisk (*)</b>	This mark next to each field means that it is required to enter values into that field.
<b>Name</b>	The name of a category.
<b>Title</b>	The title of a category.
<b>Description</b>	A brief description of the category.
<b>Moderator</b>	Select users/groups who have rights to manage this category.
<b>Save</b>	Accept the addition of a new category.
<b>Cancel</b>	Quit the category form without adding a category.

2. Input values into fields.



- a.
- i. Select a moderator for a category by clicking  next to the **Moderator** field to select a user. The **User Selector** form will appear.




The screenshot shows the 'User Selector' window. It has a search bar at the top with 'Group:' and 'Username' fields. Below is a table with the following data:

Username	First Name	Last Name	Email	Action
demo	Jack	Miller	jack.miller@acme.exop	
james	James	Davis	james.davis@acme.exc	
john	John	Smith	john.smith@acme.exoj	
mary	Mary	Williams	mary.williams@acme.eo	
root	Root	Root	root@localhost	

A red box highlights the 'Action' column, and a red arrow points to the top checkmark with the word 'Click' above it.


- Click  corresponding to a user in the list that you want to select.
- b.
- ii. Click  to select users in a specific group. The **Group selector** window will appear.



- Select a group from the left pane and a membership type from the right pane. The membership and group selected will be displayed in the **Moderator** field.
- You will see your added category in the list of categories.
- After creating a category, you can create new subscriptions or newsletters for this category.
- When clicking the **Administration** button, you will see a drop-down menu consisting of all actions on this category.

### Edit a category

1. Select a category that you want to edit.
2. Click **Administration --> Edit Category** from the drop-down menu.



The **Create New Category** form appears.

3. Change the values in the **Title** and **Description** fields as required.



## Note

The category name cannot be changed.

- Click **Save** to save all changes.


## Delete a category

- Select a category that you want to edit.
- Click **Administration**, then select **Delete Category** from the drop-down menu.
- Click **OK** to delete the category.


## Manage users

Administrators can manage users accounts and activities with actions, such as *editing*, *banning*, *removing bans*, or *deleting*.

- Select a category that you want to edit.
- Select **Administration --> Manage Users** from the drop-down menu.






The **Manage Users** form will appear.



Details:

**Table 4.26.**

Field	Description
Email	The email address of user who has subscribed this subscription.
Banned	This field has two values:  <b>False</b> The user is allowed to get email.  <b>True</b> The user is not allowed to get email.
	Ban this user from receiving emails.
	Remove a ban on a user.
	Delete the user.


3. Click **Close** to close the form.

## Subscriptions

Administrators can add more subscriptions to any category via two ways as follows:

### The first way

1. Click **New Subscription** on the **Action** bar.



The **Create New Subscription** form will appear.

**Create New Subscription**

Category: General Select a category

Name:  \*

Title:  \*

Description:

Redactor:  \*

**Details:**


**Table 4.27.**

Field	Description
<b>Asterisk (*)</b>	This mark next to each field means that it is required to enter values into that field.
<b>Category</b>	The category which contains this subscription.
<b>Name</b>	The name of the subscription.
<b>Title</b>	The title of the subscription.
<b>Description</b>	The brief description about the subscription.
<b>Redactor</b>	Select users/groups who have rights to manage this subscription.

2. Click the **Category** field and select a category from the drop-down menu.
3. Enter the rest of their values in the form.
4. Click **Save** to create the new subscription.

#### **The second way**

1. Click directly the category to which you want to add a new subscription.



2. Click **New Subscription** on the **Action** bar.

The **Create New Subscription** form pops up.

A screenshot of a 'Create New Subscription' modal form. It has a title bar with a close button. The form contains several fields: 'Category' (a dropdown menu with 'FAQ' selected), 'Name' (a text input with an asterisk), 'Title' (a text input with an asterisk), 'Description' (a large text area), and 'Redactor' (a text input with an asterisk and user icons). At the bottom are 'Save' and 'Cancel' buttons.

3. Do the same steps (3, 4) as stated in the [first way \[278\]](#).
- Administrators can create newsletters for each subscription.
  - These Newsletters can be opened, edited, deleted or converted to a template for reuse.

A screenshot of a table titled 'acme Newsletters' with a subtitle 'Learn more about our offers' and a 'Moderation' button. The table has four columns: 'Letter', 'Date', 'Status', and an empty column with a checkbox. It contains two rows of data.

Letter	Date	Status	
Basic Template	Nov 29, 2011	draft	<input type="checkbox"/>
Release PLF 3.5	Nov 30, 2011	draft	<input type="checkbox"/>

Details:

Table 4.28.


Element	Description
Shoes	The name of the subscription.
Fashion Shoes	The brief description about the subscription.
Letter	The list of all letters of this subscription.

Element	Description
<b>Date</b>	The date and time when creating this newsletter.
<b>Status</b>	There are three types of status: draft, awaiting and sent.
<b>Moderation</b>	This button allows you to take actions on your selected newsletter.

## Open a newsletter


Administrators can easily view the content of a newsletter as follows:

1. Open the **subscription** containing the letter you want to open by clicking it or checking the corresponding box and then selecting **Administration --> Open**.




2. Directly click the newsletter;

Or, select the checkbox corresponding to your desired newsletter, then click **Administration --> Open**.





The **View Newsletter's Content** form pops up.



3. Click **Close** to exit.

### Edit a newsletter

1. Select the newsletter you want to edit by ticking the relevant checkbox in a specific subscription.
2. Click  , then select **Edit** from the drop-down menu.



The **Newsletter Entry** pops up.

Newsletter Entry

Template : Basic Template

Send Date : 10/04/2011 15:15:44

Category : General

Subscription : acme Newsletters

Update Sending Parameters

Main Content Illustration Advanced

Title Basic Template

Name basic-template

Language en

Main Content

Source

Format Font Size

Email not displaying correctly? View it in your browser.

Your Company

About us : Virtualize your Desktop

Quisque dignissim dictum ante


Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed at erat. Phasellus condimentum. Nullam sed magna. Donec quis tellus in neque congue porttitor. Proin sit amet ligula id leo porta rutrum. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In suscipit, pede a rutrum malesuada, lacus massa euismod neque, a hendrerit justo ante at eros. Clickit heritus.

3. Change the values in the fields that you want to edit: **Template**, **Send Date**, **Category**, **Subscription**.
4. Click the **Update a Newsletter's info** button.
5. Change values in the **Title** and **Main Content** fields.
6. Click **Save** to save as draft, or click **Send**.

## Delete a newsletter

Administrator can delete obsolete newsletters.

1. In a specific subscription, select the newsletter you want to delete by ticking the corresponding checkbox.
2. Click **Moderation**, then select **Delete** in the menu.




3. Click **OK** in the confirmation message to accept your deletion.

### Convert as template

The administrator can reuse the template of the frequently used newsletter template.

1. Select the newsletter that you want to create as a template.

2.  Click **Convert As Template** from the drop-down menu. For the next time when you create a newsletter, this template will be listed in the **Template** field in the **Newsletter Entry** form.

### Newsletters

Each subscription consists of many newsletters. In eXo Platform, you can easily create newsletters by following these steps.

#### Create a newsletter

1. Select a subscription where you want to create a newsletter.

2.  Click **New Letter** on the **Action** bar. The **Newsletter Entry** form appears.



Newsletter Entry

Template : Basic Template

Send Date : 10/04/2011 15:15:44

Category : General

Subscription : acme Newsletters

Update Sending Parameters

Main Content Illustration Advanced

Title Basic Template

Name basic-template

Language en

Main Content

Source Insert Undo Redo Bold Italic Underline Text Color Background Color Bulleted List Numbered List Indent Outdent Link Unlink Flag

Format Font Size

Email not displaying correctly? View it in your browser.

Your Company

About us : Virtualize your Desktop

Quisque dignissim dictum ante


Lorem ipsum dolor sit amet, consectetur adipiscing elit. Sed at erat. Phasellus condimentum. Nulam sed magna. Donec quis tellus in neque congue porttitor. Proin sit amet ligula id leo porta rutrum. Lorem ipsum dolor sit amet, consectetur adipiscing elit. In suscipit, pede a rutrum malesuada, lacus massa euismod neque, a hendrerit justo ante at eros. Clickit us heritus.

Details:

Table 4.29.

Field	Description
<b>Template</b>	The template for your newsletter form. <b>Basic Template</b> is set by default.
<b>Send Date</b>	The date and time to send the newsletter.
<b>Category</b>	The category contains this newsletter.
<b>Subscription</b>	The subscription contains this newsletter.
<b>Update Sending Parameters</b>	This button allows you to update information about this newsletter.

- Click the **Template** field to select the template for the newsletter.
- Click the **Send Date** field. The calendar will appear, allowing you to select the date and time when you want to send the newsletter.



5. Click the **Category** and **Subscription** to select the category and the subscription in the list.
6. Click the **Update Sending Parameters** button to update information about this newsletter. A message pops up and informs you that you have updated information successfully.
7. Input a title of a newsletter into the **Title** field.
8. Create a content for a newsletter by inputting information into the **Main Content** textbox.
9. Click **Save** to save this newsletter as draft, or click **Send** to send this newsletter.

## Manage workflows

### Note

Two portlets, including **Workflow Controller** and **Workflow Administration**, are deprecated in eXo Platform. They remain fully supported for eXo customers, however they will not receive any enhancement and will be removed from the product scope in the future.


**Workflow** is the movement of documents and/or tasks through a work process. More specifically, workflow is the operational aspect of a work procedure: how tasks are structured, who performs them, what their relative order is, how they are synchronized, how information flows to support the tasks and how tasks are being tracked. As the dimension of time is considered in Workflow, Workflow considers "throughput" as a distinct measure. Workflow problems can be modeled and analyzed using graph-based formalisms like Petri nets.

eXo Platform supports two default processes that are used to request tasks from users:

**Holiday process:** This process is used to request a task related to your holiday. If you want to have a holiday in a time interval, you should use this process.

**Pay raise process:** This process is used when you want to propose raising your pay.

To perform these processes, you need to add the **Workflow Controller** portlet to a specific page by dragging and dropping it from **Page Editor --> Applications --> Workflow --> Workflow Controller** to the main pane. This can be done when [creating a new page](#) or [editing an existing page](#) or [editing the layout of a portal](#).



## Holiday process

This process is used to request a task related to your holiday. If you want to have a holiday in a time interval, you should use this process.


### Create a holiday process

1. Select the **BP Definition Controller** tab to bring up the process list.



2. Open the **Task Management** form by clicking

in accordance with a holiday process that you want to request a task as below.



The screenshot shows a web interface titled "Task Management". Inside, there is a tab labeled "Task". Below the tab, there is a section titled "Request some holidays". This section contains two text input fields: "Start (dd/mm/yyyy):" with the value "11/30/2011" and "End (dd/mm/yyyy):" with the value "11/30/2011". Below these fields are two buttons: "Submit" and "Cancel". At the bottom of the section, there is a link labeled "Show Process Diagram".

In which:

- **Start (dd/mm/yyyy)** is the start date of your holiday.
- **End (dd/mm/yyyy)** is the end date of your holiday.







In this form, you need to set a time interval in the **Start** and **End** field by moving your cursor to each field and then click each field to open the **Calendar** pop-up.

3. Submit your task by clicking the **Submit** button. After being submitted, this task will be sent to members of **\*/organization/management/executive-board** group for waiting to be approved/disapproved or refused.

### Manage a holiday process

If you are a member of **\*/organization/management/executive-board** group, you have a responsibility to evaluate received tasks. To take this action, do as follows:

1. Open the **Workflow Controller** portlet. If there are tasks pending to be evaluated, you will see the task list in **Task Controller** tab.

Admin Workflow Management <span>Controller</span>								
Task Controller		BP Definition Controller						
	Actor	Task Id	Process Name	Task Name	Description	Actor Id	Process Date Start	Action
		2	holiday process	evaluation		*:/organization/management/executive-board	Wed 30 Nov 2011 10:43:57	<a href="#">Manage</a>
		4	pay raise process	evaluation		*:/organization/management/executive-board	Wed 30 Nov 2011 10:44:26	<a href="#">Manage</a>
		6	holiday process	evaluation		*:/organization/management/executive-board	Wed 30 Nov 2011 10:49:55	<a href="#">Manage</a>

2. Click the **Manage** function in the **Action** column that corresponds to a task that you want to evaluate. The **Task Management** form will appear.

Task Management

Task

Evaluate holidays

Initiator: john

Start (dd/mm/yyyy): 11/30/2011

End (dd/mm/yyyy): 11/30/2011

Approve


Disapprove

Refuse

Cancel

[Show Process Diagram](#)

You can see the following dialog for more details about this process.



3. Do one of the following actions.

- If you agree with the period proposed by the user in the received task:

i. Click the **Approve** button on the **Task Management** form. Automatically, this task will be sent to members of **\*:/organization/management/human-resources** to read it.

Thus, if you are a member of **\*:/organization/management/human-resources** group, you have responsibility to read the approved tasks as below.

Admin Workflow Management Controller

Task Controller BP Definition Controller

Actor	Task Id	Process Name	Task Name	Description	Actor Id	Process Date Start	Action
	7	holiday process	hr acknowledgement		*:/organization/management/human-resources	Wed 30 Nov 2011 10:43:57	<b>Manage</b>

ii. Select the **Manage** function in the **Action** column to open the **Task Management** form.

Task Management

Task

**HR acknowledgement**

Initiator:

Start (dd/mm/yyyy):

End (dd/mm/yyyy):

Click → **Read**

[Show Process Diagram](#)

iii. Click the **Read** button to accept reading the task.

- If you do not agree with the period proposed, click the **Disapprove** button on the **Task Management** form. This task will be sent to the creator of this task to modify it again.
- If the creator agrees to modify the period of time and click the **Modify** button, this task will be sent to members of **\*:/organization/management/human-resources** again to manage it.
- If the creator does not agree to modify the period of time and click the **Disagree** button, the task is not existed.
- If you do not agree with this task, click the **Refuse** button on the **Task Management** form. This task will be removed.

## Pay raise process

This process is used when you want to propose raising your pay.

### Create a pay raise process

1. Select the **BP Definition Controller** tab to bring up process list.

2. Open the **Task Management** form by clicking



that corresponds to a pay raise process which you want to request a task.

**Task Management**

**Task**

**Request Pay Raise**

Amount: 1,000,000 \* ← **Required**

Priority: not important ▼

Rewarded: ☒

Reason: high inflation

[Show Process Link](#)

In which:

- **Amount** is the amount of money that you want to request.
- **Priority** is the priority level of this task. It can be: not important, important or critical.
- **Rewarded** is the amount of money that you requested including reward or not.
- **Reason** is the reason why you want to request this amount.

4. Enter values for fields in this form.

5. Submit this task by clicking the **Submit** button.



This task will be sent to members in **\*/organization/management/executive-board** group to manage it.

### Manage a pay raise process

If you are a member of **\*/organization/management/executive-board** group, you have a responsibility to evaluate received tasks. To do this action, do as follows:

1. Go to the **Workflow Controller** page. If there are tasks pending to be evaluated, you will see the tasks list in the **Task Controller** tab.



Admin Workflow Management		Controller					
Task Controller		BP Definition Controller					
	Actor	Task Id	Process Name	Task Name	Description	Actor Id	Process Date Start
		2	pay raise process	evaluation		*:/organization/management /executive-board	Thu 6 Oct 2011 09:59:02

2. Click the **Manage** function in the **Action** column that corresponds to a task which you want to evaluate. The **Task Management** form will appear.

3. Select one of the followings.

- If you agree with the number that the creator proposes:
  - i. Input the number that the creator wants in the **Grant** field.
  - ii. Click the **Grant** button. Automatically, this task will be sent to members of **\*:/organization/management/human-resources** to read it.





Thus, if you are a member of the **\*:/organization/management/human-resources** group, you have responsibility to read the approved tasks in the **Task Controller** tab by **\*:/organization/management/executive-board** as below.

Admin Workflow Management


Controller

Task Controller

BP Definition Controller

	Actor	Task Id	Process Name	Task Name	Description	Actor Id	Process Date Start	Action
		15	pay raise process	hr update		*:/organization/management/human-resources	Thu 6 Oct 2011 11:28:29	<a href="#">Manage</a>
		14	pay raise process	hr update		*:/organization/management/human-resources	Thu 6 Oct 2011 11:29:04	<a href="#">Manage</a>

iii. Select the **Manage** function in the **Action** column to open the **Task Management** form.




iv. Click **Finish it** to accept reading the task.

- If you do not agree with this request, click the **Deny** button. This request will be removed.


### Upload a process

Besides two default process supported by system, administrators also can upload a new process as follows:

1. Add the **Workflow Administration** portlet to a specific page by dragging and dropping it from **Page Editor --> Applications --> Workflow --> Workflow Administration** to the main pane. This can be done when [creating a new page](#) or [editing an existing page](#) or [editing the layout of a portal](#).



2. Open the **Workflow Administration** portlet.



3. Click **Upload Process** to open the **Upload Process** form.

The 'Upload Process' form contains the following fields and buttons:


- Name**: A text input field.
- Select File**: A text input field with a **Browse...** button next to it.
- Save**: A button.
- Cancel**: A button.

4. Enter a name for the uploaded process in the **Name** field.
5. Click the **Browse** button to select the location which contains the configuration of a new process, and double-click to upload it.
6. Click **Save** to save the uploaded process.

## View process detail

This function is used to help administrators keep track of process details as follows:


1. Open the **Workflow Administration** portlet.



2. Click



to view requested process list from users as below.



**Note**

The completed processes are listed in the **Completed** tab.

To remove all completed processes from the list in the **Completed** tab, click the **Flush All** button, then click **OK** in the confirmation message.

3. Click



corresponding to your desired process to view its details (including all actions from different users on this task). The **List Tasks of Instance** form will appear.

List Tasks of Instance

List Tasks

<b>Id</b>	<b>Task Name</b>	<b>Actor Id</b>	<b>End</b>
3	start	mary	2011-10-06 10:06:22.019
4	evaluation	*:/organization/management/executive-board	2011-10-06 10:16:14.135
5	hr update	*:/organization/management/human-resources	

Cancel

To delete a process from the requested process list  
in the **Process Detail** form, click



corresponding to that process.



# Collaborate With Your Colleagues


eXo Platform provides a set of collaborative applications which help you achieve your goals and enhance your productivity in the corporate environment. This chapter presents the following topics:

- *Manage your calendar* through the **Calendar** application. **Calendar** allows you to schedule appointments and meetings, establish recurring activities, create multiple calendars and share calendars with others. With **Calendar**, it is easy to keep track of all important events/tasks and collaborate with other people, all in one place.
- *Manage your contacts* through the **Address Book** application. **Address Book** is a contact manager, allowing you to organize all the contact information. You can use the contact information with other applications, such as **Mail**, **Calendar** and **Chat**. The integration between **Address Book** and other applications will help you enhance your group productivity in the collaborative environment.
- *Email your contacts* through the **Mail** application. **Mail** is a webmail application which is smoothly integrated with **Address Book** and **Calendar**. Besides typical features of the **Mail** application, you can also add contacts, create address books or schedule your work right in **Mail**.
- *Chat* with your contacts through the **Chat** application. **Chat** allows you to communicate with other users in your contact book quickly with an easy-to-use integrated text messaging application. You can chat with other people in real time, create chat rooms and add contacts from your **Address Book** to your friends list. This will save time and enhance the productivity when you want to have an instant communication with your contact without sending mails.


## Manage your calendar

### Calendar views

The Calendar interface has 5 basic components:



Details:

Number	Description
1	The <b>Toolbar</b> contains most of actions in Calendar, such as adding an event/task, switching between view modes, and more.
2	The <b>Search Pane</b> where you can perform quick and advanced searches.
3	The <b>Mini calendar</b> which can be hidden by clicking  .
4	The <b>Calendars pane</b> which includes 3 categories: Personal Calendars, Shared Calendars and Group Calendars. Each category may include various calendar groups.
5	The <b>Calendar View pane</b> where you can create tasks/events quickly and view your own tasks/events.



## Note

In eXo Platform, the left pane of **Calendar** is hidden by default. To show this pane, select **Toggle Left Pane** on the toolbar.

## Manage a calendar group

The calendar groups allow you to categorize your calendar types easily. Each calendar group may contain one or more calendars added by users. There will be a default calendar group named "My Group" in the **Personal Calendars** category.

### Add a new calendar group


This function allows you to organize and personalize calendars in your own way.

1.

Click



at the right of the **Calendars pane**, then select **Add Group** from the drop-down menu.



2. Enter the group name in the **Group Name** field which is required and its description in the **Calendar Groups** form.

**Calendar Groups**

Group	Actions
My Group	

Groups table

Group Name: DOC Team

Description: Calendar for members of DOC Team.

Add new group

Save Reset Close

3. Click **Save** to finish.

After creating a new calendar group, the created group will be displayed in the Groups table of the **Calendar Groups** form, so you can easily edit or remove groups from this list by clicking



or



respectively.

## Note

After you have created a Space for a group, one calendar with the same name as that of your group will be created automatically in the **Group Calendars** pane.

The calendar group without any calendars inside it will not be displayed in **Personal Calendars**.

You can also add a new calendar group by clicking



next to the **Group** field when *creating a personal calendar*.

## Edit a calendar group

This function allows you to change name and description of a specific calendar group.

1. Right-click the group name which you want to edit, then select **Edit** from the drop-down menu to open the **Calendar Groups** form.

2. Make changes on the **Group Name** or on the **Description** fields, then click **Save** to accept your changes.

## Delete a calendar group

Once a calendar group is deleted, all calendars inside it are also deleted.

### The first way

1. Right-click the group which you want to delete and select **Delete** from the drop-down menu.
2. Click **OK** in the confirmation message to accept your deletion.

### The second way

1. Open the **Calendar Groups** form by [adding a new calendar group](#) or by [editing a calendar group](#).

2.

Click



corresponding to the calendar group you want to delete in the **Groups** table.

3. Click **OK** in the confirmation message to accept your deletion.

The deleted calendar group will be removed from the Groups table.

## Create a calendar

You may create a [personal calendar](#) or [group calendar](#) that can be shared with specific users or groups to your desires. You can also create a calendar which is synchronized with a [remote calendar](#).

## Create a personal calendar

### Note

All personal calendars will be put in the **Personal Calendars** pane.

1. Follow either of the following ways to open the **Calendar** form.

### The first way

Click



then select **Add Calendar** from the drop-down menu.

### The second way

Right-click a calendar group which exists in the list of personal calendars, then click **Add Calendar** from the drop-down menu. By this way, the group which contains your new calendar is already selected.

2. Fill in fields of the **Calendar Details** tab.

Calendar

Calendar Details

Groups

Display Name

DOC Team

\*

Description

Calendar for all appointments of DOC Team

Groups

My Group

+

Country (Language)

Belgium(French)

Time Zone

(GMT +01:00) Europe/Brussels

Color

Save

Reset

Cancel

Details:

Field	Description
Display Name	The calendar name which is displayed.
Description	The brief description of the calendar.
Groups	<div>The list of groups under the <b>Personal Calendars</b> category. Click</div> <div><div></div></div> <div>to select one existing group which contains your calendar from the drop-down list. Or, click</div> <div><div>+</div></div> <div>to create a new group which contains your calendar. The newly group is only displayed in the <b>Personal Calendars</b> category after you finish creating the calendar.</div>
Country (Language)	The location and language of the calendar. You can change the default value by following steps in the <a href="#">Edit Calendar settings</a> section.
Time Zone	

Field	Description
	The display time zone for the calendar activities. You can personalize your calendar time zone by following steps in the <a href="#">Edit Calendar settings</a> section.
<b>Color</b>	The display color of the calendar activities that can be personalized.

If you select the **Groups** tab and tick either of the checkboxes, your added calendar will be put in the **Group Calendars** category, NOT in the **Personal Calendars** category.

3. Click **Save** to finish your creation.

## Create a group calendar

### Note

All group calendars will be put in the **Group Calendars** pane.

1. Follow steps as stated in the [Create a personal calendar](#) section to give details for your new calendar.
2. Select the **Groups** tab.

The screenshot shows the 'Calendar' dialog box with the 'Groups' tab selected. The dialog has two main sections: 'Show in Groups' and 'Edit Permission'. The 'Show in Groups' section lists several groups with checkboxes: /developers (checked), /platform/administrators (checked), /platform/users (unchecked), /platform/web-contributors (checked), /organization/employees (unchecked), /organization/management (unchecked), /organization/management /executive-board (unchecked), and /spaces/exo\_doc\_team (unchecked). The 'Edit Permission' section has text boxes for each group, with 'john' entered for /developers and '\*,\*' for /platform/web-contributors. On the right side, there is a vertical list of user avatars, with a red box highlighting the selection area.


3. Tick checkboxes corresponding to groups which contain your created calendar. The users of the selected groups can only view this calendar.

- Grant the **Edit** permission to specific users of your selected group as follows:

i. Click



to open the **User Selector** form. This form will help you select a specific user you want to share.



ii Click the user you want to share the **Edit** permission.

- Grant the **Edit** permission to membership types of your selected group.

i. Click



to open the **User Selector** form.

ii. Select a membership type of each group. Select \* if you want to assign the **Edit** permission to all memberships of each group.

### Note

You can select more users/memberships by repeating the above steps. The selected users/memberships will be updated in corresponding textboxes.

You can delete your selected users/memberships manually in each textbox.

4. Click **Save** to finish creating your new group calendar.

Your newly added calendar will appear in the shared groups.

## Create a remote calendar

### Note

To create a remote calendar in the Calendar application successfully, you need to learn about the calendar settings of the relevant provider. For more information about types of remote calendars, visit [here](#).

1. Open the **Subscribe Calendar** form via one of the following ways.

#### The first way

Click



then select **Remote Calendar** from the drop-down menu.

#### The second way

Right-click a calendar group which exists in the list of **Personal Calendars**, then select **Remote Calendar** from the drop-down menu.


**Subscribe calendar**

Type ☒ ICalendar(.ics) ☐ CalDAV

URL  \*

Next Cancel

2. Select the type of the remote calendar: iCalendar or CalDAV.
3. Enter the URL linking to your calendar server in the **URL** field.
4. Click **Next** to go to the **Remote Calendar** form.



The 'Remote calendar' dialog box contains the following fields and controls:


- Remote URL:** A text field containing 'https://www.google.com/calendar/ical/4ap6b35c' with an asterisk (\*) indicating it is required.
- Display Name:** A text field containing 'Meeting room booking' with an asterisk (\*) indicating it is required.
- Description:** A large empty text area.
- Select Color:** A color selection bar currently showing purple.
- Before Date:** A dropdown menu set to 'None'.
- After Date:** A dropdown menu set to 'Forever'.
- Use Authentication:** A checked checkbox.
- Username:** A text field containing 'eXoPlatform@gmail.com' with an asterisk (\*) indicating it is required.
- Password:** A password field with masked characters (dots) and an asterisk (\*) indicating it is required.
- Buttons:** 'Back', 'Save', and 'Cancel' buttons at the bottom.

5. Fill in the fields. The asterisk (\*) next to each field means that it is required to enter value in the field.

6. Tick the **Use Authentication** checkbox, then enter the username and password of your remote calendar server if the remote server requires verification.

7. Click **Save** to accept your creation.

After setting up the remote calendar, you will see one auto-generated group named **Remote** in the **Personal Calendars** pane. The **Remote** group contains your remote calendars.





## Note

After creating a remote calendar, you can **ONLY VIEW** all events and tasks which are created in the remote calendar server right in the Calendar application by clicking it and selecting **Refresh** from the drop-down menu.

### More information about types of remote calendars:

- **iCalendar:**

iCalendar provides a link to an online .ics file from another calendar servers, such as Google Calendar, Yahoo Calendar, or eXo Calendar (including public URL or private URL).

An example of a Google Calendar URL:

<http://www.google.com/calendar/ical/Webdesignteam%40gmail.com/public/basic.ics>

- **CalDAV:**

CalDAV is an open protocol that allows you to access calendars via WebDAV. With CalDAV, you can publish and subscribe to calendars, share them collaboratively, synchronize among multiple users or devices.

**Google:** [https://www.google.com/calendar/dav/your\\_gmail\\_account@gmail.com/events/](https://www.google.com/calendar/dav/your_gmail_account@gmail.com/events/)

**Yahoo:** [https://caldav.calendar.yahoo.com/dav/your\\_yahoo\\_account@yahoo.com/Calendar/calendar\\_name/](https://caldav.calendar.yahoo.com/dav/your_yahoo_account@yahoo.com/Calendar/calendar_name/)

For example:

<https://www.google.com/calendar/dav/hoavuvn@gmail.com/events/>

## Edit a calendar

### Note

You can **ONLY** edit personal calendars, and group calendars which have been created by yourself.

For group calendars which are created by another users, you can **ONLY EDIT** them if you are granted the **Edit** permission. Meanwhile, for shared calendars, you cannot edit them. If you are granted the **Edit** permission on them by the calendar creators, you can **ONLY** have the right on their tasks or events (for example, adding/modifying/deleting, exporting/importing).

1. Right-click the calendar and select **Edit** from the drop-down menu. The form to edit the calendar will be different, depending on your selected calendar type. For example, if you select a personal calendar, the form only contains the **Calendar Details** tab.

2. Make changes on the calendar, then click **Save** to complete.

### Set the calendar color

The **Calendar** application allows you to select different colors for all types of calendars to recognize them easily.

1. Right-click the calendar name to open the drop-down menu.
2. Select one color from the available 32-color palette.

### Delete a calendar

This function allows you to remove any calendars and all their events/tasks.

#### Note

You cannot delete group calendars created by ANOTHER users if you are not granted the **Edit** permission.

1. Right-click the calendar, then select **Remove** from the drop-down menu.
2. Click **OK** in the confirmation message to accept your deletion.

### Export/Import a calendar


#### Note

You can only export the calendar which contains at least one event or task. Besides, for shared and group calendars, you can only export/import them if you have the **Edit** permission.

#### *Export a calendar*

This function allows you to export a calendar and its events/tasks into a separate file on your device.

1. Right-click your desired calendar, then select **Export** from the drop-down menu to open the **Export Calendars** form.



The screenshot shows a dialog box titled "Export Calendars" with a close button (X) in the top right corner. Inside the dialog, there are three main fields: "File Name" with the text "Personal\_Calendar", "Export Format" with a dropdown menu showing "iCalendar(.ics)" (highlighted with a red square), and "defaultCalendarName" with a checked checkbox. At the bottom, there are two buttons: "Save" and "Cancel".

2. Enter the exported file name in the **File Name** field, and select its format from the **Export Format** drop-down menu. At present, only the **ICalendar(.ics)** format is supported.

Your selected calendar cannot be exported if you untick the checkbox next to its display name.

3. Click **Save** to finish your export.

### Note

You can only open the exported file if you have an application installed on your device that supports its format.

### *Import a calendar*

This function allows you to import one or more calendars stored in a file from your device to a selected calendar in the **Calendar** application.

1. Open the **Calendar** form via one of the following ways.

#### The first way

Click



at the right top of the calendars list, then select **Import** from the drop-down menu.

#### The second way

Right-click the name of the calendar group, then select **Import** from the drop-down menu.


### Note

This way is only activated for calendar groups under the **Personal Calendars** category.

#### The third way

Right-click one specific calendar in the calendars list, then select **Import** from the drop-down menu.

The **Calendar** form will appear differently, depending on your selected way.



2. Select a format type from the **Format** drop-down menu. At present, the Calendar application only supports the **.ics and .csv** formats.

3. Click **Browse...**, or simply point your cursor into the **Upload Files** field to open the **File Upload** form.

4. Select a file from your device, then click **Open** to upload your selected file.

- Click



next to the name of your uploaded file if you want to remove it and upload again.

5.

Click



next to the **Import To** field, then select the calendar to which you want to import your uploaded file from the drop-down list.

- Also, you can create a totally new calendar to which your uploaded file will be imported by clicking



. The **Calendar** form now turns into the below form.

**Calendar**

Create a new calendar

Format: ICalendar(.ics)

Upload Files: Saved\_export.ics

Calendar Name: [Text Field]

Description: [Text Area]

Groups: My Group

Country (Language): Belgium(French)

Time Zone: (GMT +01:00) Europe/Brussels

Color: [Color Picker]

Save Cancel

i. Create the new calendar by following similar steps as stated in the [Create a personal calendar](#) section.

- If you select another calendar of the **Group Calendar** type, the **Edit Permission** field will appear right under the **Groups** field. For more details, see [here](#).

ii.

Click



to narrow the form which allows you to import your uploaded file to either of existing calendars.

6. Click **Save** to complete.

## Share a personal calendar

This function allows you to share your personal calendar with other users, so that they can participate in all activities of this calendar.

You can set permissions on your shared calendar to two levels:

- **View permission** allows shared users to view the shared calendar and its events/tasks, but cannot change any information. It means that the shared users cannot add/edit/delete events or tasks, or edit, import and export the shared calendar.





- **Edit permission** allows shared users to view, import and export the shared calendar, or add, edit, delete events/tasks inside the shared calendar. However, you cannot edit detailed information of the shared calendar, such as its display name.

**Note**

If another users share their calendars with you, you will see shared calendars in the **Shared Calendars** category.

**Share a personal calendar**

1. Right-click one personal calendar, then select **Share** from the drop-down menu to open the **Share Calendar** form.

Username	Edit Permission	Actions
demo	No	 
james	No	 

Calendar Name Marry\_calendar

User Name john,mary

Group /organization/management

☒ Edit Permission

Save Cancel

**Details:**

Field	Description
Calendar Name	The name of the calendar which you have selected to share.
User Name	The name of the users with whom you want to share your calendar.
Group	The name of the groups with whom you want to share your calendar.
Edit Permission	This option allows granting the edit permission on the calendar to the selected users/groups.

2. Select users or groups by manually entering the correct names into the textboxes;

Or,

click



or



to open the forms to select users or groups respectively.

3. Click the **Edit Permission** checkbox if you want to grant the **Edit** permission to your selected users/groups.

4. Click **Save** to accept sharing your personal calendar.


### ***Share a calendar using iCal***

iCal provides a link that allows users to download a \*.ics file which contains all events and tasks of a calendar. iCal is supported by many popular products, such as Microsoft Outlook, Google Calendar, Apple iCal.

- **Public URL:** The Public URL link allows you to share your calendar with other users. They do not need to have Calendar accounts to download the file, but they must use a calendar application which supports the .ics to open and view it. By default, Public URL is empty and it is only accessible when public access is explicitly enabled.
- **Private URL:** iCal is used for personal use. It means that as the creator of the calendar, you can download it to your computer and use any calendar applications which support .ics format to open it. You can also import it into another calendar.

### ***Get the link to download iCal***

1. Right-click a calendar which you want to get iCal, then select **Edit** from the drop-down menu to open the **Calendar** form.



**Calendar**

**Calendar Details**

Display Name:


Description:


Groups:

Country (Language):

Time Zone:

Color:


Private URL: 

Public URL:  *This calendar is public.* [Disable Public Access](#)


clicking  Get2.

For Public URL, you must assure that the iCal is public. If it is not public, simply click the "Disable Public Access" link.

One **Calendar Feed** form will pop up.



**Calendar Feed**

 **Notional Event**  
 (http://cs-2.2.2-snapshot.acceptance.exoplatfrom.org:80/csdemo/rest-csdemo/cs/calendar/root/root-defaultCalendarId/0)

3. Copy the link in the **Calendar Feed** form, then send it to another users. The shared users can use this link to download the .ics file which can be opened in popular calendar applications, such as Microsoft Outlook, Google Calendar, Apple iCal.




## Schedule an event

### View details of an event

To view an event of a specific calendar with more details, you have two ways:


#### The first way

Hover your cursor over the event to see the detail view.



#### The second way

Right-click the event in the **Calendar View pane**, and select **View** from the drop-down menu.



The **Preview** form will appear.

Preview	
<p>From: 11/21/2011 14:00            To: 11/21/2011 17:30  <a href="#">able.wiki</a> (2.61 KB)  <a href="#">Space men.png</a> (12.82 KI)  <a href="#">View</a></p>	<p><b>W47 Sprint meeting</b>            Location:            Event            Repetition: No Repeat            Description: Sprint meeting of DOC Team            Reminder: <a href="#">email</a>            Privacy: Private            Availability: Busy            Invitation            email:            Participants: john</p>

At the **Preview** form, if the event includes attachments, you can download them by directly clicking its title. If the attachment is an image, you can also click **View** to preview it.

### Create a new event

The **Calendar** application provides 2 ways to add a new event.

- [Quick add an event](#) allows you to create the most basic event details.
- [Add a detailed event](#) allows you to create events with many options:
  - [Create recurring events](#).
  - [Create reminder for the upcoming event](#).
  - [Invite people to events](#).
  - [View the availability time of the participants](#).

### Quick add an event

1. Open the **Quick Add Event** form via either of 4 ways:

#### The first way

Click




on the toolbar.



#### The second way

Right-click the calendar view pane, and select **Add New Event** from the drop-down menu.



### The third way

Right-click the calendar you want to add new events in the left pane, and select **Add Event** from the drop-down menu.

### The forth way

Click the appropriate time slot in the calendar view pane. Drag your cursor to alter the length of the event. For more details, see the [Drag and drop an event](#) section.

The **Quick Add Event** form will appear.

Quick Add Event

Event Summary

Sprint Meeting

Description

Meeting of Doc Team every 2 weeks.

From

11/30/2011

14:30

To

11/30/2011

18:00

All day

☐

Calendar

eXo Doc Team (exo\_doc\_team)

Event Category

All

Save

More Details

Cancel

Field	Description
Event Summary	The event title which is required.
Description	The detailed description of the event.
From	The starting time of the event.
To	The ending time of the event.
All Day	If the event does not have a specific time, select the <b>All Day</b> option. This option allows setting the event duration to be all day or not. If you do not check this option, you have to define the starting date/time and ending date/time. By default, the starting date and ending date is the current date.
Calendar	The calendar which contains the event.
Event Category	The category which contains the event.

2. Give information for your event. Click the **More Details** button to show the event in more details that allows you to define more properties of the event.

3. Click **Save** to complete.


Add a detailed event

With a detailed event, you can:

- Save time by [creating recurring events](#) rather than entering each instance separately.
- [Create a reminder for upcoming events](#) with your own notification settings.
- [Add participants to an event.](#)
- [View the availability time of participants.](#)

Add a detailed event

1. Open the **Quick Add Event** form, then click



to open the **Add/Edit Event** form.

**Add/Edit Event**

Detail Reminders Participants Schedule

Event summary Tom's Wedding \*

Description Wedding at Tom and Mary's house

Location V7, Happy House

From 11/22/2011 16:30

To 11/22/2011 16:45

All Day ☐

Priority None

Repeat ☐

Calendar eXo Doc Team (exo\_doc\_team)

Event Category All

Attachments

Save Cancel

2. Give details of your event in fields of tabs.

i. In the **Detail** tab, you can:

- Follow similar steps as stated in the [Quick Add Event](#) section.
- Also,
  - Enter the location name where the event will take place in the **Location** field.
  - Select the priority level of this event, including None, Normal, High and Low, in the **Priority** field.
  - Tick the **Repeat** checkbox if you want to create a recurring event. For more details, see the [Create a recurring event](#) section.
  - Click



to open the **Attach Files** form if you want to attach any files, such as map, or invitation card, with your event.

ii. In the **Reminders** tab, you can create a reminder for your event. For more details, see the [Create a reminder for your event](#) section.

iii. In the **Participants** tab, you can add participants to your event by selecting the system users or contacts from your Address Book. For more details, see the [Add participants to an event](#) section.

iv. In the **Schedule** tab, you can view the availability time of users, or change date and time for your event and apply them into the **Details** tab. For more details, see the [View the availability time of the participants](#) section.

3. Click **Save** to finish creating your detailed event.

There will be a confirmation message. Click **Save and Send** to save and send the invitation, or **Save** to only save.

You will see the event updated in your Activity Stream of your Space or Group Space.




The image shows a notification card in an activity stream. On the left is a small profile picture of a man. To the right of the picture, the text reads "John Smith added an event: Tom's Wedding". Below this, there is a light gray box containing the event details: "Description: Wedding at Tom and Mary's house", "Location: V7, Happy House", "Start Time: 22/11/2011 10:30", and "End Time: 22/11/2011 10:45". At the bottom of the card, there is a calendar icon followed by the text "about 8 minutes ago in eXo Doc Team". To the right of this text are four links: "Comment", "Like", "Accept", and "Refuse".

The event will be updated in your **Activity Stream** with its brief information, such as description, location, start time and end time. You can even refuse or accept participating in this event directly in **Activity Stream** without going to the **Calendar** application.

### Create a recurring event

In the **Detail** tab, tick the **Repeat** checkbox to open the **Repeating event** form.



The image shows a "Repeating event" dialog box. It has a title bar with the text "Repeating event" and a close button (X). Inside the dialog, there are three main sections: "Repeat", "Repeat every", and "End repeat". The "Repeat" section has a dropdown menu currently set to "Daily". The "Repeat every" section has a dropdown menu currently set to "1". The "End repeat" section has three radio button options: "Never" (which is selected), "After 5 occurrences" (with a text input field containing "5"), and "By this date 11/30/2011" (with a date input field containing "11/30/2011"). At the bottom of the dialog are two buttons: "Save" and "Cancel".

Here, you can define the repeating time for your event as follows:

1. Select the type for your repeating event from the **Repeat** option.

- **Daily:** The event will be repeated every day.
- **Weekly:** The event will be repeated every week.
- **Monthly:** The event will be repeated every month.
- **Yearly:** The event will be repeated every year.

2. Select the frequency for repeating your event in the **Repeat Every** option. The selected frequency will work on the **Repeat** value. For example, if you set **Weekly** in the **Repeat** option, and **5** in the **Repeat every** option, the event will be repeated 5 times in each week.

3. Select the option for ending your repeating event by ticking the relevant checkbox.

- **Never:** Your repeating event will never end.
- **After X occurrences:** Your repeating event will end after X occurrences.
- **By this date:** Your repeating event will end before your specified date. Point your cursor over the textbox, and select the date from the drop-down calendar.

### Create a reminder for upcoming events

The **Calendar** application provides 2 options for reminding users who will take part in events. A reminder includes the summary information of the event, such as a title, time, and location.

To use this feature, go to the **Reminders** tab.

Add/Edit Event

Detail

Reminders

Participants

Schedule

☒ Remind by Email

Send an email before the event starts in 5 minutes

☐ Repeat

Also send reminders to :  
root@localhost

+ Add More

☒ Show a notification pop-up

When the event starts in next 5 minutes

☐ Repeat

Save

Cancel

Details:

- **Remind by Email:** This option is to remind users of upcoming events via emails. This option is set default. If you do not use this option, simply untick the checkbox.

Field	Description
Send an mail before the event starts in	The interval time that the reminder will be repeated before an event starts.
Repeat	Tick the checkbox to set the frequency for sending the email reminder before the event takes place.
Also send reminders to	<div>The list of email addresses to which the reminder will be sent. The default value is the email address of the event creator. Click <div>+ Add More</div> to add more email addresses. To delete an email address, simply click <div></div></div>



Field	Description
	corresponding to it.


- **Show a notification pop-up:** This option is to remind users of upcoming events via pop-up messages.

Field	Description
<b>When the event starts in next</b>	The interval time that the pop-up reminder will be repeated before the event starts.
<b>Repeat</b>	Tick the checkbox to set the frequency for sending the pop-up message before the event takes place.

### Add more emails

1.

Click



to open the **Select an Email** form.

2. Tick checkboxes corresponding to email addresses you want to select;

Or, use the **Search** function to search for your expected email addresses. Also, to narrow your search results, select the address book where you want to perform your search from the **Address Books** drop-down menu.

3. Click the **Add** button to add your selected emails, or click the **Replace** button to replace existing emails with your selected emails.

The list of your selected email addresses are displayed right below the **Also send reminders to** field of the **Reminders** tab.

### Add participants to an event

If you want to invite people to attend an event, go to the **Participants** tab. This tab contains options to add participants, and to send invitation mails.

Add/Edit Event

Event Detail
Reminders
Participants
Schedule

Event Privacy
☐ Private
☐ Public

Show Participants as
☐ Busy
☒ Available
☐ Outside

Participants:
+

Name	Information	Status	Action
John Smith	john.smith@acme.exopl		
John Smith	john.smith@acme.exopl		
Fernando Felipe	FernandoFelipe@gmail.c		
Alan Smith	AlanSmith@acme.exopl		
Christina Kelly	ChristinaKelly@acme.e>		

Invitations sent
☐ Never
☐ Always
☒ Ask

Save
Cancel

1. Tick the **Privacy** checkbox to select the privacy of your event: public or private. At present, public or private has informative meaning only.

2. Set the status of participants during the time when your event takes place.

- If **Busy** or **Outside** is ticked, the time when the participants take part in the event/task will be in red when viewing the event/task schedule.
- If **Available** is ticked, the time when the participants take part in the event/task will be in white.

3. Select participants who will take part in the event by clicking



to open the **Invitations** form.

Here, you can select contacts from your Address Book or users who have registered in the system as follows:

i.

Click



or



respectively.

ii. Select your desired contacts/users by ticking the checkboxes, or do the **Search** function to find out your contacts/users quickly. Then, click **Add** to add your selected contacts/users to the **Participants** pane.

iii. Enter your invitation message into the **Invitation Message** pane.

iv. Click **Save** to add your selected contacts/users to the **Participants** table.

- If the **Invitation Sent** checkbox is ticked, participants will receive invitations via emails. Your selected participants will be updated in the **Participant** table. Their statuses, which may be **Yes**, **No** or **Pending**, are listed in the **Status** column. These statuses depend on the participants' confirmation when they receive invitations: Yes, No or Not sure.
- If the participants answer **Yes**, their statuses will be **Yes**. It means that the participants accept to join the event.
- If the participants answer **No**, their statuses will be **No**. It means that the participants will not join the event.
- If the participants answer **Not sure**, their statuses will be **Pending**. It means that the participants do not yet decide to take part in the event or not.
- Click



in the **Action** bar to remove one participant from the **Participants** list.

4. Tick one checkbox corresponding to your desired option of sending invitations to participants in the **Invitations sent**. This option is loaded by default with the value defined in the Calendar Settings.

- **Never**: Never send the invitation to any participants.
- **Always**: Automatically send the invitation to the participants.
- **Asked**: There will be a confirmation message for you to select.

The participants will receive an invitation mail, for example with the following content, which allows you to import the event directly into their calendars.

☆ exomailtest@gmail.com <exomailtest@gmail.com> To: bookwormgiang@gmail.com ▼ Show Details 12:16 PM

By: james(james.davis@acme.exoplatform.com)

Invitation Message: We would like to invite you to participate in the Sprint Meeting.

Event summary: Sprint Meeting

Description: Meeting of DOC Team

When?: From: 11/29/2011 20:30  
To: 11/30/2011 00:00

Location: M7

Invite Participants john

Attachments: (1) contacts.png

Would you like to attend? Yes - Not sure - No


Would you like to see more details? Import to your eXo Calendar or Jump to eXo Calendar

Will you attend? [Agree and Import](#) - [Yes](#) - [No](#)

**Attachments:**

📎 icalendar.ics  
Size: 32.82 KB ⬇ Download ⬇ Save to server

📎 contacts.png  
Size: 22.44 KB 🔍 View ⬇ Download ⬇ Save to server



- **Agree and Import:** Accept attending at the event in the invitation mail and importing it into the calendars to remind them of this event.
- **Yes:** Accept attending at the event without importing it into the calendar.
- **No:** Refuse to attend at the event.

## View the availability time of participants

**Add/Edit Event**

Event Detail Reminders Participants **Schedule**

Apply Selected Date : ☐ From : 16:30 To : 17:00 All Day : ☐

◀ 09/27/2011 ▶

	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
Participants																								
<input type="checkbox"/> John Smith																								

☐ Available ☒ Busy

Save Cancel

Go to the **Schedule** tab to check the availability of the participants in a defined slot time. By default, it is the start and end time of the event which you define in the **Detail** tab. You can easily detect the schedule conflicts to manage the alternate meeting time that works best for all participants.

### Note

This function is only for checking the availability of participants, who are the system users. It means that you cannot see the availability of participants who are selected from your **Address Book**.

### Add participants

Click



on the left pane to select users from the **Select Users** form.

### Delete participants

Tick the checkboxes corresponding to users in the **Participants** list, then click



The deleted users will be removed from the participants list of both **Schedule** and **Participants** tabs.

### Apply selected date

### Note

It is required to have at least 1 user in the **Participants** list.

1. Enter the time manually into the **From** and **To** fields;

Or, tick the **All Day** checkbox if your event will be hold for all day;

Or, hover your cursor over the time pane to visually select the available time of users. The selected period will become green and the corresponding time will be automatically updated into the **From** and **To** fields.

### Note

If you do not see any available time for your selected date in the time pane, you can switch to another dates by clicking



to check another time availability of users.

2. Click the **Apply Selected Date** checkbox to accept applying the selected date and time into the **Detail** tab.

## Edit an event


1. Open the **Add/Edit Event** form by doing one of two following ways:

### The first way

Double-click the event you want to edit.

### The second way

Right- click the event that you want to edit and select **Edit** from the drop-down menu.



The **Add/Edit Event** form is displayed with information that is similar when adding your event.

2. Edit information of the selected event to your desires.

3. Click **Save** to complete.

### Note

For shared and group calendars, you can only edit their events if you have the edit permission.


When editing an event, you can add/remove the attachment files or download them by directly clicking their titles.

If you only want to change the starting date and time of the event, you can also use the drag-drop feature to edit the time for the event directly on the **Calendar View pane**.

## Drag and drop an event

The drag-drop feature helps you change the starting date and time of an event more conveniently. You only need to click the event, drag and drop it into another date or new time area in the **Calendar View pane**.

You also can hover your cursor over the **Scroll** button to alter the event period.



According to the features of the Calendar pane view, the drag-drop feature can be applied to the date and time differently.

- In the **Day** view, all events are shown in a day, so you can change the time of the event in one day only.
- In the **Week** and **Work Week** views, all events are shown in a week, you can change both the event time and the event date.
- In the **Month** view, all events are shown in a month, you can change the event date only. You can also change more events at the same time by ticking their checkboxes and using the drag-and-drop feature.

### Note


For shared and group calendars, you can only drag and drop their events if you have the **Edit** permission on these calendars. If you drag and drop an event of one calendar on which you do not have the edit permission, you will get a warning message.

## Export/Import an event

### *Export an event*

This function allows you to export one event into a file on your device. This file can be imported to use in another Calendar application.

1. Right-click the event that you want to export, and select **Export** from the drop-down menu.



The **Export Calendars** form will appear.

A screenshot of the 'Export Calendars' dialog box. It has a title bar with a close button. Inside, there are three fields: 'File Name' with the text 'Meeting', 'Export Format' with a dropdown menu showing 'ICalendar(.ics)', and 'eXo Doc Team' with a checked checkbox. At the bottom right, there are two buttons: 'Save' and 'Cancel'.

2. Enter a file name and select the export format.
3. Click **Save** to accept exporting the event.
4. Click **OK** in the confirmation message to save the exported file into your device.



## Note

In fact, exporting an event means exporting a calendar with one event only. Therefore, the exported file format and the way to export an event is similar to the way to export a calendar with multiple events and tasks.

### *Import an event*

You can import an event into a specific calendar. The process to import an event is similar to importing a calendar. For more details, see the [Import a calendar \[311\]](#) section.

## Delete an event

This function allows you to remove events from a calendar.

1. Right-click the event you want to delete, then click **Delete** from the drop-down menu.
2. Click **OK** in the confirmation message to accept your deletion.


### *Delete an event in the Month view*

1. Tick the checkboxes corresponding to the events you want to delete.
- 2.

Click



on the **Month** information bar.



3. Click **OK** in the confirmation message to accept your deletion.

### Note

For shared and group calendars, you can only delete their events if you have the **Edit** permission on these calendars.


## Schedule a task

### View task details

To view details of a task, do one of the following ways:


#### The first way

Hover your cursor over the task to open the task preview pane.



### The second way

Right-click the task in the **Calendar View pane**, and select **View** from the drop-down menu.



The **Preview** form will be displayed.

Preview	
<p>From: 11/21/2011 17:30</p> <p>To: 11/21/2011 20:00</p> <p> [Jack] Jack Miller - Develo</p> <p> <a href="#">View</a></p> <p> <a href="#">Need to check.wiki</a> (314 E</p>	<p><b>Take screenshot for PLF 3.5 user guide</b></p> <p>Location:</p> <p>Event: No Repeat</p> <p>Repetition:</p> <p>Description: Many changes on UI.</p> <p>Reminder: <a href="#">email</a></p> <p>Privacy: Private</p> <p>Availability: Busy</p> <p>Invitation</p> <p>email:</p> <p>Participants: john</p>

At the **Preview** form, if the task includes attachments, you can download them by directly clicking its title. If the attachment is an image, you can also click **View** to preview it.

Create a new task

You have 2 ways to add a new task:


- **Quick Add Task:** allows you to create the most basic event details.
- **Add Detailed Task:** allows you to create events with advanced details.

Quick add a task

1. Open the **Quick Add Task** form via the following ways:

The first way


Select



on the **Toolbar**.

The second way

Right-click the **Calendar View** pane, then select **Add New Task** from the drop-down menu.



The third way

Right-click the calendar name, and select **Add Task** from the drop-down menu.

2. Fill in fields of the **Quick Add Task** form.

**Quick Add Task**

Task  \*

Note

From

To

All Day ☐

Calendar

Task Category

**Details:**


Field	Description
<b>Task</b>	The name of the task.
<b>Note</b>	The note of the task.
<b>From</b>	The starting date/time of the task.
<b>To</b>	The ending date/time of the task.
<b>All Day</b>	Tick the checkbox to set the task duration to be all day. If you do not check this option, you have to select the starting date/time and ending date/time. By default, the starting and ending dates are the current ones.
<b>Calendar</b>	The calendar which includes the task.
<b>Task Category</b>	The category which includes the task.

3. Click **Save** to finish creating your new task; or click **More Details** to open the [Add a detailed task](#) form.

**Add a detailed task**

1. Open the **Quick Add Task** form by following steps as stated in the [Quick add a task](#) section.

2. Click



in the **Quick Add Task** form to open the **Add/Edit Tasks** form

Add/Edit Tasks

Detail
Reminders

Task Name
Clean working desk

Note

Task Delegations
root

From
09/08/2011
11:26

To
09/08/2011
11:41

All Day
☐

Priority
None

Calendar
Default

Task Category
All

Task Status
Needs Action

Attachments

Save
Cancel

3. Give details of your task in fields of tabs.

i. In the **Detail** tab, you can:

- Follow the [Step 2](#) to provide basic information for your task.
- Also,
  - Select the user to whom you want to delegate the task in the **Task Delegations** tab. For more details, see the [Assign a task delegation](#) section.
  - Select the priority level of the task from the **Priority** drop-down menu.
  - Select the category of the task from the **Task Category** drop-down menu. You can add a new category by clicking



- Select the status of the task from the **Task Status** drop-down menu: Need Action, In Process, Completed or Canceled.
- Attach files to your task by clicking



ii In the **Reminders** tab, you can create one notification to remind you of your task. For more details, see the [Create a reminder](#) section.

### Assign a task delegation

This function is done in the the **Detail** tab. To delegate a task to users, simply enter their names manually, or click



to select users from the **Select Users** form.

### Create a reminder

The reminder function is used to remind users of their tasks. A reminder includes the summary information of the task, such as title, time, place where the task will happen.

This function is done in the **Reminders** tab. To create a reminder for a task, see the [Create a reminder for upcoming events](#) section for more details.

### Edit task details

1. Right-click the task you want to edit, and select **Edit** from the drop-down menu.

The **Add/Edit Tasks** form will be displayed.

**Add/Edit Tasks**

Event Detail

Reminders

Task Name

Clean the working desk \*

Note

Task Delegations

james +

From

09/28/2011

12:30

To

09/28/2011

13:30

All Day

☐

Priority

High

Calendar

Default (users)

Task Category

All +

Task Status

Needs Action

Attachments

+

Save

Cancel

2. Modify the information of your selected task, then click **Save** to finish.

### Note

For shared and group calendars, you can only edit their tasks if you have the **Edit** permission on these calendars.

When editing the task, you can add, remove or download attachments by directly clicking their titles.

If you only want to change the starting date and time of the task, you can also use drag-and-drop feature to edit the time for the task directly on the **Calendar View pane**.



## Drag and drop a task

Like dragging and dropping an event, **drag-and-drop** is a feature to change the starting date and time of a task conveniently. You only need to click and hold your cursor over the task, drag and drop it to a new day and a new time area in Calendar View Pane.

- To change a task duration (in the Day, Week and Work Week views only), point your cursor to the **Scroll** button at the bottom of the task and drag it.
- To change the date and time of a task, simply drag and drop the task to another area.
  - In the **Day** view, all tasks are shown in 1 day, so you can change the task time in one day only.
  - In the **Week** and **Work Week** views, all tasks are shown in 1 week, so you can change both the task time and date.
  - In the **Month** view, all tasks are shown in 1 month, so you can change the task date only. You can also change the date for multiple tasks at the same time by ticking their checkboxes and using the drag-and-drop feature.

### Note

For shared and group calendars, you can only drag and drop their tasks if you have the **Edit** permission on these calendars. If you drag and drop the task that you do not have the **Edit** permission, you will receive a warning message informing that you are not allowed to edit this task.

## Export/Import a task


### Note

Exporting/Importing a task means exporting/importing a calendar with one task only. Therefore, the exported/imported file format and the way to export/import a task is similar to the way to export/import a calendar with multiple events and tasks.

### **Export a task**

1. Right-click the task that you want to export, and select **Export** from the drop-down menu.

The **Export Calendars** form will appear.



2. Enter the file name and export format.
3. Click **Save** to accept exporting the task.
4. Click **OK** in the confirmation message to save the exported file into your local disk.

### ***Import a task***

This function allows importing a task from your local device into a specific calendar. For more details, see the [Import Calendar \[311\]](#) section.

## **Delete a task**

1. Right-click the task you want to delete, then click **Delete** from the drop-down menu.
2. Click **OK** in the confirmation message to accept your deletion.

### ***Delete a task in the Month view***

1. Tick the checkboxes corresponding to the task you want to delete, then click



on the **Month** information bar.

2. Click **OK** in the confirmation message to accept your deletion.

## **Note**

For shared or group calendars, you can only delete their tasks if you have the **Edit** permission on these calendars.

## **Search for events/tasks**

This function allows finding existing events/tasks according to specific search conditions easily. There are 2 search types: **Quick search** and **Advanced search**.

## Quick search

This function allows you to do a quick search with specific keywords in all your events/tasks. All events/tasks having the text matching with your search term will be returned.

### *Perform a quick search*

1. Enter a word in the **Search** field at the right corner of the toolbar.



- 2.

Click



to perform your search.

## Advanced Search

Advanced Search allows you to make a search with multiple criteria.

### *Perform an advanced search*

- 1.

Click



next to the search box.

2. Define your search criteria in the **Advanced Search** form.

A dialog box titled "Advanced Search" with a close button (X) in the top right corner. It contains several search criteria fields: "Text" (text input with "Screenshot"), "Type" (dropdown menu with "Task"), "Calendar" (dropdown menu with "Many\_calendar"), "Category" (dropdown menu), "Task Status" (dropdown menu), "Priority" (dropdown menu), "From Date" (text input), and "To date" (text input). At the bottom are "Search" and "Cancel" buttons.

Text	Screenshot
Type	Task
Calendar	Many_calendar
Category	
Task Status	
Priority	
From Date	
To date	

**Details:**

Field	Description
<b>Text</b>	The search term or keyword for searching.
<b>Type</b>	The type you want to search with 3 options. If you leave this field "blank", both events and tasks are retrieved. If you select <b>Task</b> , you will see one more field named <b>Task Status</b> right after <b>Category</b> .
<b>Calendar</b>	The calendar on which you want to perform your search.
<b>Category</b>	The category of event/task to conduct your search.
<b>Task Status</b>	The status of the task: Need Actions, Completed, In Process, Canceled.
<b>Priority</b>	The priority of your needed tasks/events: Normal, High or Low. If you leave <b>blank</b> in the field, your search will be done to all priority levels.
<b>From Date</b>	Only the events/tasks having 'To date' greater than or equal the date entered in the <b>From Date</b> field are listed in the results form. You can manually input or select the date from drop-down calendar.
<b>To Date</b>	Only the events/task having 'From date' less than or equal to the date entered in the <b>To date</b> field are listed in the results form. You can manually input or select the date from the drop-down calendar.

3. Click the **Search** button to perform your search. All events/tasks matching with your criteria will be listed in the results form.

### Note

At the Search Result form, you can also view, edit or delete one event/task by right-clicking it and selecting one action from the drop-down menu.

## More actions

### Generate RSS

This function allows you to publish your calendar as a RSS feed. It will build an URL that help you keep track of all events via a RSS reader.

1. Open the **Feeds** tab by following either of the ways:

### The first way

Click


directly



on the toolbar.

### The second way

Click



on the toolbar to open the **Calendar Settings** form, then select the **Feeds** tab.

The image shows the 'Calendar Settings' dialog box with the 'Feeds' tab selected. The dialog has three tabs: 'Settings', 'Displayed Calendars', and 'Feeds'. The 'Feeds' tab contains a table with two columns: 'Feed' and 'Action'. The table is currently empty, displaying 'Empty Data' in red text. Below the table is an 'Add' button. At the bottom of the dialog are 'Save' and 'Cancel' buttons.

2. Click the **Add** button to open the **Edit Feed** form.

The image shows the 'Edit Feed' dialog box. It contains the following fields and controls:

- Name:** A text field containing 'Calendar\_Feed' with an asterisk (\*) indicating it is required.
- URL:** A text field containing 'http://cs-2.2.2-snapsh' with an asterisk (\*) indicating it is required. To the right of the field are two circular icons: a blue one with a white 'u' and a grey one with a white gear.
- Calendars:** A section header.
- Add more:** A text field with a plus (+) button to its right.
- Buttons:** 'Save' and 'Close' buttons at the bottom.

### Details:

Field	Description
<b>Name</b>	The name of the feed which is required.
<b>URL</b>	The link of the feed which is required.

Field	Description
Calendars	The calendars into which your created feed is applied.
Add more	Add the calendar that you want to get RSS feed.

3. Input the name of RSS in the **Name** field.

4. Click



to generate the RSS link. The URL will be automatically generated into the **URL** field. Click



to reset the RSS link.

5. Input the calendar name that you want to get the RSS feed in the **Add more** field, then click



to add your selected calendar.


- Click



corresponding to the calendar name to delete your added calendar.

6. Click **Save** to accept generating the feed, then click **OK** in the notification message.


The created feed will be shown like the illustration below:



- Here, you can get the RSS link by clicking



. Copy and paste this address link into another Calendar products which support RSS to directly view this calendar in that application.



## Edit Calendar settings

In the Calendar application, you can change default values for its settings.

1. Open the **Calendar Settings** form via either of the following ways:

The **first** way: Click




on the **Toolbar**.

The **second** way: Click



and select **Calendar Settings** from the drop-down menu.



## 2. Make changes on your calendar settings.

**Calendar Settings**

Settings    Displayed Calendars    Feeds

View Type: Week View

Date Format: mm/dd/yyyy

Time Format: 24 Hours

Country (Language): Belgium(French)

Time Zone: (GMT +01:00) Europe/Brussels

Week Start on: Monday

Show Working Times: ☐

Send Event Invitations: ☐ Never ☐ Always ☒ Ask

Save Cancel

i. In the **Settings** tab, you can change values in the following fields:

Field	Description
<b>View Type</b>	The view type of Calendar View Pane. You can define the default view type when you start the Calendar application (Day, Week, Work Week, Month, Year, List).
<b>Date Format</b>	The date format which is displayed in Calendar, such as Starting date, Ending date of events/tasks.
<b>Time Format</b>	The time format which is displayed in Calendar, such as the time of Starting date, or Ending Date, and the time displayed in Calendar View Pane.
<b>Country (Language)</b>	The default geographical location displayed in Calendar.
<b>Time Zone</b>	The default time zone displayed in Calendar.
<b>Week Start On</b>	The first day of the week displayed in the <b>Week</b> and <b>Work Week</b> views.
<b>Show Working Times</b>	Click the checkbox to display the working times when viewing calendar. The working time can be defined by selecting Starting and Ending time.



Field	Description
<b>Send Event Invitations</b>	<p>Tick one checkbox to set the default value for sending an email event invitation when you create an event. There are 3 options:</p> <p>Never: The event invitation will not be sent to any participant.</p> <p>Always: The event invitation will automatically be sent to the participants.</p> <p>Asked: There will be a confirmation message to ask whether you want to send the invitation or not.</p>

ii. In the **Displayed Calendars** tab, you can define which calendars to be displayed in the **Calendar** application by simply ticking checkboxes.

iii. In the **Feeds** tab, you can generate a RSS feed as stated in the [Generate RSS](#) section.

## Manage categories

Categories are used to classify events and tasks. For example, you could use a 'Meeting' category for all meetings with your colleagues or customers in your company. By default, Calendar provides 5 available categories: Calls, Meeting, Holiday, Clients, Anniversary. You can add and view events/tasks in default categories. In addition, you also can edit, delete default categories or create new categories by yourself.


### Add a new category

1.

Click



at the right corner of the **Toolbar**.



The **Event Categories** form will appear.

**Event Categories**

**Categories table**

Category	Actions
All	
Meeting	
Calls	
Clients	
Holiday	
Anniversary	

**Add new category**

Event Category: Working

Description: For events related to working.

Save Reset Close

2. Enter the category name and its description in the **Event Category** and **Description** fields respectively, then click **Save** to finish.

Your newly created category then appears in the Categories table.

### Edit/Delete a category

This function allows you to change name and description of a selected category.

1. Click



on the information bar to open the [Event Categories form](#).

2. Click



or



corresponding to the category which you want to edit or delete respectively in the Categories table.


3. Click **Save** to finish editing/deleting your selected category.

## Add Upcoming Events gadget to your page

The **Upcoming Events** gadget is a utility associated with the **Calendar** application. This gadget is used for listing events of a personal calendar that will happen today.

To use this portlet, you first need to add this gadget to the Space as follows:

1. Drag and drop the **Upcoming Events** gadget from **Page Editor --> Applications --> Contents** to the page layout. You can do this step while [creating a new page](#) or [editing an existing page](#) or [editing the layout of a portal](#).




2. Select  
 to save adding.


### Note

The **Upcoming Events** portlet is put in **Page Editor --> Gadgets --> Upcoming Events**.

In your selected page, you will see the **Upcoming Events** gadget as below.



- Click



to open the Calendar application in another browser tab.


**Change the number of events listed in the Upcoming Event gadget.**

1.

Click



to open the **Settings** window.



Field	Description
Base url	The path to the Calendar application.
Subscription url	The REST service path.
Date time format	The type of time format for displaying upcoming events.
Calendar	Name of the selected personal calendar.

2. Enter a positive integer corresponding to the number of events displayed into the **Page size** field to your desire.

3. Click **Save** to accept your changes.

### Note


For two fields, including **Base url** and **Subscription url**, you should ask administrators for more exact information before making any changes on these fields.

## Manage your contacts

### Note


The **Address Book** portlet and its services are deprecated. It remains fully supported for eXo customers, however it will not receive any enhancement and will be removed from the product scope in the future.

Before starting to use **Address Book**, you should familiarize yourself with the **Address Book** interface, which has six basic elements:



Number	Details
1	The <b>Toolbar</b> allows you to add a new contact/address book, import/export an address book, view and customize the layout.
2	The <b>Action bar</b> allows quick access to actions on contacts, such as moving, deleting, copying, printing, adding tags to selected contacts.
3	The <b>Contacts list</b> shows all contacts in a specific address book.
4	The <b>Contact view pane</b> displays details of the selected contact.
5	The <b>Search pane</b> which allows you to do the quick and advanced searches to find contacts.
6	The <b>Navigation pane</b> contains search pane, address books list and tags list.


The layout can also be customized. You can hide or show specific parts of the **Address Book** interface. To change the layout, click



on the main toolbar, then select the layout you want to hide or display from the drop-down menu.


## View contacts

At present, your contacts can be viewed in 2 modes: **List** or **VCards**.







### List view:

The list view displays all contacts in the list pane and detailed information of the selected contact in the Contact view pane. On the toolbar, click



then select **List** from the drop-down menu.

The contacts are displayed in a list as below.

	Name	Email	Job Title
	 Fernando Felipe	Fernando@exoplatform.com	Human Resource Manager
	 James David	—	—
	 John Smith	john.smith@acme.exoplatform.co...	—
7	 Marry Williams	Williams@gmail.com	Content Manager

### Contact Details

Last Updated



**Marry Williams**  
Content Manager  
[Williams@gmail.com](mailto:Williams@gmail.com)

Male  
Also Known As Marry

Work

Home

Note

### VCards view:


VCard is a file format standard for electronic business cards. It is a powerful new means of Personal Data Interchange that is automating the traditional business card. On the **Toolbar**, click





then select **VCards** from the drop-down menu.

The contacts are displayed in separate cards as below:


**VCards**





**Fernando Felipe**  
Human Resource Manager  
Email 1 :  [Fernando@exoplatform.com](mailto:Fernando@exoplatform.com)  
[View Details](#)




**James David**  
[View Details](#)



**John Smith**  
Email 1 :  [john.smith@acme.exoplatform.co...](mailto:john.smith@acme.exoplatform.co...)  
[View Details](#)



**Marry Williams**  
Content Manager  
Email 1 :  [Williams@gmail.com](mailto:Williams@gmail.com)  
[View Details](#)

## Create a new contact

1. Open the **Add/Edit Contact** form by following either of two ways:

### The first way

Click



on the **Toolbar**.

### The second way

Right-click an address book in the **Address Books** pane, then select **Add** from the drop-down menu.

You can also add a new contact from the **Mail** application as covered in the [Add a new contact](#) section.

2. Input information into fields of each tab in the **Add/Edit Contact** form.



Add/Edit Contact

Address Book
My Contacts

Profile
Work
IM Contact
Home
Note

First Name
David
\*

Last Name
Klein
\*

Nick Name


Gender
☒ Male
☐ Female

Birthday
4
-
7
-
1968

Job Title
Java Developer

Email
David@exoplatform.com

Picture



Update | Delete

Save
Cancel

### Details:

#### i. The Profile tab

Field	Description
<b>Asterisk (*)</b>	This mark next to each field means that it is required to enter values in the field.
<b>First name</b>	First name of your contact which must be between 1 and 40 characters.
<b>Last Name</b>	Last name of your contact. Its length must be between 1 and 40 characters.
<b>Nick Name</b>	Nick name of your contact with any unlimited length.
<b>Gender</b>	Gender of your contact. Simply tick the two available checkboxes: Male or Female.
<b>Birthday</b>	Birthday of your contact. Click the relevant down arrows to select the day, month and year from the drop-down menu.
<b>Job Title</b>	The job title of your contact. Its length must be between 0 and 40 characters.
<b>Email</b>	The email address of your contact.

### *Change contact's avatar*

- Click **Update** below the avatar to upload photos from your device.
- Remove your uploaded image by simply clicking **Delete** below the avatar.

### *Add contact's email address*

- Enter the email address into the **Email** field. If you want to add more email addresses, simply click



to show another **Email** field.

- Remove your email address by clicking



.

### *Add contact's instant message information*

- The **Work** tab

All fields in this tab are optional. In this tab, you can provide the contact's job-related information without any limitations of character types or length.

- The **IM Contact**

In this tab, you can enter information about the contact chat identity (IM stands for Instant Message). The default text messaging service is the Chat application of eXo Platform, but you can select other services by clicking



to open the drop-down menu.

**Add/Edit Contact**

Address Book My Contacts

Profile Work **IM Contact** Home Note

Chat  +

- Google Talk
- MSN
- Yahoo
- IRC
- Skype
- ICQ

Last Updated : Se

- The **Work**, **Home** and **Note** tabs

In these tabs, you can further provide many information related to the contact's work, home and note.

3. Click **Save** to accept adding a new contact.

## Edit contact details

This function allows you to update information of contacts whenever you like.

1. Right-click your desired contact in the list, then select **Edit** from the drop-down menu. The **Add/Edit Contact** form will appear with the selected contact's current information that is similar when [creating a new contact](#).
2. Make your desired changes on fields, then click **Save** to accept.

### Note

You can only edit a contact of your personal and shared address books (if you have the **Edit** permission).

You can also edit contact details in Mail. For more information, see the [Edit contact details](#) section.

## Tag a contact

### The first way


Right-click the relevant contact, and select **Tag** from the drop-down menu.

### The second way

Select the contacts by ticking their respective checkboxes, then click




on the **Action bar**.

A screenshot of a contact list interface. At the top is a toolbar with icons for navigation, tagging (highlighted with a red box), email, trash, print, and other actions. Below the toolbar is a table with two columns: 'Name' and 'Email'. The table contains five rows of contact information. The first two rows are highlighted in yellow, and the last row is highlighted in blue. Each row has a checkbox in the first column.

	Name	Email
<input checked="" type="checkbox"/>	David Klein	David@exoplatform.com
<input checked="" type="checkbox"/>	Fernando Felipe	Fernando@exoplatform.com
<input type="checkbox"/>	James David	—
<input type="checkbox"/>	John Smith	john.smith@acme.exoplatform.co...
<input type="checkbox"/>	Marry Williams	Williams@gmail.com

### The third way

Drag and drop contacts to a specific tag in the **Tags** list in the left pane to open the **Add/Remove Tag** form.

A screenshot of the 'Add/Remove Tag' dialog box. The dialog has a title bar with a close button. Inside, it shows 'Contact David Klein : no Tag'. There are two input fields: 'Tag' and 'Color'. Below these are three checkboxes: 'Bussiness', 'Family', and 'Client'. At the bottom are three buttons: 'Add', 'Remove', and 'Cancel'.

Add/Remove Tag

Contact David Klein : no Tag

Tag

Color


Bussiness ☐

Family ☐

Client ☐

In this form, you can add a new tag, remove or reassign a tag to a contact.

To add a new tag quickly, click **Add** in the **Tag** pane.



### Edit a tag

1. Right-click a tag in the tag area, then select **Edit** from the drop-down menu.
2. Make changes in the **Edit Tag** form, then click **Save** to accept your changes.

### Delete a tag

1. Right-click a tag you want to delete, then click **Delete** from the drop-down menu.
2. Click **OK** in the confirmation to accept your deletion.

## Send a mail to a contact

### Note

This function allows you to send a mail directly to one or more contacts in your address book. To take this action, you first need to:

Have at least one account in **Mail**.

Have the email address of the contact which you want to send mail.

Email address of the selected account will be used to send mail to a contact.

### ***Send a mail to a contact***

1. Open the **Email** function by following either of 3 ways:

#### **The first way**

Right-click the contact to whom you want to send mail, then select **Email** from the drop-down menu.

### The second way

Select the contacts that you want to send mail by ticking their respective checkboxes, then click




on the **Action bar**.

### The third way

Right-click the address book and select **Email** from the drop-down menu. By this way, you will send mail to all contacts in that address book.

The **Send Email** form will appear.

A screenshot of the 'Send Email' form. At the top, there's a title bar 'Send Email'. Below it, a toolbar contains 'Send Mail' (with a green arrow icon) and 'Discard' (with a red circle and slash icon). The form has three main fields: 'From' with a dropdown menu showing 'John Smith <john.smith@acme.exoplatform.com>', 'To' with a text input field containing 'john.smith@acme.exoplatform.com', and 'Subject' with a text input field containing 'Sprint meeting'. Below these fields is a rich text editor toolbar with various icons for bold, italic, underline, text color, background color, bulleted list, numbered list, link, unlink, and search. The text area contains the text: 'We will have a sprint meeting on next Monday. Hope all of you will attend with many useful opinions.'

2. Input the recipients' email addresses in the **To** field if needed.

You just need to enter one character included in your desired email address. There will be a list of addresses matching your entered character for you to select quickly.

<b>To :</b>	f
<b>Subject :</b>	John Smith<john.smith@acme.exoplatform.com> Fernando Felipe<Fernando@exoplatform.com> David Klein<David@exoplatform.com>

3. Enter the subject and content of your message in the **Subject** field and mail body respectively.
4. Click the **Send Mail** button.

## Copy/Paste a contact

This function allows you to make the copies of contacts from an address book and to store in another ones.

### *Copy a contact*

#### The first way

1. Select contacts by ticking their respective checkboxes.

2.

Click



on the **Action bar**.

#### The second way

### Note

This way is to copy all contacts of an address book.

1. Right-click one address book.
2. Select **Copy** from the drop-down menu.

### *Paste a contact*

### Note

The **Paste** action is only activated after your desired contacts have been copied.

1. Right-click one destination address book to which you want to move your copied contacts.
2. Click **Paste** to accept moving your contacts.

## Move a contact

It is simple to move one or more contacts from one address book to another.

### The first way


Right-click a contact and select **Move** from the drop-down menu.

### The second way

Select contacts you want to move, then click




on the **Action bar**. The **Move Contact** form will appear, allowing you to select a destination address book where your moved contacts are stored.



### The third way

Use the "Drag & Drop" function to move one or more contacts to a new address book.





The drag-drop function is done more easily in the VCards view.

### Note

You can only move contacts of a personal or shared address book if you have the **Edit** permission. You cannot move contacts in the address book which you do not have the **Edit** permission or contacts in a public address book.

## Delete a contact

### The first way

1. Right-click a contact you want to remove, then click **Delete** from the drop-down menu.
2. Click **OK** in the confirmation message to accept your deletion.

### The second way

### Note

This way allows you to delete multiple contacts.

1. Tick checkboxes corresponding to contacts you want to delete, then click



on the **Action bar**.


2. Click **OK** in the confirmation message to accept your deletion.

## Export contacts

This feature allows you to export one or more contacts into a file to be used in another address book applications. These exported contacts will have the same information in all address books you use. You can export a single contact or multiple contacts flexibly.

1. Right-click one contact, or address book if you want to export all contacts of the address book, then select **Export** from the drop-down menu.

The **Export Address Books** form will appear.



2. Select contacts to export by ticking their respective checkboxes.
3. Enter the file name and select the export format. At present, only **x-vcard** is supported.
4. Click **Export All** to export all contacts in all pages or click the **Export Selected Only** button to export your selected contacts only.

## Import contacts

This function allows you to import one or more contacts from your device to a selected address book.

1. Open the **Import Contacts** form via either of the following ways:

### The first way

Click



on the toolbar.

### The second way

Right-click a personal or shared address book which you have the **Edit** permission, then click **Import** from the drop-down menu. By this way, you can quickly select the destination address book for the imported contacts.

A dialog box titled "Import Address Books" with a close button (X) in the top right corner. Inside the dialog, there are three main sections. The first section is labeled "Address Book" and contains a dropdown menu with "My Contacts" selected, followed by a small blue plus icon in a circle. The second section is labeled "Import Format" and contains a dropdown menu with "x-vcard" selected. The third section is labeled "Upload Files" and contains a text input field and a "Browse..." button. At the bottom of the dialog are two buttons: "Save" and "Cancel".

2.

Click



in the **Address Book** field, then select your desired address book into which you want to import your contacts from the drop-down menu;

Or,

click



to quickly create a new address book.

3. Select the file format in the **Import Format** field. At present, only **x-vcard** is supported.
4. Click **Browse...** to open the **File Upload** form.
5. Select the file you want to import from your device, then click **Open** to upload your selected file.
6. Click **Save** to finish your import.


## Print contacts

The **Print** function allows you to print information of your selected contacts. You can print one or more contacts at the same time.

### *Print one contact*

1. Right-click the contact you want to print, then select **Print** from the drop-down menu.

The single Contact Print Preview will appear with the detailed information:



**Linda Maxwell**  
Manager Assistant  
LindaMaxwell@acme.exoplatform.com  
0274368526 (Work)

25 years old, Male

IM Linda.maxwell (e)  
Phone 03453451  
09384581

Work

Home

18/11 Asteroids Street - Nebula  
Aurora - US  
0274368526 (Phone)  
0345345587 (Phone)  
0938458734 (Mobile)  
http://exoplatform.com

http://LindaMaxwell.blog.com

Note

Print

Cancel

2. Click the **Print** button to print.

**Note**






When you are in the **VCards** view, the print process is a quite different. You first need to click **View Details** to display the contact's details. After that, click **Print Preview** to open the Preview page, then select the **Print** button.

**Print multiple contacts**

1. Select contacts you want to print by ticking their respective checkboxes, then click



on the **Action bar**.

			
<input type="checkbox"/>	<input type="checkbox"/>	<b>Name</b>	<b>Email</b>
<input checked="" type="checkbox"/>		Alan Smith	AlanSmith@acme.exoplatform.com
<input checked="" type="checkbox"/>		Christina Kelly	ChristinaKelly@acme.exoplatform...
<input checked="" type="checkbox"/>		Fernando Felipe	FernandoFelipe@acme.exoplatform...
<input type="checkbox"/>		John Smith	john.smith@acme.exoplatform.co...


The **Print Preview** page will appear with their summary information.

#### VCards

##### Alan Smith



Web Designer

Email 1 :  AlanSmith@acme.exoplatform.com

Phone : 0256466757

Mobile : 0985437573

Website : <http://exoplatform.com>

##### Christina Kelly



Marketer

Email 1 :  ChristinaKelly@acme.exoplatform.com

Phone : 0284757333


Mobile : 0248768433

Website : <http://exoplatform.com>

##### Fernando Felipe



Web Developer

Email 1 :  FernandoFelipe@acme.exoplatform.com

Phone : 0434567654

Mobile : 0345678654

Website : <http://exoplatform.com>

Print

Close

2. Click **Print** to print information of your selected contacts.

## Print an Address Book


This function allows you to print the summary information of contacts in form of visit cards. You can also print all contacts in an address book at the same time.


### *Print an address book*


1. Right-click the address book which you want to print, and select **Print** from the drop-down menu.


The **Print Preview** page will appear.


**VCards**





**Alan Smith**  
Web Designer  
Email 1 :  AlanSmith@acme.exoplatform.com  
Phone : 0256456757  
Website : http://exoplatform.com





**Christina Kelly**  
Maketer  
Email 1 :  ChristinaKelly@acme.exoplatform.com  
Phone : 0284757333  
Mobile : 9248768433  
Website : http://exoplatform.com





**Fernando Felipe**  
Web Developer  
Email 1 :  FernandoFelipe@acme.exoplatform.com  
Phone : 0434567654  
Mobile : 0345678654  
Website : http://exoplatform.com




**Jack Miller**  
Human Resource manage  
Email 1 :  JackMiller@acme.exoplatform.com



**John Smith**  
System Administrator  
Email 1 :  john.smith@acme.exoplatform.com  
Phone : 0437586762  
Mobile : 02883458532  
Website : http://exoplatform.com



**Linda Maxwell**  
Manager Assistant  
Email 1 :  LindaMaxwell@acme.exoplatform.com  
Phone : 0274368526  
Mobile : 0938458734  
Website : http://exoplatform.com

Print

Close

2. Click **Print** to start printing.

## Share contacts

This function allows you to share contacts with other users or groups. The shared users/groups may have **View** or **Edit** permissions on the shared contacts.

- The **View** permission allows users to view, copy, export, print, delete but cannot move your shared contacts. The shared users cannot make changes on the information of the shared contacts or move your shared contacts if they have view permission only.
- The **Edit** permission allows users to view, copy, export, print, move, delete and edit the shared contacts. If you have the **Edit** permission on the shared contacts, you can share them with another users.

### Note

The shared users can move or delete the shared contact only from their address books. It means that the shared contact still exists in the **Shared** address book of another shared

users and of the creator/author. The shared contact will be permanently deleted in the **Shared** address books of the shared users or cannot be shared with other users if it is removed by the creator/author.

### **Share contacts with other users**

1. Right-click the contact you want to share and click **Share** from the drop-down menu or drag and drop this contact to the **Shared** address book in the **Address Books** pane.

The **Share a contact with other users** form will appear.

Shared To	Edit Permission	Actions
james	No	
/sandbox	No	
/spaces /exo_doc_team	No	

Contact: Fernando Felipe

User:

Group:

Edit Permission: ☐

2. Select users or groups that you want to share.

i.

Click



to open the **User Selector** form;

User Selector

Group:


Username

<input type="checkbox"/>	Username	First Name	Last Name	Email
<input checked="" type="checkbox"/>	demo	Jack	Miller	jack.miller@acme.exo
<input checked="" type="checkbox"/>	james	James	Davis	james.davis@acme.ex
<input checked="" type="checkbox"/>	john	John	Smith	john.smith@acme.exo
<input type="checkbox"/>	mary	Mary	Williams	mary.williams@acme.€
<input type="checkbox"/>	root	Root	Root	root@localhost


Add

Close

In this form, tick the checkboxes corresponding to your desired users, then click **Add**. Also, you can use the **Search** function to look for your users quickly.

ii. Or, click  to open the **Group Selector** form.

Group Selector



Select Group

↑...

Customers

Organization

Partners

Platform

Select Child Group

In this form, select the group in the left pane, and its child group in the right pane.



3. Tick the **Edit Permission** checkbox if you want to grant the edit permission to your selected users or groups.

The shared users/groups will be updated in the Shared Users/Groups table of the [Share a contact with other users](#) form.

- Click



if you want to change the **Edit** permission of specific users/groups. Click



to remove the shared users/groups.

4. Click **Save** to accept your sharing.

## Search for contacts

This function allows you to find contacts easily and quickly via two search modes: [Quick search](#) and [Advanced search](#).

### Quick search

This function allows you to do a quick search with specific keywords in all your contacts. All contacts having the text matching with your search term will be displayed in the **Search Result** dialog.

#### *Do a quick search for contacts*

1. Enter your search term in the **Search** textbox in the left pane.

- 2.

Click



to perform your search.

Your search results will be displayed in the right **Search Result** pane.

### Advanced search


With this mode, you can refine your search by using a variety of criteria. Your search results will be limited as follows:

- 1.

Click



next to the search box. The **Advanced Search** form will appear.

The image shows a dialog box titled "Advanced Search". It contains several input fields for search criteria: "Text", "Full Name", "First Name", "Last Name", "Nick Name", "Job Title", "Email", and "Gender". The "Gender" field is a dropdown menu. At the bottom right of the dialog box are two buttons: "Search" and "Cancel".

**Advanced Search**

Text

Full Name

First Name

Last Name

Nick Name

Job Title

Email

Gender

2. Define your search criteria. You can set the search criteria by: Text, Full Name, First Name, Last Name, Nick Name, Job Title, Email and Gender.

3. Click the **Search** button to search. All contacts matching your criteria will be shown in the **Search Result** dialog.

## Manage Address Books

By default, there are 3 Address Book categories:


- **Personal** contains contacts/address books which are created by yourself. Each group may contain more than one contact.
- **My Contacts** is the default group which contains your own default contact generated from your registration information.
- **Collected Addresses** contains all contacts with information updated automatically when you send any message to a new email address from the Mail, Address Book and Calendar applications. That is, when you send an email to a new address, this address will be automatically added to **Collected Addresses**.
- **Shared** contains contacts/address books which have been shared with you by another users. You can view and update the shared contacts if you are granted the **Edit** permission.
- **Public Groups** contains address books of groups to which you belong. Each group contains all default contacts of group members that can be viewed only.

## Create an address book

1. Open the **Add/Edit Address Book** form via one of the following ways.

**The first way**

Click




on the **Toolbar**.

**The second way**

Click



in the **Address Book** pane, and select **Add** from the drop-down menu.



2. Type name and description for your new address book in the **Name** and **Description** fields respectively in the **Add/Edit Address Book** form.

A screenshot of the 'Add/Edit Address Book' dialog box. It has a title bar 'Add/Edit Address Book' and a close button. Inside, there are two fields: 'Name' with the value 'PLF Team' and a required field asterisk, and 'Description' with the value 'Contacts of PLF members.' Below the fields are 'Save' and 'Cancel' buttons.

3. Click **Save** to accept adding your address book.

You can also create a new address book from **Mail**. For more information, see the [Add a new address book](#) section in **Mail**.

## Edit an address book

1. Right-click an existing address book, and select **Edit** from the drop-down menu.
2. Make changes on information of your address book in the [Add/Edit Address Book form](#).
3. Click **Save** to accept your changes.

### Note

You can only edit a Personal or Shared address book that you have the **Edit** permission.  
You cannot edit a Group address book.

## Remove an address book

1. Right-click an existing address book, and then select **Delete** from the drop-down menu.
2. Click **OK** in the confirmation message to accept deleting the address book.

### Note

You cannot delete your default and group address book.

## Export an address book

1. Open the **Export Address Books** form via one of the following ways.

### The first way

Click



in the **Toolbar**.

### The second way

Click



in the **Address Books** pane, and select **Export** from the drop-down menu.

The **Export Address Books** form will appear with a list of all existing address books.

2. Tick checkboxes corresponding to address books that you want to export. If you want to select all the address books, tick the checkbox next to **Name**.
3. Enter the file name in the **Name** field, and select the export format from the **Export Format** form. At present, only **x-vcard** is supported.

4. Click **Export All** to start exporting all the address books or click **Export Selected Only** to export your selected ones only.

## Import an address book

Once you export your address books, you retrieve them easily at any time. Others can also import your address book to store in their address book. The process to import address books is simple as exporting address books.

1. Open the **Import Address Books** form via one of the following ways.

### The first way

Click the **Import** button in the **Toolbar**.

### The second way

Click



in the **Address Books** pane and select **Import** from the drop-down menu.

The **Import Address Books** form will be displayed.

The screenshot shows a dialog box titled "Import Address Books". Inside, there are three main sections: "Address Book" with a dropdown menu currently set to "My Contacts" and a blue plus icon to its right; "Import Format" with a dropdown menu set to "x-vcard"; and "Upload Files" with a text input field and a "Browse..." button. At the bottom of the dialog are two buttons: "Save" and "Cancel".

2. Select the address book which stores your imported address book contact from the **Address Book** drop-down menu;

Or,

click



to [create a new address book](#).

3. Select the import format. At present, only **x-card** is supported.


4. Click **Browse...** to open the **File Upload** form.

5. Select the address book file to import from your device, then click **Open** to upload your selected file.

6. Click **Save** to finish. You will see a notification of your successful import on the top right corner.

## Share a personal address book





This feature allows you to share personal address books with specific users or groups. The shared users/groups can view, export, add, edit or delete a shared address book (if they have the **Edit** permission). The shared address book is distinguished from other address books by a hand symbol.



1. Right-click the address book you want to share, and select **Share** from the drop-down menu.

The **Share an Address Book with other users** form will appear.

Share an Address Book with other users

Shared To	Edit Permission	Actions
james	No	 
/platform/guests	No	 

Address Book

My Contacts

User

Group

Edit Permission ☐

Save

Close

2. Select users or groups that you want to share. For more details, see [here](#).

- The shared users/groups will be updated in the Shared Users/Groups table of the [Share an Address Book with other users](#) form.

- Click



to change the **Edit** permission or



to remove specific users/groups from the Share Users/Groups table.

3. Tick the **Edit Permission** checkbox if you want to grant the **Edit** permission to your selected users/groups.

4. Click **Save** to finish.

## Grant permissions on a public address book

You can grant the **Read/Manage** permission on your managed public address books to specific users, groups or memberships.

- A user with the **Read** permission can see the address book.
- A user with the **Manage** permission can view/edit/rename and manage permissions on the address book.





By default, any member of a group has the **Read** permission and the group manager has the **Manage** permission.

### *Grant a permission on a public address book*

1. Right-click your managed public address book, and select **Permission** from the drop-down menu.

The **Permissions** form appears.

Permissions

Shared to	Can manage?	Actions
/platform/administrators	No	 
/platform /administrators:*.manager	Yes	 

Address book administrators

User

Group

/platform/administrators

Can manage?

☐

Save

Close

2. Select certain users or groups you want to grant permissions. For more details, see [here](#).
3. Tick the **Can manage?** checkbox if you want to grant the **Manage** permission to your selected users/group.

## Email your contacts

### Note

The **Mail** portlet and its services are deprecated. It remains fully supported for eXo customers, however it will not receive any enhancement and will be removed from the product scope in the future.

## Create a Mail account

To get mails from other mail services, you first need to create a mail account in the **Mail** application which connects to another mail POP3 or SMTP supported servers, such as Gmail, Yahoo! Mail, Hotmail, GMX, Cyrus, Exchange Server. The **Mail** application allows you to get mails from different mail services at one place.



to create a new mail account.

then select **Add Account** from the drop-down menu to open the **Create New Account** form. In the **Create New Account** form, there are 5 steps with clear instructions at each step. After completing information at each step, you can:

- Click **Next** to go to the next step, or directly left-click any number box at the left bottom of the **Create New Account** form to go to your desired step.

Steps: 1 2 3 4 5

- Click **Back** to return to the previous step to edit your input.

### Note

The asterisk (\*) next to each field means that it is required to fill in this field.

1. Fill your account name and brief description in Step 1.



**Create New Account**

**Step 1: Account Name & Description**

- Enter a name to identify this account. For example, "Marry at work".
- Give a short description about the account. For example, "Emails at work".

Account Name

JohnSmith \*

Description

Email at work

Steps: **1** 2 3 4 5

Next Cancel

2. Configure identification settings for your mail in Step 2.

**Create New Account**

**Step 2: Mail Identity Settings**

- The mail identity is the display name and the email address used in your emails. Each mail account has an identity which is displayed to the recipients of your emails.

Your Display Name

eXo John Smith

\*

Email Address

JohnSmith@gmail.com

\*

Reply-to Address

JohnSmith@gmail.com

Signature

John Smith  
Java Developer

Steps:

1

2

3

4

5

Back

Next

Cancel

**Details:**

Field	Description
<b>Your Display Name</b>	The name to be displayed when you use the account. This name will be displayed with your email address when you compose a new message.
<b>Email Address</b>	The email address corresponding to your created account. It must be in a valid format.
<b>Reply-to Address</b>	The email address which receives all replies.
<b>Signature</b>	The identification text which is automatically inserted at the bottom of your sending messages.

3. Give the server information in Step 3.

**Create New Account**

**Step 3: Server Information**

- Select the type of the mail service that you are using.
- Enter the incoming and outgoing mail servers, for example, mail.yourcompany.com.
- If in doubt, contact your system administrator.

Service type:

Incoming Mail Server:  \*

Use Incoming SSL: ☒

Outgoing Mail Server:  \*

Use Outgoing SSL: ☒

Steps: **1** 2 3 4 5

Back Next Cancel

**Details:**

Field	Description
<b>Server type</b>	<p>Type of the mail server. Select either of two types supported by your mail server:</p> <p>* POP3 (Post Office Protocol - Version 3) which is a protocol to get emails from a remote server. This type is selected by default.</p> <p>* IMAP (Internet Message Access Protocol) which retrieves emails from a remote server over a TCP/IP connection.</p>
<b>Incoming Mail Server &amp; Outgoing Mail Server</b>	<p>The Incoming Mail Server (POP3) and Outgoing Mail Server (SMTP) of your current email provider. Each email provider has different Incoming Mail Server and Outgoing Mail Server settings. By default, the value of this field is "pop.gmail.com" and "smtp.gmail.com" which are the settings for Gmail. For settings of other mail servers, you can find the information on their websites. See <a href="#">More about Incoming &amp; Outgoing mail server settings</a> for more information.</p>

Field	Description
<b>Use Incoming SSL</b>	This option allows using SSL (Secure Sockets Layer) or not. SSL is a cryptographic protocol which provides secure communication on Internet, such as web browsing, email, Internet faxing. The Incoming SSL allows using SSL to check incoming emails.
<b>Use Outgoing SSL</b>	This option is to use SSL to send mail in the <b>Mail</b> application.

4. Configure another account properties in Step 4.

Create New Account

Step 4: User Name & Password

- Enter your username and password to connect to the mail server. For example, "mary@gmail.com" and "password".

Username

eXo\_John@exoplatform.com

\*

Password

...

\*

Save Password

☒

Do not download all messages (IMAP only).

☒

Limit to Messages Arrived Since

11/01/2011 15:43:06

Steps:

12345

BackNextCancel

Details:

Field	Description
<b>Username</b>	The email address which is used in the <b>Mail</b> application.
<b>Password</b>	The password of your email address. It will be used to get your messages of the email address entered in the <b>Username</b> field.
<b>Save Password</b>	Tick the checkbox to avoid entering your password again for each mail check.

Field	Description
<b>Do not download all messages (IMAP only)</b>	Check this option if you do not want to download all messages.
<b>Limit to Messages Arrived Since</b>	Select the time to limit the downloaded messages from the drop-down calendar.

5. Verify your inputted information in Step 5.

Create New Account

Step 5: Verify Information

- Please verify that the information below is correct before completing the setup and exiting the Account Wizard.

Account Name JohnSmith

Your Display Name eXo John Smith

Email Address JohnSmith@gmail.com

Incoming Mail Server imap.gmail.com

Service type imap

Fetch New Messages From Inbox

Start Downloading Messages Now ☐

Steps: 1 2 3 4 5

Back Finish Cancel

- Tick the **Start Downloading Messages Now** checkbox to get messages automatically right after your account is successfully created.

6. Click the **Finish** button to complete your registration.

## Edit your account details


To make changes on your account, simply click



on the left pane and select **Edit Account** from the drop-down menu;


Or,

select



on the **Toolbar**.

The **Edit Account** form will appear, allowing you to change information in the **Identity**, **Incoming**, **Outgoing** and **Fetch Options** tabs.

The "Edit Account" dialog box is shown. On the left is a list of accounts with "JohnSmith" selected. On the right are four tabs: "Identity", "Incoming", "Outgoing", and "Fetch Options". The "Identity" tab is active, showing fields for "Account Name", "Your Name", "Your Email Address", "Reply-to Address", and "Mail Signature". Each field has a text input and a required field asterisk. The "Mail Signature" field has a text area. At the bottom are "Save" and "Cancel" buttons.

Accounts	
✓	JohnSmith

	Identity	Incoming	Outgoing	Fetch Options
Account Name	JohnSmith *			
Your Name	eXo John Smith *			
Your Email Address	JohnSmith@gmail.com *			
Reply-to Address	JohnSmith@gmail.com			
Mail Signature	John Smith Java Developer			


Save Cancel

### Delete your account

If you use multiple accounts, you can delete any unused mail accounts via either of the following ways:

#### The first way

1. Select the account from the accounts list in the left pane.




2.

Click



on the left pane and select **Delete Account** from the drop-down menu.



3.

Click



corresponding to the account, then click **OK** in the confirmation message to accept your deletion.

### The second way

1. Open the **Edit Account** form as stated in [Edit your account details](#).

2. Select the account you want to delete in the left pane. Your currently selected account is marked with



3.

Click



to delete your marked account.

### More about Incoming & Outgoing mail server settings

The following reference introduces some common Incoming and Outgoing Mail Server settings. Provided that you are aware of the server type and name, you can start creating your mail accounts quickly. If you do not see your mail service in this list, find these settings on the mail provider websites. Remember that the **Mail** application only supports POP3 and SMTP mail servers.

#### Yahoo! Mail settings

- Yahoo Incoming Mail Server (POP3): pop.mail.yahoo.com (port 110)
- Yahoo Outgoing Mail Server (SMTP): smtp.mail.yahoo.com (port 25)
- Gmail (Google Mail) settings
- Gmail Incoming Mail Server (POP3): pop.gmail.com (port 995)
- Gmail Outgoing Mail Server (SMTP): smtp.gmail.com (port 465)

#### Hotmail settings

- Hotmail Incoming Mail Server (POP3): pop3.live.com (port 995)
- Hotmail Outgoing Mail Server (SMTP): smtp.live.com (port 25)

#### MSN Mail settings

- MSN Incoming Mail Server (POP3): pop3.email.msn.com (port 110)
- MSN Outgoing Mail Server (SMTP): smtp.email.msn.com

#### AOL Mail settings

- AOL Incoming Mail Server (IMAP) - imap.aol.com (port 143)
- AOL Outgoing Mail Server - smtp.aol.com

### Get mails


This function is used to receive messages from the remote mail servers and forward them via SMTP, so it can be read in Mail. It supports any mail servers with POP3, IMAP, SMTP, such as Gmail, Hotmail, Yahoo! Mail, GMX, MS Exchange.

1. Click the folder you want to check for new mails. If no folder is selected, the default folder will be **Inbox**.




2.

Click




on the **Toolbar**. The status notification with '**Fetching email messages...**' shows that emails are being loaded. All arrived mails are shown in the messages pane. Click **Refresh** if you want to refresh the fetching mails.



## Mail views

This function offers three options for viewing messages in your mailbox. Messages are displayed by date, where receipt hours are for today mails and dates are for mails received in previous days. You simply toggle between 3 views by clicking **View as** and selecting either of the views. The selected view is marked with



## List view

In this view mode, all messages are arranged as a list.

More Actions View as Filter					Messages 1 to 20	
☆		[JIRA] (DOC-1060) Update all screenshots for Collaboration of PLF	Tran Tra Giang (JIRA)	Monday		8.54
☆		Re: [exo-qa-vn] Re: [exo-plf] Re: [exo-qa] TC PLF-3.5CR01 Status	Hanh Thi Thu Ly	Monday		20.6
☆		[exo-plf] [eXo Platform 3.0] New activity in calendar [eXo Forums]	simone pesavento	Monday		4.89
☆		Re: [exo-qa-vn] Re: [exo-qa] TC EPPSP5.2 Status	Chau Nam Tran	Monday		19.1
☆		[exo-plf] Some help needed on 2 Platform issues	Philippe Aristote	Monday		7.78
☆		[exo-plf] [eXo Platform 3.0] Space menu labels [eXo Forums]	simone pesavento	Monday		4.90
☆		[exo-vn] [exo-employees] Re: CF Sprint #54	Anatoliy Bazko	Monday		5.25
☆		[JIRA] (DOC-1079) Update KS - Answer User Guide 2.2.x	Vu Duy Tu (JIRA)	Monday		8.44
☆		[JIRA] (DOC-1079) Update KS - Answer User Guide 2.2.x	Vu Duy Tu (JIRA)	Monday		10.7
☆		[JIRA] (DOC-1079) Update KS - Answer User Guide 2.2.x	Vu Duy Tu (JIRA)	Monday		10.7

Thread view

Messages are arranged as a tree structure. All replies are shown as sub-nodes. When you click one message, its content is displayed in the message details pane with block quotes containing contents of the parent messages.

☆	1	Platform daily report 28-11-2011 (giang.tran@exoplatform.com)	Philippe Aristote (Google Docs)	Monday		3.8
☆	1	[exo-vn] [exo-employees] CF Sprint #53 retrospective	Anatoliy Bazko	Monday		5.2
☆	9	[exo-vn] Mr Pham Tuan takes new role	Dieu Thi Phuong Nguyen	Monday		4.8
☆		Re: [exo-vn] Mr Pham Tuan takes new role	Nghi Van Nguyen	Monday		5.3
☆		Re: [exo-vn] Mr Pham Tuan takes new role	Linh The Vu	Monday		6.3
☆		Re: [exo-vn] Mr Pham Tuan takes new role	Nhung Thi Vu	Monday		7.3
☆		Re: [exo-vn] Mr Pham Tuan takes new role	Hanh Thi Thu Ly	Monday		7.9
☆		Re: [exo-vn] Mr Pham Tuan takes new role	Tuan Pham	Monday		9.6
☆		Re: [exo-vn] Mr Pham Tuan takes new role	Tung Thanh Do	Monday		11.1

subject: Re: [exo-vn] Mr Pham Tuan takes new role

Details pane

Nghi Van Nguyen <nghinva@exoplatform.com> To: Tuan Pham

Congrats! :D

On Mon, Nov 28, 2011 at 10:14 AM, Dieu Thi Phuong Nguyen <dieuntp@exoplatform.com> wrote:  
Dear all  
We would like to inform you that Mr Pham Tuan will be challenged at role of MB Team Leader.  
So, Mr. Tuan will be Team Leader of MB team and CT team.

Conversation view

When this view mode is selected, only the subject of parent message and the number of replies in the conversation are displayed in the messages list pane. When being opened, all messages are shown in the message details pane with separate reading pane which can be expanded by left-clicking the relevant reading pane.

☆	2	[exo-vn] HaVTT's birthday invitation letter	Ha Thi Thu Vu	Monday	4.7
☆	6	[JIRA] (ECMS-3113) Feedbacks from Doc team	hoa vu (JIRA)	Monday	10
☆	1	Platform daily report 28-11-2011 (giang.tran@exoplatfrom.com)	Philippe Aristote (Google Docs)	Monday	3.8
☆	1	[exo-vn] [exo-employees] CF Sprint #53 retrospecitve	Anatoliy Bazko	Monday	5.7
☆	9	[exo-vn] Mr Pham Tuan takes new role	Dieu Thi Phuong Nguyen	Monday	4.8
☆	8	[exo-vn] Mr Vu Cong Thanh is challenged at SC Team Leader	Dieu Thi Phuong Nguyen	Monday	4.9
☆	1	[JIRA] (DOC-998) Review DOC-963 - document the installation of c	hoa vu (JIRA)	Monday	6.9
☆	1	[exo-vn] Fwd: Technical workshop:JCR usage and best practice at n	Long Viet NGUYEN	Monday	8.6
☆	2	[exo-plf] platform-trunk-pkg - Build # 790 - Failure !!!	ci@exoplatfrom.com	Saturday, 26	44

subject: [exo-vn] Mr Pham Tuan takes new role

Reading pane

☆ Dieu Thi Phuong Nguyen <dieuntp@exoplatfrom.com> Dear allWe would like to inform you that Mr Pham Tuan will be challenged at role of MB T

☆ Nghi Van Nguyen <ngihin@exoplatfrom.com> To: Tuan Pham

▼ Show Details Monday

Congrats! :D

On Mon, Nov 28, 2011 at 10:14 AM, Dieu Thi Phuong Nguyen <dieuntp@exoplatfrom.com> wrote:

Dear all

## Read an email

If you want to read an email, simply click your preferred mail in the mails list and scroll down to read your selected email in the details pane.

☆	Re: [exo-qa-vn] Re: [exo-plf] Re: [exo-qa] TC PLF-3.5CR01 Status	Hanh Thi Thu Ly	Monday	20.6
☆	[exo-plf] [eXo Platform 3.0] New activity in calendar [eXo Forums]	simone pesavento	Monday	4.89
☆	Re: [exo-qa-vn] Re: [exo-qa] TC EPPSP5.2 Status	Chau Nam Tran	Monday	19.1

Details pane

Subject: Re: [exo-vn] HaVTT's birthday invitation letter

Click to show details

☆ Tung Thanh Do <tungdt@exoplatform.com> To: Ha Thi Thu Vu

▼ Show Details Monday

Happy birthday to Ha!  
Best wishes for you !

On Mon, Nov 28, 2011 at 3:09 PM, Ha Thi Thu Vu <havtt@exoplatform.com> wrote:  
Dear all,

Today is my birthday. I would like to say thank you very much for all your kindness & best wishes to me.  
I bought a cute birthday cake & some of little orange gateaux. Please come to **tea-break room at 7th floor**, enjoy cakes, share the gladness.

Thank you very much,  
Kind regards,  
HaVTT

Thanh Tung Do  
Software engineer - eXo Platform SEA.  
Add: Floor 7&8 - Thai Ha Building, 18/11 Thai Ha Str., Hanoi  
Email: [tungdt@exoplatform.com](mailto:tungdt@exoplatform.com)  
Company website: [www.exoplatform.org](http://www.exoplatform.org)

Reply Reply to All Forward


Reply to Sender  
 Forward  
 Filter messages  
 Print  
 Delete  
 Tag  
 Move to Folder  
 Add to Contacts  
 Export (\*.eml)  
 View All Headers

When you read an email, you can perform many actions, including:

- [Download an attached file](#)
- [View all headers of a messages](#)
- [Mark a message as read \[394\], or unread \[395\]](#)
- [Star a message \[395\]](#)
- [Report a message as spam](#)
- [Delete a message](#)

### Download an attached file

If your received mail contains any attached file, you can see their details, such as file name, type and size right in the **Attachments** pane of the currently opened message.



Click




to download an attachment to your local system. If the uploaded file is image, you can also click



to preview the image without downloading.

## Download and save attachments to server

1. Open the mail with attachments.
2. Click **Save to server** to open the **Save attachment** form.



3. Change name of the downloaded file in the **Save file to the server** field if needed.

4. Select a drive category from the **Select Drives** drop-down menu. The number of shown drive categories depends on your role.

5. Select one drive from the drives list to open a list of folders.

6. Select one folder which stores your downloaded file from the folders list;

- Click



to create a new folder in your selected drive.

### Note

Your selected location is shown in the breadcrumb.

7. Click **Save** to finish downloading the attachment to the server.

## View all headers of a message

The header's information is displayed by default, including email addresses of the sender and receivers and the mail subject. If you want to view full headers of a mail, do as follows:

1. Open the message which you want to view its full headers.

2.

Click



at the right corner of message's content and select **View All Headers** from the drop-down menu. All message headers are then appeared in the pop-up window.

## Mark/Unmark a message as read

In the **Mail** application, the unread mails will be recognized in the bold format in the mails list pane, meanwhile the read mails will be unbold.

### *Mark a message as read*

#### The first way

1. Select checkboxes corresponding to messages you want to mark as read.

2. Click **More Actions** and select **Mark as Read** from the drop-down menu.

#### The second way

### Note

This way is used to mark all unread messages in a specific folder.

1. Right-click the folder which contains messages you want to mark as read.

2. Select **Mark all as read** from the drop-down menu.

After being marked as read, all unread messages inside the folder will be marked as read.

### ***Mark as unread***

1. Select the messages you want to mark as unread.
2. Click **More Actions** and select **Mark as Unread** from the drop-down menu.

## **Star/Unstar a message**

### ***Star a message***

#### **The first way**

Tick the checkboxes corresponding to messages you want to star, then click **More Actions** on the action bar and select **Star** from the drop-down menu.

#### **The second way**

In the messages list pane, click



next to the message you want to add a star.

After being marked, the selected messages will be appended with



so that you can recognize them quickly.

### ***Unstar a message***

Simply select **Unstar** from the **More Actions** drop-down menu on the action bar; or click



next to the message.

## **Move a message to other folders**

#### **The first way**

1. Open the **Move Message** form via one of the following ways.

#### **The first way**

Right-click the message you want to move to another folder in the messages list pane, and select **Move to Folder** from the drop-down menu;


The second way

Tick the checkbox corresponding to the message you want to move, then click **More Actions** on the action bar and select **Move** from the drop-down menu.

2. Tick




next to the **Move To Folder** field to select your desired destination folder from the drop-down menu.



3. Click **Save** to move messages to your selected folder.

The second way

In the mails list pane, tick the message you want to move, then drag and drop it into your desired destination folder in the left pane.





## Report a message as spam

### The first way

Simply tick the checkbox corresponding to the message you want to report as spam, then click



on the action bar.

### The second way

Drag the message in the right mails list pane and drop it into the **Spam** folder in the left pane.

- The selected email will be moved to the **Spam** folder. Go into the **Spam** folder to verify that the selected message has been moved to it.
- Once a message is marked as spam, all messages from the *spam* sender will be automatically moved to the **Spam** folder.

### Unspam a message

1. Go to the **Spam** folder, then tick the checkbox corresponding to the relevant message.

2. Click



on the action bar.

The *spam* message will be removed from the **Spam** folder. All messages from this sender will be received normally.

## Delete a message

### Delete a message temporarily

#### The first way

Right-click the message, then select **Delete** from the drop-down menu.

#### The second way

Tick the checkbox corresponding to the message you want to delete, then select



on the action bar.

### The third way

Drag the message in the mails list pane and drop it into the **Trash** folder in the left pane.

- All temporarily deleted messages will be in the **Trash** folder.

### Delete a message permanently

#### Note

All messages which have been deleted permanently cannot be restored any longer. To delete a message permanently, the message should first be in the **Trash** folder. It means that the message should *have been deleted* [397] temporarily.

1. Select the **Trash** folder in the left pane to see all messages in this folder.
2. Right-click the relevant message, then select **Delete** from the drop-down menu;

Or, tick the checkbox corresponding to the relevant message, and click



on the action bar.

### Undelete a message

#### Note

This function is only for messages which have been TEMPORARILY deleted.

### The first way


1. Select the **Trash** folder in the left pane to see the list of temporarily deleted messages in the right mails list pane.
2. Tick the checkbox corresponding to the message you want to undelete.
3. Drag and drop the message into another folder.

### The second way

Open the **Trash** folder, then use the *Move* function to remove the message from the **Trash** folder.

## Compose a new message






1. Click



on the **Toolbar** to open the **Compose New Message** form.

Format [dropdown] Font [dropdown]

rs,

- end |  Save in Drafts |  Discard |  Attach a local file |  Priority ▾ |  Editor ▾

- ## Note

Use the **CC** (carbon copy) box for the addresses of people you want to send a copy of the message to other recipients. Everyone who receives your message can also see the


addresses in the CC box. If someone responds to your message using "Reply to all", the carbon-copied recipients also receive the message.

**BCC** (blind carbon copy) mails are private to the sender and the BCC recipients. Use BCC when you want to send the message to undisclosed recipients. It means you send the message to people and they do not know about other recipients. Addresses listed in the BBC box will not receive replies sent to this message.

4. Enter a few words into the **Subject** box to give the general topic to receivers.
5. Enter your message in the text-input field. You can use this toolbar to format the message text.




Click



on the Mail toolbar to switch between **Rich Text** and **Plain Text** editors. If **Rich Text** is selected, the message text can be composed with format tools, meanwhile **Plain Text** only allows you to compose a message with the simple text format.

6. Click



to send your message. Click



to discard composing your new message.


### Note

Sent mails will be saved in the **Sent** folder. In case emails of recipients do not exist in your Address Book, they will be added automatically to the **Collected Address** in the **Contact** application.

### Select more email addresses in the "To" field

#### The first way

Type more email addresses by separating them with commas.



If your typed address matches one or more addresses in your Address Book, the list of matching addresses will appear and you can click one address to select.

The screenshot shows an email composition window. The 'To' field has a dropdown menu open, displaying three matching addresses: Fernando Felipe <fernando-felippe@gmail.com>, Francis Feye <francis-feye@hotmail.com>, and Franco Jose <franco.jose@gmail.com>. The 'Subject' field is empty.

### The second way

Select one or more contacts from your Address Book.

1. Click the **To** button.

The screenshot shows an email composition window. The 'From' field is filled with 'John <ng.huutuananh87@gmail.com>'. The 'To' button is highlighted with a mouse cursor. Below the 'To' button, the 'CC | BCC' buttons are visible.

The **Contacts** window listing all of your contacts will appear.

The screenshot shows the 'Contacts' window. It has a search bar, a 'Send To All' checkbox, and an 'Address Book' dropdown menu set to 'My Contacts'. Below this is a table of contacts with checkboxes for selection.

<input type="checkbox"/>	Name	Email
<input type="checkbox"/>	John Smith	john.smith@acme.exoplatform.com
<input type="checkbox"/>	Mary Williams	MaryWilliams@gmail.com
<input type="checkbox"/>	Christina Kelly	Christina@exoplatform.com
<input type="checkbox"/>	David Klein	David@exoplatform.com


At the bottom right, it says 'Total pages: 1' with navigation buttons. At the bottom center, there are 'Add', 'Replace', and 'Close' buttons.

2. Tick the checkboxes corresponding to the contacts who will receive your message.

Also, you can

- Search for email addresses in a specific address book as follows:

- i. Type the contact name in the search box.
- ii. Define the address book where you want to search for your entered contact name to limit the search results in the **Address Book** select-box.



- iii. Click



to perform your search.

- Tick the **Send To All** checkbox if you want to send the email to the contacts defined in the **Address Book** select-box.


3. Click **Add** to add your selected email addresses to the **To** box, or **Replace** to replace the current email addresses in the **To** field with your newly selected ones.

See also

- [Attach a file to a message](#)
- [Change the message signature](#)
- [Save a message as draft](#)
- [Set a priority level](#)
- [Change message preferences](#)

### Attach a file to a message

1. Click



in the **Compose New Message** form to open the **Attach Files** window.

2. Click **Browse...** to open the **File Upload** form.
3. Browse the file from your device, then click **Open** to upload your selected file.

- Open more **Attach File** fields by simply clicking

[\[Add More\]](#)

4. Click **Save** to accept your attachments and go back to the **Compose New Message** form.

You will see your uploaded files in the **Attachments** area of the **Compose New Message** window.



- Click



to download or see if your uploaded file is correct or not without browsing the file on your device.

- Click



next to the attached file to remove it from your message.


## Attach a server file

This function is only featured in eXo Platform 3.5, allowing you to browse and attach one file from your server as follows.

1. Click



next to the **Attach a Local File** in the **Compose New Message** form, then select **Attach a Server File** from the drop-down menu.



2. Follow steps 4, 5, and 6 as stated in the [Download and save attachments to server](#) section.
3. Click the server file from the files list of your selected folder.

- Click




if you want to upload a file from your device.

4. Click **Attach** to upload your selected source file into the message;

Or, click **Attach Link** to get the link pointing to the selected source file that is shown in your message body. The **Attach Link** function allows your mail recipients to download the attached source file just clicking the relevant link.

### Save a message as draft

If you are not ready to send your composed message, click



to save it as draft. Your draft message will be in the **Drafts** folder for you to send anywhen you like.




## Set a priority level

The priority levels set to a message allow recipients to define if one received message is at a high, or normal, or low importance level. It means that when a message is set at the high priority level, its receivers need to read as soon as possible.

This useful tool can be done with a few clicks when you are composing a new message.

### ***Set a priority level for your composed message***

1. Click



in the **Compose New Message** form.

2. Select your preferred priority from the drop-down menu.

- **Low:** The exclamation icon corresponding to the mail is marked in grey in the



column.

- **Normal:** There is no the exclamation icon. By default, the message is sent with the **Normal** priority.
- **High:** The exclamation icon is marked in red.


## Change the message signature

A message signature is an identification text which is automatically inserted at the bottom of your sending messages. You can change this signature by [editing your account details](#).

## Change message preferences

At present, this function only allows you to receive a notification message that the recipient has already read your message or not.

1. Click



in the **Composse New Message** form.

2. Select the **Return Receipt** option from the drop-down menu. However, seeing the notification message or not also depends on the [Return Receipts](#) configuration of the receiver in the [Change Mail settings](#) section.

## Reply to a message

### *Reply to the sender only*

1. Open the **Reply** form via either of 3 ways:

#### The first way

Tick the checkbox corresponding to the message you want to reply in the mails list pane, then click



on the action bar.

#### The second way

Right-click the message you want to reply and select **Reply** from the drop-down menu.

#### The third way

Click the message that you want to reply to display its content, then select




at the upper right corner of the message content.

2. Compose the content in the [Compose New Message](#) window.

3.

Click



to send your reply.

### *Reply to all recipients of the message*


1. Tick the checkbox corresponding to the message you want to reply, then click



on the **Action bar**;

Or right-click the message, then select **Reply to All** from the drop-down menu.

2. Compose your reply message in the [Compose New Message](#) window, then click



to send your reply.



## Print a message

This function helps you take a hard copy of the message, provided that your device is connected to a printer, either directly or through a network connection.

### The first way

Right-click the message which you want to print and click **Print** from the drop-down menu.

### The second way

Tick the checkbox corresponding to the message, then click



on the action bar.

### The third way

Open the message, then click



at the upper right corner of the message content and select **Print** from the drop-down menu.

You will be directed to the **Print Preview** page. Here, click **Print** to start printing.

## Export a message

This function allows you to back up your messages, then import them into your another accounts. Messages are exported in the \*.eml file.

1. Open the **Export Message** form via either of 3 ways.

i. Right-click the message that you want to export, then select **Export** from the drop-down menu;


ii. Or, tick the checkbox corresponding to the message, then click **More Actions** on the action bar and select **Export** from the drop-down menu;

iii. Open the message, then click



at the upper right corner of the message content and select **Export (\*.eml)** from the drop-down menu.

The **Export Message** form will appear.



The **Export Message** dialog box has a title bar with a close button. It contains two fields: **File Name** with the text "[eXo Platform 3.0] Taxonomy System [eXo Forum]" and **Export Format** with a dropdown menu showing "\*.eml". At the bottom are **Export** and **Cancel** buttons.

2. Change the file name in the **File Name** field if needed, and select the export format. At present, only the \*.eml format is supported.


3. Click the **Export** button to accept exporting your selected file.

## Import a message

The function is used to import a message from your device to your selected folder in **Mail**.

1. Click **More Actions** on the **Action bar**, then select **Import** from the drop-down menu.

The **Import Message** form will appear.



The **Import Message** dialog box has a title bar with a close button. It contains a label "Select a file (.eml).", a **Choose File** button, and the text "No file chosen". Below this is the **Import to Folder** label and a dropdown menu showing "Inbox". At the bottom are **Import** and **Cancel** buttons.

### Details:

Field	Description
<b>Choose File</b>	The name of the file which you want to import from your computer.
<b>Import to Folder</b>	The folder into which the message will be imported.

2. Click **Choose File** to get one .eml file from the computer, then click



to upload the selected file.

- 3. Select the folder into which you want to import the message in the **Import to Folder** field.
- 4. Click the **Import** button to accept your import.


**Note**

By default, your imported file must be in the \*.eml format.

**Categorize messages by folders/tags/filters**

**Folder**

Folders help you manage your messages more easily and flexibly. Once your new mail account is created successfully, five default folders, including **Inbox**, **Drafts**, **Sent**, **Spam**, **Trash**, will be automatically generated. You cannot delete, rename or move these folders.



**Details:**

Folder	Description
<b>Inbox</b>	Store all incoming messages.
<b>Drafts</b>	Store all messages which have been composed but not sent yet.
<b>Sent</b>	Store all sent messages.
<b>Spam</b>	Store all messages suspected of being unwanted messages.
<b>Trash</b>	Store temporarily deleted messages.
<b>Personal Folders</b>	Store folders which are created by yourself.

## Create a new folder

1.

Click



on the **Folders** pane, then select **Add** from the drop-down menu.

2. Enter the folder name into the **Folder name** field. Special characters are not accepted in this field.


3. Click **Save** to complete adding your new folder.

### Note

Your created folder will be displayed in the **Personal Folders** pane.

## Manage Personal Folders

Right-click any folder under the **Personal Folders** pane to show the drop-down menu.



Here you can manage personal folders through the following actions:

- [Create a sub-folder](#)
- [Rename a folder](#)
- [Remove a folder](#)
- [Mark a folder as read](#)

### Note

All above actions are only for folders/sub-folders under the **Personal Folders** pane.

## Create a sub-folder

1. Select **New Subfolder** from the drop-down menu.
2. Follow steps as stated in the [Create a new folder](#) section.

## Rename a folder

1. Select **Rename** from the drop-down menu.

- 2. Enter a new name in the **New Folder Name** field of the **Remove Folder** form.
- 3. Click **Save** to finish your removal.

Remove a folder

- 1. Select **Remove** from the drop-down menu.
- 2. Click **OK** in the confirmation message to accept your deletion.

Mark a folder as read

This function is to mark all mails of a personal folder as read by clicking **Mark all as read** from the drop-down menu.

Tag

Tags are used as labels for filtering or categorizing messages from different folders. You can add more than one tag to a message. Using tags makes easy for you to find messages independently from the folder where they are stored.

Create a tag

- 1. Click  
 on the **Tags** pane of the right pane and select **Add New Tag** from the drop-down menu to open the **Tag** form.

Tag

Name

Social Network \*

Color

Description

Updates from social network

Save

Cancel

Details:

Field	Description
Name	The new tag name.



Field	Description
<b>Color</b>	The tag color.
<b>Description</b>	The brief description of the tag.

2. Fill in required fields, then click **Save** to finish.

Your newly selected tag will be updated in the **Tags** pane.

## Assign a tag to a message

### Note

You can assign a tag to many messages simply by ticking their checkboxes first.

1. Open the **Tag Message** form via one of the following ways.

#### The first way

i. Tick the checkbox corresponding to the message to which you want to assign a tag, then click **More Actions** on the **Action bar**.

ii. Select **Tag** from the drop-down menu.

#### The second way

Right-click your selected message, then select **Tag** from the drop-down menu;

The **Tag Message** form will be displayed.

2. Give a new tag name in the **Tag Name** field. This field contains words and keywords which are used to describe the same messages.

Or, tick the checkboxes corresponding to your desired tags from the tags list.

3. Select one color for the tag from the **Color** drop-down menu.
4. Click **Add** to finish assigning the tags to your selected messages;

### Untag a message

1. Select a message which has been tagged, then follow [Step 1](#) to open the **Tag Message** form.
2. Click **Remove** to remove the assigned tag from your selected message.


### Note

To remove one tag from all messages, simply use the [Empty function](#).

### Edit a tag

1. Right-click a tag name in the **Tags** pane, and click **Edit** from the drop-down menu.

The **Tag** form will appear.



The screenshot shows a 'Tag' dialog box. It has a title bar with the word 'Tag' and a close button. Inside the dialog, there are three labeled fields: 'Name' with a text input containing 'Social Network' and a required field asterisk, 'Color' with a green color selection bar, and 'Description' with a text area containing 'Updates from social network'. At the bottom of the dialog are two buttons: 'Save' and 'Cancel'.

2. Make changes on the tag, then click **Save** to save your changes.

### Remove a tag

Right-click the tag that you want to remove in the **Tags** pane, then select **Remove** from the drop-down menu.

The selected tag will be removed from the tags list and from all messages.

### Empty a tag


By using this function, you can remove one tag from all messages.

1. Right-click the tag in the **Tags** pane.

2. Select **Empty** from the drop-down menu.


### Change the tag color

Right-click the tag in the **Tags** pane, then select your desired color from the 32-color palette.



### Filter

By default, the messages list shows all of your received messages in your inbox but you can filter to specify which message to be displayed.



You can filter messages according to the following criteria:

- **Unread:** Only show unread messages.
- **Starred:** Only show starred messages.
- **With Attachments:** Only show messages with attachments.

- **View All:** Show all types of messages.

### Create a filter

There are 2 ways to create a new filter:

#### **Create a new filter by defining all filter rules**


By this way, you need to manually define conditions for the new message filter.

1.

Click



on the **Toolbar** to open the **Message Filter** form.



2.

Click



or the "Click here to add a new filter" link to create a new filter.

The **Add/Edit Message Filter** will appear.

Add/Edit Message Filter

Filter Name:  \*

**If all of the flowing rules are true ...**

From:

To:

Subject:

Body:

**Then ...**

Move the message to the folder:

Apply Tag:

Execute now ☒

**Details:**


Field	Description
<b>Filter Name</b>	The filter name.
<b>From</b>	Filter the email address of sender.
<b>To</b>	Filter the email address of receiver.
<b>Subject</b>	Filter the subject of incoming messages.
<b>Body</b>	Filter the body of incoming messages.
<b>Move the message to folder</b>	The folder to which the filtered messages will be moved.
<b>Apply Tag</b>	Assign the tag to messages matching the filter rules.
<b>Execute now</b>	Take the action right after editing the filter.

- Define the rules for the new filter.
- Click **Save** to finish creating your new filter.

**Create a filter from a message**

By this way, you could create a filter which is based on existing conditions of one existing message without defining the filter rules.

1. Right-click a message containing the criteria you want to include in your new filter.



The **Add/Edit Message Filter** form will appear with some pre-defined filter conditions of the current selected message.

**Add/Edit Message Filter**

Filter Name:  \*

**If all of the flowing rules are true ...**

From:

To:

Subject:

Body:

**Then ...**

Move the message to the folder:

Apply Tag:


Execute now ☒

2. Modify the rule if necessary, then click **Save** to finish.

The created filter will be displayed in the list. All messages matching the defined filter rules will be affected.

## Edit a filter

1. Click



on the **Toolbar** to open the **Message Filter** form.

2. Click the filter you want to edit in the left pane. Your selected filter is marked with



3. Click




on the filter bar to open the **Add/Edit Message Filter** form.

4. Change the filter conditions to your desires.

5. Click **Save** to complete your changes.

## Delete a filter

1. Click



on the **Toolbar** to open the **Message Filter** form.



2. Click

on the filter bar.

3. Click **OK** in the confirmation message to accept your deletion.

## Search for messages

The **Mail** application supports two search modes: [Quick search](#) or [Advanced search](#).

### Quick search

Quick search allows you to conduct a search with specific keywords in all of your messages. All messages from the different folders that match with your search term will be displayed.

1. Enter your search term into the search box in the left pane.



2.

Click



All messages containing the search term will be listed in the search results.

	Subject	Sender	Date & Time	
	[Inbox] Nexus: Staging Completed.	Nexus Repository Ma	Wednesday	
	[Inbox] Nexus: Staging Repository Dropped.	Nexus Repository Ma	Thursday	
	[Inbox] Nexus: Staging Completed.	Nexus Repository Ma	Thursday	
	[Inbox] Nexus: Staging Completed.	Nexus Repository Ma	Wednesday	
	[Inbox] Nexus: Promotion Completed.	Nexus Repository Ma	Wednesday	

Note

By default, the **Quick Search** function of the **Mail** application does not retrieve messages of the **Spam** and **Trash** folders. To do **Quick Search** on these folders, simply select these folders before searching.

Advanced search

The Advanced Search allows you to specify criteria to narrow your search results.


1.

Click

in the left pane to open the **Advanced Search** form.

2. Define the search conditions to your details, including:





The image shows a screenshot of an 'Advanced Search' dialog box. At the top, there's a title bar with a close button. Below it, a 'Search in Folder' dropdown menu is set to '---- Important'. The main area contains several search criteria: 'From', 'To', 'Subject', and 'Message', each with a 'contains' dropdown and a text input field. The 'To' field contains 'Adam82@exoplatform.com' and the 'Subject' field contains 'Commit Successfully'. There are also 'Received After' and 'Received Before' date pickers. At the bottom, there are checkboxes for 'Has Star' (checked) and 'Has Attachment' (unchecked), and a 'Priority' dropdown set to 'Normal'. 'Search' and 'Cancel' buttons are at the very bottom.

- **Search in Folder:** The folder in which you want to search in the.
- **From:** The condition corresponding to the sender's name or mail address. There are some further conditions:

Condition	Function
contains	Include the term in the search box.
doesn't contain	Not include the term in the search box.
is	Include exactly the term in the search box.
is not	Not include exactly the term in the search box.
starts with	Start with the term in the search box.
does not start with	Not start with the term in the search box.


- **To:** The condition corresponding to the receiver's name or mail address.
- **Subject:** This condition which corresponds to the message subject.
- **Message:** This condition which corresponds to the message content.
- **Received Before & Received After:** The interval time when the searched messages were receipted.
- **Has Star:** Search for messages with star.
- **Has Attachment:** Search for messages that have the attachment.
- **Priority:** The priority of the search messages.

3. Click the **Search** button to perform your search.

### Add an event


If you want to invite your colleagues to join a conference or a meeting, you can create an event, invite them or make email notifications to receive reminders right in the **Mail** application.

1. Click



on the **Toolbar** to open the **Add Event** form.

2. Give basic information for your event in the **Event Detail** tab, such as setting the event priority, creating repeating events, attaching files.

A screenshot of the "Add Event" dialog box. It has two tabs: "Event Detail" (selected) and "Reminders". The "Event Detail" tab contains the following fields: "Event Summary" (text box with "Rock Party" and an asterisk), "Description" (text area with "Anual rock party at Halo Exhibition"), "Location" (text box with "12 A 3 Halo Exhibition"), "From" (date and time box with "09/07/2011" and "18:00"), "To" (date and time box with "09/07/2011" and "23:45"), "All Day" (checkbox), "Priority" (dropdown menu with "None"), "Repeat" (dropdown menu with "No Repeat"), "Calendar" (dropdown menu with "Default"), "Event Category" (dropdown menu with "Music event" and a plus icon), and "Attachments" (text box with "map.JPG-(5.76 MB)" and a trash icon, with a plus icon below it). At the bottom are "Save" and "Cancel" buttons.

3. Select the **Reminders** tab to create the event reminder via an email. This step is optional.

**Add Event**

Event Detail Reminders

☒ Remind by Email

When the event starts in next 5 minutes

Repeat No Repeat every 5 minutes

Send reminders to David Klein

Save Cancel


4. Click **Save** to finish adding your event.

## Manage Address Book in Mail

**Address Book** in the **Mail** application provides you with a list of contacts which can be retrieved for sending your mails. This section will explain some actions related to managing contacts and address books in **Mail**.

### Add a new address book

1. Click



on the **Toolbar** to open the **Contacts** form.

2. Click the **Add Address Book** button to add a new address book.
3. Enter values in fields of the **Add Address Book** form.

Add Address Book

Name

DOC Team

Description

Contacts of DOC Team

Add

Cancel

Details:

Field	Description
Name	The name of your address book that is required.
Description	The brief description of your address book.

3. Click **Add** to finish adding your address book.


Add a new contact

The function is used to add a new contact to a group.

1. Open the **Add New Contact** form via the following ways.


The first way

Click



then

select



on the **Contacts** form.

The second way

Right-click a message, then select **Add to Contacts** from the drop-down menu.

Note

This way is used to add the message sender to a specific address book.

The **Contact** form will appear.

**Contact**

Address Book My Contacts +

First Name  \*

Last Name  \*

Nick Name


Gender ☒ male ☐ female

Birthday  -  -

Job Title

Email

🗑️ +

Picture: 

[Change](#) | [Delete](#)

Save Cancel


2. Enter information for your contact. For more details, see the [Create a new contact](#) section.

3. Click **Save** to finish adding your contact.

## Edit contact details

The function is used to edit a contact in a specific group.

1. Open the **Contacts** form by clicking



on the **Toolbar**.

2. Select the contact whom you want to edit in the left pane.

3. Click




4. Change the contact details, then click **Save** to finish.

### Delete a contact

The function is used to delete a contact from a specific group. This contact will be removed from your address book as well.

1. Open the **Contacts** form by clicking



on the **Toolbar**.

2. Select the contact whom you want to delete in the **Address Book** form.

3. Select



then click **OK** in the confirmation message to accept your deletion.

### Change Mail settings

The function allows you to change the behavior and the layout of **Mail** to your needs.

1. Click



on the **Toolbar** to open the **Settings** form.

2. Change settings for the **Mail** application in 4 tabs: General, Return Receipts, Layout and Delegation.

- i. In the **General** tab, change basic information.

Settings

General
Return Receipts
Layout
Delegation

Select a Default Account
bookwormgiang@gmail.com <bookwormgiang>

Number of conversations per page
20

Automatically check messages every
5 minutes

Compose message with
Rich Text

Reply to message with
Original message text quoted

Forward message with
Original message text quoted

Save sent messages in the 'Sent' folder
☒

Save
Cancel

## Details:

Field	Description
Select a Default Account	Set the default account if you use multiple accounts.
Number of conversations per page	Select the number of conversations which will be displayed per page from the list: 10, 20, 30, or 70 messages.
Automatically check messages every	Select the time interval to automatically check the system, including 6 available options: Never, 5 minutes, 10 minutes, 20 minutes, 30 minutes and 1 hour.
Compose message with	Select the editor type for composing messages, including <b>Rich Text</b> and <b>Plain Text</b> .
Reply to message with	Select the message type to reply, including <ul style="list-style-type: none"> <li>- <b>Original message as attachment:</b> Reply to messages with attachments.</li> <li>- <b>Original message text quoted:</b> Reply to messages with text only.</li> </ul>
Forward message with	Select the message type to reply, including

Field	Description
	<p>- <b>Original message as attachment:</b> Forward messages with attachment.</p> <p>- <b>Original message text quoted:</b> Forward messages with text only.</p>
<b>Save sent messages in the 'Sent' folder</b>	Tick this checkbox to save sent messages in the 'Sent' folder.

ii. In the **Return Receipts** tab, set options to specify what the **Mail** application should do when it gets a "[Return Receipt](#)" request. It means that you can determine whether to send a notification of having read the message to the sender or not.

**Settings**

General   **Return Receipts**   Layout   Delegation

☒ Ask me when someone requests a return receipt  
☐ Never send a return receipt  
☐ Always send a return receipt

Save   Cancel

**Details:**

Field	Description
<b>Ask me when someone requests a return receipt</b>	If you receive a message with the <b>Return Receipt</b> request, the <b>Mail</b> application will show a pop-up message for you to decide sending a notification of having read the message to the sender or not.
<b>Never send a return receipt</b>	The <b>Mail</b> application will ignore all <b>Return Receipt</b> requests from senders.
<b>Always send a return receipt</b>	If you receive a message with the <b>Return Receipt</b> request, the <b>Mail</b> application will automatically send a notification of having read the message to the sender without asking for your permission.


iii. In the **Layout** tab, personalize the **Mail** layout by ticking another checkbox corresponding to your desired layout. The **Horizontal Split** type is set by default.




**Settings**

General   Return Receipts   **Layout**   Delegation


☐ **Vertical**



☒ **Horizontal**



☐ **Flip**




Save   Cancel


iv. In the **Delegation** tab, delegate your account to any registered user in the system as follows:



**Settings**

General   Return Receipts   Layout   **Delegation**

This account:  will delegated to:

with privileges: ☐ Full 

Accounts table  


Account(email)	Delegate to	Full	Actions
bookwormgiang@gmail.c	demo	<input type="checkbox"/>	
bookwormgiang@gmail.c	james	<input type="checkbox"/>	

Save   Cancel

- Select the account you want to delegate from the **This account** list by clicking



- Enter the name of user to whom you want to delegate your selected account in the **will be delegated to** field.

- Tick the **Full** checkbox next to



if you want to assign all permissions, which can be done on your selected account, to the delegated user. If this checkbox is not selected, the user can only view mails of the delegated account.

- Click



to accept adding your delegated user. The delegated user will be updated in the Accounts table. In this table, you can revoke the **Full** permission or add the **Full** permission to your delegated

accounts by unticking or ticking the relevant checkbox respectively in the **Full** column of the Accounts table.

3. Click **Save** to accept the changes.


## Chat with your contacts

### Note


Two portlets, including **Chat** and **Chatbar**, and their services are deprecated. They remain fully supported for eXo customers, however they will not receive any enhancement and will be removed from the product scope in the future.

The **Chat** feature is used through the **Chat** or **Chatbar** portlet. The only difference between these portlets is the arrangement of common actions. In particular, actions of the **Chat** portlet are arranged in a window, meanwhile actions of the **Chatbar** portlet are put in one bar. Also, the **Chatbar** holds shortcuts to your **Calendar**, **Contact**, **Mail**.

### Chat portlet




### Chatbar




To use the **Chat** feature, you first need to add the Chat portlet or the Chatbar to a specific site or page as follows:

1. Drag and drop the application called **Chat Portlet** or **ChatBar Portlet** from the **Edit Inline Composer/Page Editor --> Applications --> Collaboration** to the body of your selected site/page. You can do this step while [creating a new page](#), or [editing an existing page](#), or [editing the portal layout](#). For example, drag and drop the **Chatbar** portlet as the below illustration.



2. Edit the **Chatbar** portlet by hovering your cursor over it, then clicking



3. Go to the **Windows Settings** tab and uncheck the following options: **Show Info Bar**, **Show Portlet Mode**, **Show Window State**. By unchecking these options, the portlet border will be hidden. This may help the Chatbar portlet look homogeneous with other components of your site/page.

Edit Mode   Window Settings   Select Icon   Decoration Themes   Access Permission

Display Name: ChatBar Portlet  
 Window Title:   
 Width:   
 Height:   
 Show Info Bar: ☒  
 Show Portlet Mode: ☒  
 Show Window State: ☒  
 Description:

Untick these checkboxes  
 (Recommended)

Save And Close   Cancel

4. Click **Save And Close** to finish your changes on the Chatbar portlet and quit the Edit form of the **Chatbar Portlet**.

5. Click



to save all changes on the page/site and quit the **Edit Inline Composer/Page Editor** form. After that, you will see the **Chatbar** in your site/page.

### Note

Steps 2, 3 and 4 are optional, but you are recommended to follow these steps.


## Add contacts to your friend list

You can search for contacts in your **Address Book** and add them to your friend list.


1. Click



on the **Chatbar**, then click



from the pop-up menu.



The **Add Contact** form will appear.

<input type="checkbox"/>	First Name	Last Name	Username
<input checked="" type="checkbox"/>	Fernando	Felipe	FernandoFelipe
<input checked="" type="checkbox"/>	Mary	Rose	MaryRose
<input type="checkbox"/>	Jack	Miller	demo
<input type="checkbox"/>	James	Davis	james
<input type="checkbox"/>	John	Smith	john
<input checked="" type="checkbox"/>	Mary	Williams	mary

2. Select the contacts from the list by ticking their respective checkboxes.

You can use the **Search** function to search for a specific contact.

3. Click the **Add Contact** button to add your selected contacts to your friend list.

Your invited contacts will receive the request messages.

After the contacts have accepted your requests, you will receive the confirmation messages. Click **OK** to allow your contacts to see your status and add contacts to your contacts list.

After adding your contacts successfully, the added contacts will be shown in your friend list.

## Remove a contact


This action is to remove a contact from your friend list.

1.

Click



on the Chatbar to show your friend list. Right-click the contact that you want to remove and click **Remove** from the drop-down menu.



2. Click **OK** in the confirmation message to accept your removal.

## Chat with a contact

### Send messages

Sending messages in **Chat** is as simple as typing and clicking, so it is easy for you to start a conversation.

#### *Send instant messages*

1. Open the **Conversation** window via one of the following ways:

##### **The first way**

Click the contact name that you want to chat from your friend list.


##### **The second way**

Click



on the Chatbar to show your friend list, then right-click your desired contact and select **Send Message** from the drop-down menu.

2. Type the message that you want to send into the message textbox, then click the **Send** button or hit the Enter key to send your message.



### *Minimize the chat window*

Click



at the right corner of the **Conversation** window to minimize it to the Chatbar. To restore the window, simply click the minimized window



on the Chatbar.




### **Note**

When you send a message to offline contacts, they will receive your message to them at their next logins.

You can chat with several contacts at the same time. Each conversation is displayed in its own tab. You can switch between tabs to follow different ongoing conversations.






## Set your status

When you signed in Chat, by default, your logged-in status is available and your friends will see the online icon




appearing to your account name in their friend lists.

There will be a notification about your friend's status if they are available to chat or go offline:








## Change your status

1. Click the account icon on the Chatbar.



2. Select your desired status from the drop-down list.

**Details:**


Icon	Description
 <b>Online</b>	This status means you are available to chat.
 <b>Away</b>	This status means you are away from your local device. Other users still can send instant messages to you.
 <b>Busy</b>	This status means you are away from your local device for an extended period of time.
 <b>Available</b>	This status means you are free to chat with everyone.
 <b>Offline</b>	With this status, you are invisible to other users. This means everyone will see you offline even though you are actually online.

## Send a file

The **Chat** application allows you to send files to your contact, such as holiday pictures or documents needed for the incoming meeting.

### *Send a file to a contact*

1. Click



on the **Conversation** window.

You will be prompted to select a file from your local device.

2. Locate and select the file you want to send in the **File Upload** form, then click **Open**.

Your contacts may cancel or accept the file transfer.

## Export the Chat history

The **Chat** application can archive your chat conversation and allows you to export and save your conversation history to your local device.

1. Click



on the **Conversation** window.

You will be prompted to select the location to save the exported file.


2. Select the location to save the file, then click **Save** to accept the exported file to your local device.

You will have a text file containing all of your conversation messages.

## Show chat history at a specific time

Your chat messages history can be shown in a specific time interval.

1. Select a contact that you want to show the message log.
2. Select a time interval.



Currently, the **Chat** application shows messages in the following time ranges:

- **Today:** All messages of the current date.
- **This week:** All messages of the current week.
- **Last 30 days:** All messages during the last 30 days.
- **Beginning:** All instant messages from the beginning to the current time.

All messages with the created time and date will be shown in the **Conversation** window.

## Create a chat room

A chat room is a place where people with similar interests can meet and communicate with each other. People can often enter an unmoderated chat room without any verification of who they are.

With **Chat**, you also create a chat room and invite other users to join your room. In this way, you can organize and manage your group activities efficiently. It is convenient in the corporate


environment when you can communicate in multiple chat rooms, each may have different topics and members. **Chat** supports up to 30 users to join a chat room.

### Create a chat room


1. Click



on the **Chatbar**, then click



from the pop-up menu.



The **New Room** form will appear.

A screenshot of a "New Room" dialog box. The title bar says "New Room" with a close button (X) on the right. Inside the dialog, there is a label "Name:" followed by a text input field containing "PLFTeam". A red asterisk is to the right of the input field. At the bottom, there are two buttons: "OK" and "Cancel".

2. Enter the room name in the **Name** field without any spaces, then click **OK** to accept adding your new room.


After that, the **Conversation** window and **Room Configuration** form appears.

3. Configure your chat room to your desires, including **General** and **Security** settings.

### Note

If you cancel this step, the default configuration will be used.

- i. Set the **General** settings.



The image shows a 'Room Configuration' dialog box with a close button (X) in the top right corner. It contains two sections: 'General' and 'Security'. The 'General' section has the following fields: 'Name' (text box with 'plf\2fedteam'), 'Persistent Room' (checkbox), 'Presence Broadcast' (list box with 'Moderator', 'Participant', and 'Visitor', where 'Participant' is selected), 'Who is' (list box with 'Anyone'), 'Room Description' (text area with 'Room of PLF/ED members'), and 'Max Users' (spin box with '30'). The 'Security' section is currently empty. At the bottom are 'OK' and 'Cancel' buttons.

**Details:**

Field	Description
<b>Persistent Room</b>	Tick the checkbox if you want to set your room always exist even if no participant takes part.
<b>Presence Broadcast</b>	By default, a room is configured without any invisible members. In this field, you can select any groups (Moderator, Participant, and Visitor) to be visible or not. Moderator is the user who has created the room or a participant who is granted the moderation right. If you want users of one group are hidden in the room, simply unselect the group. For example, if you only select the <b>Participant</b> and <b>Visitor</b> groups, users who are moderators of this room will not appear in the participants list of the chat room. Users of the hidden group only take part as "listeners" who can supervise the whole

Field	Description
	conversation of this room, although users of other groups do not know their presence.
<b>Who is</b>	Specific users from the selected group in the <b>Presence Broadcast</b> field. At present, there is only the "anyone" option.
<b>Room Description</b>	The brief description of the chat room.
<b>Max Users</b>	The maximum number of participants in the chat room.

ii. Set the **Security** settings.

Click **Show Security** in the **Room Configuration** form to show the **Security** option.

The screenshot shows a 'Room Configuration' dialog box with a close button (X) in the top right corner. The dialog has two tabs: 'Show General' and 'Security'. The 'Security' tab is currently selected. Inside the 'Security' tab, there are several settings:

- Public Room:** ☒
- Members Only:** ☐
- Allow Invitations:** ☐
- Reserved Nickname:** ☐
- Password Protected Room:** ☐
- Moderated Room:** ☐
- Room Admins:** A list box containing 'John Smith'.
- Room Owners:** A list box containing 'John Smith'.

At the bottom of the dialog, there are 'OK' and 'Cancel' buttons.

**Details:**

Field	Description
<b>Public Room</b>	

Field	Description
	When this option is checked, your room is listed in the chat rooms list for everyone to see and join this room.
<b>Member Only</b>	Tick this option to limit the number of participants. It means that users need to be invited to participate in the room.
<b>Allow Invitations</b>	This option is only available if the "Member Only" option is checked. If checked, the room's participants can invite others to join chat room.
<b>Reserved Nickname</b>	Tick this option to prevent anonymous users from joining the chat room. If this option is checked, only registered users can enter the room.
<b>Password Protected Room</b>	This option is to change the public room to a locked, secure protected room accessible only to specific individuals with the right password.
<b>Moderated Room</b>	The room is moderated or not. With the moderated room, you can select the room administrators.
<b>Room Admins</b>	This option is to select the administrators for the created chat room. It is only available when the <b>Moderated Room</b> option is selected. At present, there is no difference between the room moderator and regular participants.
<b>Room Owners</b>	This option is to select the room's creator.

4. Click **OK** to complete the room configuration.

## Add people to a room

This function is to add people to a chat room where you already participated.

1. Click



on the chat room conversation window.

The **Add Contact** form will appear:

Add Contact

Search:

<input type="checkbox"/>	First Name	Last Name	Username
<input type="checkbox"/>	Fernando	Felipe	FernandoFelipe
<input type="checkbox"/>	Mary	Rose	MaryRose
<input type="checkbox"/>	Jack	Miller	demo
<input checked="" type="checkbox"/>	John	Smith	john
<input type="checkbox"/>	Mary	Williams	mary
<input type="checkbox"/>	David	Klein	root

Refresh

Add Contact

Cancel

2. Select contacts you want to add by ticking their respective checkboxes.

Also, you can search for contacts through your **Address Book** simply entering the search term in the Search textbox. It can be the first name, last name or user name. All contacts matching the search term will be displayed in the results list.

3. Click **Add Contact** to finish. The contacts you want to add will receive your invitation message.

Join a chat room

When joining a chat room, you can learn more about a subject, ask questions and talk with others having common interests. Joining a chat room is just few clicks away.

1. Click




on the Chatbar, then select



from the drop-down menu.

The **Join Room** form will appear.






2. Select a room in the list by checking the appropriate radio button.
3. Click **Join Room** to join the selected room. Click the **Refresh** button if you want to clear the selected rooms.

### Note


You can join several chat rooms at the same time. Each chat room will be displayed in its own tab and you can easily switch between different rooms.

## Leave a chat room

Click



on the room conversation window.




Your conversation window of this room will be closed and you will not receive messages from the chat room any more.

## Configure a chat room

When creating a chat room, you are required to configure it before you can start the chat room conversation. However, after the chat room was created, you can also update the room configuration at any time.

1.

Click



in the **Conversation** form of the chat room.

2. Set values for the fields in this form. For more details, see [here](#).

### Note

The chat room configuration is available only if you are the owner or administrator of the chat room. You can change the room owner and select the room administrator in the [Set the Security settings](#) section.

# Organize Your Knowledge

In eXo Platform, you can manage your knowledge base easily through the **Knowledge** application. **Knowledge** includes 3 main portlets, including **Forum**, **Answers** and **Wiki**. With **Knowledge**, you can share information, seek supports through helpful answers and post your ideas.

This chapter covers the following topics:

- *Build a wiki* through the **Wiki** portlet. This application provides the content productivity to portal users as a tool to forge the unstructured knowledge. With **Wiki**, you can create and edit pages by using a simplified markup language or a WYSIWYG editor. Also, your company can use **Wiki** as an internal reference, such as work policy, or a public wiki for a comprehensive product information. **Wiki** along with **Answers** and **Forum** will complete the ideal combination that helps users enhance their experiences on collaboration activities and build valuable knowledge center for clients.
- *Build a forum* through the **Forum** portlet. **Forum** is designed for the group discussion and user-generated content in which participants with common interests can exchange their opinions on a subject. While **Answers** is an ideal site for you to find answers quickly, **Forum** gives deep discussion through your posted topics.
- *Build an Answers & FAQs system* through the **Answers** portlet. **Answers** is a collaborative Question & Answer system similar to Yahoo! Answers or StackOverflow.com but for your own enterprise, where the collaboration is encouraged. With this application, you and your collaborators can post a series of common questions and find answers on a specific topic. Here, you can edit questions, provide answers and edit them. **FAQs** takes this content as input and publishes it in a clean and quickly browsable manner. You can point a **FAQs** portlet to one or several **Answers** categories. As a publishing portlet, it is impossible to edit questions and answers in **FAQs**.

## About user roles

Please note that each user group has different privileges to perform actions. Some actions can be limited to some specific user groups. Advanced users have the ability to control and assign functions or features that other users can and cannot do within the application. There are five user groups: administrator, moderator, regular user, banned user and guest.

- **Administrator** is an advanced user, who typically has the highest right when using Knowledge. The Administrator can manage user privileges and he has rights to perform all possible capabilities. For example, in Forum, an administrator can create categories, close/delete, lock/unlock forums; promote a regular user to moderator or create a category that is restricted to a specific user group.


- **Moderator** obtains a subset of administrator's rights. It means that he has certain allowed capabilities and may perform these advanced actions in a specific area only. For example, a moderator of a category in Forum can only perform advanced actions in the category that he is assigned as the moderator. The moderator role is assigned by the administrator.
- **Regular user** is defined as a logged-in user who can only use the basic features of Knowledge. The regular user can be promoted to the advanced user by the administrator.
- **Banned user** is a regular user, that abuses the forum functions or violates the forum rules and policies, cannot use the basic features of Knowledge. The role of the banned user is similar to an anonymous user's.
- **Guest** (anonymous user) is an unregistered/unlogged-in user who is often limited to a very few features only of Knowledge. For instance, a guest can view topics in Forum but he cannot reply or create new topics.

Notice that there will be no section dedicated to anonymous users. For the actions that an anonymous user can perform, you can refer to the table that summarizes all the actions in each application.


## How to access knowledge applications

To access the **Forum**, **Answers** or **Wiki** applications of a space, do as follows:

Hover your cursor over **My Spaces --> [Space name]**, then click the application that you want to access;



Or hover your cursor over **My Spaces**, then click [Space name] and click the application name on the Space navigation.




## Note

In case the **Forum**, **Answers** or **Wiki** applications are not found, it means that they are not activated. To use these applications, you need to add them to a page by dragging and dropping the applications from **Page Editor/Edit Inline Composer --> Applications --> Collaboration --> Forum/Answers/Wiki** to the main pane. This can be done when [creating a new page](#) or [editing an existing page](#) or [editing the layout of a portal](#). You can also configure the **Answers** portlet as in the [sect-User\\_Guide-Dashboard\\_Portlet-Edit\\_Specific\\_Portlet](#) section.

## Build a wiki

### Overview

This section provides you a guide to use all **Wiki** features and configure the **Wiki** portlet to make it work in your desired way. Before going further, you should know some basic concepts about **Wiki**. After [accessing the Wiki application](#), the **Wiki** homepage will appear automatically as below.



### Details:

Item	Description
1	The <b>Breadcrumb</b> which shows the page hierarchy.
2	The Wiki administration area which allows administrators only to do space settings.
3	The <b>Search</b> box.
4	The pages tree view.
5	The <b>Page Control</b> area which helps users take actions with the current page.
6	The default content. The small page could be a Wiki quick guide that explains how to create a page, switch between different edit modes, or create a page, and more.
7	The page information. Click <b>View Change</b> to go to the <b>Page History</b> page for comparing changes between versions. Click <b>Attachment(s)</b> and <b>Revisions</b> links to open the <b>Attachments</b> details pane and the <b>Revisions</b> pane respectively right under the <b>Page information</b> bar. These two panes can be collapsed by clicking the relevant links again.

### The page hierarchy in Wiki

**Wiki** is organized as a tree of pages in which each page may contain many sub-pages. The hierarchy is reflected on UI by the **Breadcrumb** and the page tree at the left pane. When a page is added, it is always defined as a sub-page to the current one. **Wiki** is a wiki platform which can host several wikis. So, you can have wikis for portals, wikis for groups or users. However, the page hierarchy is not reflected in the URLs as they are flatly accessible by their URLs.

### Wiki Spaces

Spaces represent a partitioning of **Wiki** data. A space is a set of pages. So, the space partitioning means they are independent trees. This separation is to enable **Wiki** to provide silos of knowledge for different interest groups.

There are 3 types of spaces:

- **Portal wiki**: wiki for the current portal.

- **Group wiki:** wiki available for members of a group.
- **User wiki:** wiki for personal pages.

### Note

In this document, Spaces are referred as wikis, particularly portal wikis, group wikis, and user wikis.

Any space which has an implicit root page is named Wiki Home.

## Work with Wiki pages

Pages are sites where information in **Wiki** is stored and shared. Pages are stored within a **Space**. To do or view actions on a specific **Wiki** page, you should contact the administrator to get the appropriate permissions. See the [Page Permissions](#) for detailed permissions.

In a page, you can:

- [Create a page with its content using the simple markup language or the Rich Text editor.](#)
- [Edit a page.](#)
- [Delete a page.](#)
- [Move a page to another location.](#)
- [Watch a page.](#)
- [View page information.](#)

## Create a page


There are two ways to create a page:

### The first way

In this way, you need to use the toolbar.

1. Go to a Wiki space in which you want to create a page.

2. Click **Add Page** and select **Blank Page** or **From Template...** from the drop-down menu if you want to use an available template.



If you select **From Template...**, a list of available templates appears.

Select Template

Template Title	Description	Action
Two-Column Layout	Global	<a href="#">Select</a> <a href="#">Preview</a>
Three-Column Layout	Global	<a href="#">Select</a> <a href="#">Preview</a>
Status Meeting	Global	<a href="#">Select</a> <a href="#">Preview</a>
HOW-TO Guide	Global	<a href="#">Select</a> <a href="#">Preview</a>
Leave Planning	Global	<a href="#">Select</a> <a href="#">Preview</a>

You can:

i. Click **Preview** corresponding to the template you want to see. The template preview appears:

Preview

Two-Column Layout

- This page has two columns each of an equal width
- You can change the width of each column by placing you mouse cursor inside the column macro and clicking on *Insert/Edit Macro* in icon in the toolbar

### Replace This Text

Lorem Ipsum is simply dummy text of the printing and typesetting industry. Lorem Ipsum has been the industry's standard dummy text ever since the 1500s, when an unknown printer took a galley of type and scrambled it to make a type specimen book. It has survived not only five centuries, but also the leap into electronic typesetting, remaining essentially unchanged. It was popularised in the 1960s with the release of Letraset sheets containing Lorem Ipsum passages, and more recently with desktop publishing software like Aldus PageMaker including versions of Lorem Ipsum.


### Replace This Text Too

Contrary to popular belief, Lorem Ipsum is not simply random text. It has roots in a piece of classical Latin from 45 BC, making it over 2000 years old. Richard McClintock, a Latin professor at Hampden-Sydney College in Virginia, looked up one of the more obscure Latin words, consectetur, from a Lorem Ipsum passage, and through the cites of the word in classical literature, discovered the undoubtable source. Lorem Ipsum comes from sections 1.10.32 and 1.10.33 of "de Finibus Bonorum et Malorum" (The Extremes of Good and Evil) by Cicero, written in 45 BC.

ii. Click **Select** corresponding to the template you want to select for your new page.



The selected template appears:



3. Enter the title for your page. The page title must be unique.
4. Enter the content for your page by using **Wiki Markup** or the **Rich Text** editor.
5. Optionally, click **Preview** to see how your page looks like.
6. Click **Save** to finish.

### The second way

In this way, you need to use the undefined link in a page.

In the **Wiki** application of eXo Platform, you can add a link pointing to a page which you are going to create later. Such links are called undefined links. These links are often used to remind other **Wiki** users to create the page.

### Add an undefined link for creating a page later

1. Add a link by typing the page title between square brackets '[[...]]' or '[.... ]' (depending on your selected syntax) into your page body.

For example:

Syntax	What you type	What you get
Xwiki 2.0	[[eXo User Guide]]	<a href="#">eXo User Guide</a>
Confluence 1.0	[eXo User Guide]	

Syntax	What you type	What you get
		<a href="#">eXo User Guide</a>

- 2. Click **Save** to save the page containing the link. The undefined link is colored in red with the underline.
- 3. Click the created red link to open the 'Add Page' form.
- 4. Follow the steps stated [above](#) to enter the page title, content, and save the page.


Edit a page

You can edit a page at any time provided that you have the edit permission on that page.

To edit a page, click **Edit** in the **Page Control** area. Your page will switch to the Edit mode.



Now, you can rename the page and edit the page content. The toolbar in the edit mode will be changed to activate the following actions.




Details:


Item	Description
1	Switch to the Rich Text (WYSIWYG) editor.
2	Open the Wiki syntax help page.
3	Display the preview mode of the currently edited content. Previewing a page helps you verify the result of rendering the markup you just entered without saving.
4	Show more syntax help.
5	Input the edit reason if necessary.
6	Save the current page and go back to the view mode.
7	Save the current page without sending notification to the watcher.
8	Discard the current changes and go back to the view mode.

## Move a page to another location

1. Select the page that you want to move.
2. Click **More** in the **Page Control** area, then select **Move Page** from the drop-down menu.




The form to select the destination page appears.



3. Select the destination page.
4. Click **Move** to commit.

### Delete a page

1. Open the page you want to delete and select **More** in the **Page Control** area.



2. Click **Delete Page** from the drop-down menu.
3. Click **OK** in the confirmation message to accept your deletion.

## View page information

Viewing page information is accessible to users who have the View permission on that page. The page information provides you all details about related pages of the current page, the hierarchy structure of the current page, the page history, and more.

1. Select the page you want to view the information.
2. Click **More** from the page toolbar, then select **Page Info** from the drop-down menu.

All information of the opening page, including page summary, related pages, page hierarchy, recent changes, will be displayed.

Summary

Title	eXo Platform new features	
Author	<a href="#">john</a>	Nov 24, 2011 6:10 PM
Last Changed by	<a href="#">john</a>	Nov 24, 2011 6:10 PM

Related Pages

Wiki	Related Pages	Actions
group	Group : /Spaces/Exo_evolution ▶ Wiki Home ▶ About ▶ Platform 3.5	Remove
<div>Add More Relations</div>		

Hierarchy

Parent Page

→ [About](#)

Child Pages


Recent Changes

Time	Editor	
CURRENT (v. 1)	<a href="#">john</a>	
<div><a href="#">View Page History</a></div>		


## Add a related page

This feature allows you to add pages related to your page. This function is only activated to users with the Edit permission and can be done in the **Page Info** view.

1. Click **Add More Relations** in the [Page Info](#) view, then select the related pages in the **Select a page** window.
2. Click **Select** to add the selected page to the list of the **Related Pages**.



The related pages of the opening page are displayed in the side pane as below.



### View a page history

To access the page history, just click **View Page History** in the *Page Info* view.

The **History Page** appears.

## Page History

Compare Selected

2	Revision 3	Date 4	Author 5	Summary 6
<input type="checkbox"/>	CURRENT (v. 9)	Nov 24, 2011 6:53 PM	john	
<input checked="" type="checkbox"/>	v. 8	Nov 24, 2011 6:45 PM	john	
<input checked="" type="checkbox"/>	v. 7	Nov 24, 2011 6:33 PM	john	
<input type="checkbox"/>	v. 6	Nov 24, 2011 6:33 PM	john	
<input type="checkbox"/>	v. 5	Nov 24, 2011 6:22 PM	john	
<input type="checkbox"/>	v. 4	Nov 24, 2011 6:19 PM	demo	
<input type="checkbox"/>	v. 3	Nov 24, 2011 6:18 PM	john	
<input type="checkbox"/>	v. 2	Nov 24, 2011 6:17 PM	mary	
<input type="checkbox"/>	v. 1	Nov 24, 2011 6:10 PM	john	

## Details:


Area	Function
1	<a href="#">Compare selected page versions.</a>
2	Allow you to select two versions that you want to compare.
3	Allow you to specify the number of versions of the page and <a href="#">view a specific version.</a>
4	The date and time when the page is changed.
5	The authors who make changes of the page.
6	The summary of reasons why the changes are done. It is optional.
7	<a href="#">Restore a page to the current version.</a>

## Watch a page

Watching a page allows you to receive a notification message about any additions in the page.


**Watch a page**

1. Open the page you want to watch.
2. Click **More** in the **Page Control** area, then select **Watch** from the drop-down menu.



### **Stop watching a page**

1. Open the page which have been watched.
2. Click **More** in the **Page Control** area, then select **Stop Watching** from the drop-down menu.



## **Work with attachments**

Attachments are any files enclosed with your pages. The attachments may be images, documents, presentation or multimedia files.

In this section, you will know how to:

- [View all attachments of a page.](#)
- [Add an attachment.](#)
- [Delete an attachment.](#)
- [Download an attachment.](#)

### **View all attachments of a page**

1. Open the page you want to view attachments.



2. Click **Attachment(s)** link from the **Page info** at the bottom right corner of the opening page.

Added by [john](#) at Nov 24, 2011 6:10 PM - Last modified by [john](#) at Nov 24, 2011 6:22 PM ([View Change](#))  
**2 Attachment(s)** - [5 Revisions](#)

## Add an attachment to a page

There are two ways to add an attachment to a page:

### The first way

In this way, you need to use the attachment pane at the bottom of the page.

1. Click the **Upload New File** field. The upload window will appear.
2. Select a file from your local device and click the **Open** button. The file will be uploaded automatically then.


### The second way

In this way, you need to use the **WYSIWYG** editor (Rich Text editor).


1. Select a page to which you want to add an attachment.
2. Select **Edit** at the **Page Control** area. For more details, see the [Edit a page](#) section.
3. Select the **Rich Text** editor on the page toolbar.



4. Click



on the toolbar of the **Rich Text** editor, then select **Attached File...** from the drop-down menu.



The **Link** form is displayed as below.

Link

Select the image to insert

Current page All pages

Select an attachment to link to from the list below, by clicking it, and then advance to the next step, or double click an item to automatically select it and advance to the next step.

Upload new file ← Double click to upload new file

DavidKlein\_Brading\_Designer.jpg

FernandoFelipe\_-\_Human\_Resource\_Manager.jpg

Select

5. Select a file to upload by doing one of two following cases:


- **Upload a new file from your local device:**

- i. Double-click **Upload new file** or click **Upload new file --> Select** in the **Current page** or **All pages** tab.

- ii. Click **Browse** to select a file from your local device, then click **Upload**.

- **Select an existing file:** Double-click it or click it, then click **Select** in the **Current page** or **All pages** tab.

The form to edit the link parameters appears.



**Link** [X]

**Edit link parameters**

---

**Label** *(Required)*  
Type the label of the created link.

Feature table

**Tooltip**  
Type the tooltip of the created link, which appears when mouse is over the link.

Feature table

☐ **Open In New Window**  
Check this box to have the link opened in a new window or a new tab, depending on your browser.

Previous Create Link

6. Edit the link parameters by typing the label and the tooltip for the link.

7. Click **Create Link** to commit.

The uploaded file will be in the undefined link format. By clicking this link, you can create a new page.

## Note

If you click **Upload new file** in the **All pages** tab, it means that the attachment is added to all pages.

## Delete an attachment

To delete an attachment, just click



corresponding to the attachment.

## Download an attachment

To download an attachment, just click the name of the attached file.

### Link to an inserted image

1.

Click



on the text editor, then click **Insert Image...**




2. Select an inserted image of the current page or click the **All Pages** tab to select an image attached to another page in the space.


3. Click **Insert Image**.

### Use the WYSIWYG Editor

**WYSIWYG** stands for What You See Is What You Get. You can switch between the **Source** and **WYSIWYG** editors at any time by clicking



or



In the **Source** editor, which is selected by default when you edit a page, you have to use the wiki markup language for text formatting, while the **WYSIWYG** editor enables the contents to be appeared during editing that is very similar to the published result. Thanks to available tools on this editor, you can format your content visually without using **Wiki** markups.



### Note

If the final result is not similar to what you wish when editing a page by the **WYSIWYG** editor, you can go back to the **Source** editor and use **Wiki** markups to edit the content.

To learn how to use the **WYSIWYG** editor, you can refer to these guides.

- [Admin guide](http://platform.xwiki.org/xwiki/bin/view/AdminGuide/WysiwygEditor) [http://platform.xwiki.org/xwiki/bin/view/AdminGuide/WysiwygEditor]
- [User guide](http://platform.xwiki.org/xwiki/bin/view/Features/WysiwygEditor) [http://platform.xwiki.org/xwiki/bin/view/Features/WysiwygEditor]

## Syntax Help

If you do not know how to use a syntax, you can use the Syntax Help function. The **Syntax Help** is displayed by clicking



from the page toolbar. When being clicked, a lateral pane slides beside the editing area will show all the information of the most common syntaxes. The lateral pane can be hidden by clicking



in the upper right corner or by clicking



again.

You can click


[More](#)

at the bottom of short **Help Tips** form to view the full help.


## Work with Macros

Using a macro, you can apply extra formatting, functionality and customization to your content. You can easily add macro tags by using the **Rich Text** editor.

1. Click **Rich Text** to open the rich text editor.
2. Click **Macros**, then select **Insert Macros...** from the drop-down menu.



The **Insert Macros** form appears.



The macros are classified into different categories: **Content**, **Formatting**, **Navigation**.

3. Select a macro category.

4. Select your desired macro from the selected categories list and then click the **Select** button; or double-click it. For example, if you select the **Box** macro, you are redirected to the Macro Parameters form.

**Macro: Box**

*Draw a box around provided content.*

**CssClass**  
*A CSS class to add to the box element*

**Image**  
*The reference to the image to display in the message box*

**Title**  
*The title which is to be displayed in the message box*

**Width**  
*An optional width for the box, expressed in px or %*

Previous Insert Macro

5. Enter parameters into the corresponding fields for your selected macro. Click **Insert Macro** to perform your macro insertion; Or, click **Previous** to return to initial **Insert Macro** form.



The following table describes specific functions of common macros.

Macro	Function
<b>Excerpt</b>	Create additional information for the current page and it can be set to "hidden" in the current page, but displayed to add more information as the summary about the page when it is used with the Page Tree macro.
<b>Include Page</b>	Include the content of another page in the current page.
<b>Box</b>	Draw a box around the provided content.
<b>Color</b>	Change the text color.


Decorate text with color

Macro	Function
Code	Highlight code snippets of various programming languages. <div><pre>public interface OrganizationService {     /**      * This method return an UserHandler object      * the user      * opeation such create, update , detele , fi      *      * @see UserHandler      */     public UserHandler getUserHandler();     --- }</pre></div>
Error Message	Display an error message note.
Float	Allow a content to 'float' on the left or the right. <div>Allow content to 'float' to the le</div>
Info Message	Display an info message. <div>Displays an info message note.</div>
NoFormat	Keep the content displayed when you type. <div><pre>h3. Goals  * Respond to market pressure on * Give content control to porta * deploys _Wiki_ portlet</pre></div>
Note Message	Display a note message. <div>Displays a note message.</div>
Panel	Embrace a block of text within a fully customizable panel. <div><p>Panel header</p><p>The content to put in the panel</p></div>



Macro	Function
<b>Table</b>	Inset a table.
<b>Table cell</b>	Insert a table cell.
<b>Table row</b>	Insert a table row.
<b>Tip Message</b>	Display a tip message block.
	 Displays a tip message.
<b>Warning Message</b>	Display a warning message block.
	 Displays a warning message note.
<b>Anchor</b>	Create an anchor for the selected contents.
<b>Children</b>	Display the children and descendants of a specific page in the current page.
	<ul style="list-style-type: none"> <li>• eXoPlatform</li> <li>• Customer               <ul style="list-style-type: none"> <li>Summary customer page</li> </ul> </li> </ul>
<b>Page Tree</b>	Display the hierarchy of a page in the current page.
	<ul style="list-style-type: none"> <li><input checked="" type="checkbox"/> eXo Platform               <ul style="list-style-type: none"> <li><input type="checkbox"/> Portal Team Exerp</li> <li><input type="checkbox"/> Customer                   <ul style="list-style-type: none"> <li>Summary customer page</li> </ul> </li> <li><input type="checkbox"/> Red Hat</li> </ul> </li> </ul>
<b>Related Pages</b>	Render the related pages of the current page.
<b>Table of Content</b>	Generate a table of content for the current page.

Macro	Function
Section & Column	Using the Section and Column macros allows you to write the content in the columns in the section.



The diagram illustrates the structure of the 'Section & Column' macro. It shows a main container labeled 'Section & Column macro' which is divided into two columns. The left column is labeled 'Column 1 content' and contains a 'Panel header' followed by 'The content to put in the panel'. The right column is labeled 'Column 2 content' and contains a 'Panel header' followed by 'The content to put in the panel'. A red arrow points from the 'Column 2 content' label to the right-hand panel.

Work with page versions

When editing the content of a page, **Wiki** will automatically create a version of that page after it is saved. Thanks to the page versions, you can make changes to the page safely and rollback to an earlier version without worrying about messing things up.

In the [Page History](#) view, you can see all versions of a page.

Each version includes the following information:

- Revision numbers.
- Author making changes.
- Date and time when changes are made.
- Summary (if any).

In the Page History page, you can:


- [View versions of a page.](#)
- [Compare page versions.](#)
- [Restore a page version to the current version.](#)

Note

All functions, including viewing, comparing and restoring, can also be done by clicking the **Revisions** link at the **Page Info** bar. One pop-up pane appears right under this bar, allowing you to do the same steps as described below.

## View versions of a page

To view a specific version of a page, just click a version number in the **Page History** page. The selected version of that page will be displayed.



At a version of the page, you can do the following actions:

Item	Description
1	Compare the current version with the selected one.
2	Replace the current version with the selected version.
3	Go to the <b>Page History</b> page.
Prev	View content of the previous version.
Next	View content of the next version.

## Compare page versions

**Wiki** tracks histories of changes to pages by maintaining a version of the page each time it is modified. To compare two versions, select two checkboxes corresponding to each relevant version, then click

Compare Selected

## Page History

Compare Selected

	Revision	Date	Author	Summary
<input type="checkbox"/>	CURRENT (v. 7)	Nov 24, 2011 6:33 PM	john	
<input checked="" type="checkbox"/>	v. 6	Nov 24, 2011 6:33 PM	john	
<input checked="" type="checkbox"/>	v. 5	Nov 24, 2011 6:22 PM	john	
<input type="checkbox"/>	v. 4	Nov 24, 2011 6:19 PM	demo	
<input type="checkbox"/>	v. 3	Nov 24, 2011 6:18 PM	john	

A page which shows the changes between these two versions will be displayed.

Version 5 by john  
on Nov 24, 2011 6:22 PM.  
<< Changes from 4 to 5

Compared With

Version 6 by john  
on Nov 24, 2011 6:33 PM.  
Changes from 6 to 7 >>

Key  
~~This line was removed.~~  
This word was removed.  
This line was added.

anges (1) View Page History

David Klein Brading Designer.jpg!New\*New Features for a Better User Experience\*  
online editing\*  
last year, in eXo Platform 3.0, we released a new way to edit and publish content in the context of a website. This was a major step forward in term of usability but also a great product reliability.  
Xo Platform 3.5 will offer an improved in-line editing experience. With this new feature, you can edit a specific individual content item then submit it. That's all. For simple edits, the direction to the Content Editor (which is useful for more complex edits) means faster content updates:  
http://paillereau.com/blog/wp-content/uploads/2011/10/blog1.png!\\  
double-click on the text you wish to change; edit, save and you're done.  
What would be the advantage of in-line editing if you still needed to go to the Content Editor to push your changes live? We therefore added a new action to allow content publication. It's fully dynamic and relies on the existing content publication workflow. Only users with publisher rights will see the publish button while making in-line edits to content:  
http://paillereau.com/blog/wp-content/uploads/2011/10/blog2.png!\\

The changes between two versions will be marked with colors:

- Words/lines which are red-highlighted with strike-throughs indicate that they were removed.
- Words/lines highlighted in green indicate that they were added.

### Note

Only two revisions can be selected at one time.

## Restore a page version to the current version

When you notice that there are changes in the current page version that you are not satisfied, you can rollback to an older version of that page quickly.

To restore an older version, click

Restore

corresponding to your desired version in the **Page History** page.

### Note

Restoring an older version will create a copy of that version. For example, if the [current version (v.15)] is restored to the [older version (v.10)], **Wiki** will create a new version (v.16) containing contents of v.10. The version v.16 will become the current version.

## Work with Spaces

**Wiki** provides permanent bookmarkable URLs to all wiki pages. **Wiki** will resolve wiki pages by inspecting the URL used to call it and outputting links as clean URLs in the following form:

`http://hostname/$CONTAINER/$SITE/$NAV_URI/[$OWNER_TYPE/$OWNER]/  
$WIKI_PAGE_URI`

Item	Description
<b>\$CONTAINER\$</b>	The portal container.
<b>\$SITE</b>	The portal site (e.g,'classic').
<b>\$NAV_URI</b>	The URI of navigation bound to a page containing the <b>Wiki</b> portlet.
<b>\$OWNER_TYPE</b>	May be 'group' or 'user'.
<b>\$OWNER</b>	The wiki owner which can be name of user or of group.
<b>\$WIKI_PAGE_URI</b>	The URI inferred automatically from the wiki page name.

Any wiki page should be accessed by a friendly URL, for example:

- Portal wiki URL: [http://hostname/portal/classic/\\*wiki/eXo+Wiki+Specification](http://hostname/portal/classic/*wiki/eXo+Wiki+Specification).
- Group wiki URL: [http://hostname/portal/classic/\\*wiki/group/platform/Administrators/Admin+Guide](http://hostname/portal/classic/*wiki/group/platform/Administrators/Admin+Guide).
- Personal wiki page URL: [http://hostname/portal/classic/\\*wiki/user/john/Sandbox](http://hostname/portal/classic/*wiki/user/john/Sandbox).


## Search

In **Wiki**, you can search spaces, or pages in a space and attached files. There are two types of search in **Wiki**:

- [Quick Search](#)
- [Advanced Search](#)

## Quick Search

1. Enter a key word in the search box.




2. Select your desired page or space from the drop-down menu. You will be redirected to the selected page or space.

### Advanced Search

The Advanced Search function allows you to search with a key word in a specific space. This mode helps you limit the search results.

1. Enter a key term into the search box and hit the **Enter** key.

If the results are matched with the key word, the search results are displayed like the illustration below.



If no results matched with the key words, the search screen informs "**there is no search result...!**"

2. Click



to select a space from the drop-down menu to define a space where to search for the entered word.

3. Click **Search**.

## Wiki Administration

### Note

This section is for administrators only.


The administrator has the highest right in **Wiki**. The administrator can delete a page, change the space settings, set the edit permission for users, and more.

### Set up space settings

For each space, you can manage page templates and change the syntax used.

#### Access the Space Settings page

1. Open a **Wiki** space.
2. Click **Browse**, then select **Space Settings**.



The **Space Settings** page appear.

Group : /Spaces/Exo\_evolution ▶ Wiki Home ▶ About ▶ eXo Platform new features ▶ Space Setting

Owner	View Pages	Edit Pages	Admin Pages	Admin Space
manager in Exo_evolution (manager/spaces/exo_evolution)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
* in Exo_evolution (* /spaces/exo_evolution)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
any (any)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Now you can:

- [Manage permissions on spaces and pages.](#)
- [Manage a page template.](#)
- [Set up wiki syntax.](#)

## Manage Permissions

**Wiki** gives you the choice to make a space or an individual page to be open or restricted to specific users, groups or memberships. There are two levels of permissions in **Wiki**: Space Permissions and Page Permissions.




### Space Permissions

Each space may have its own permissions. Space permissions determine which actions a user can do within the space. A permission can be assigned to any users, groups or memberships.

To change the space permission, open a space, click **Browse** and select **Space Settings** from the drop-down list. Click **Permission** in the **Space Settings** page that appears.

Group : /Spaces/Exo\_evolution ▶ Wiki Home ▶ About ▶ eXo Platform new features ▶ Space Setting

Owner	View Pages	Edit Pages	Admin Pages	Admin Space
manager in Exo_evolution (manager/spaces/exo_evolution)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
* in Exo_evolution (* /spaces/exo_evolution)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
any (any)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Select User/Group/Membership to add**

There are some permissions to a space as follows:

Permission	Description
<b>View Pages</b>	Specify who can view and watch pages of this space, its attachments and history.
<b>Edit Pages</b>	Specify who can edit pages of this space.
<b>Admin Pages</b>	Specify who have the administration rights on this space.
<b>Admin Space</b>	Specify who can administrate the space permissions and settings

In the **Space Permissions** form, you can add or remove the space permissions of the users, groups and memberships.

### Add space permissions

In the **Space Permissions** form, you can add permissions for individual users, groups of users or memberships.



1.

Click



to assign permissions to a user, a group or a membership respectively.

The form to select the user, the group and the membership appears.

2. Select a user, a group or a membership, then click **Add**.

3. Click the plus icon to add the selectors to the **Owner** tab in the **Space Permissions** form.

4. Click the checkboxes corresponding to each permission you want to assign to the selectors.

5. Click **Save** to commit.

### Note

View, Edit, Admin Pages permissions are applied by default to any pages of the space unless specific page permissions are set. The super user has all permissions implicitly.

### Delete space permissions

To delete the permissions of a user, group or a membership in a space, just click




corresponding to a user/a group or a membership in the **Space Permissions** form.

### Page Permissions

The **Page Permissions** allows you to set the view and edit permissions for a specific page of a space.

1. Open a page of the space that you want to set the permissions.

2. Click **More** and select **Page Permissions** from the drop-down menu.



The **Page Permissions** form appears.

Page Permissions

Owner	View Pages	Edit Pages	Action
manager in Exo_evolution (manager/spaces/exo_evolution)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
* in Exo_evolution (*:/spaces/exo_evolution)	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	
any (any)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Pages are viewable/editable according to the space permission. On each page, a user with the **Admin Pages** permission will be able to override the view and edit permissions on this specific page.

A **Page Permissions** action appears in the page action menu when the user has the **Admin Pages** permission.

You can add and delete the **View Pages Permission** or the **Edit Pages Permissions** for the page. Do the same as [Add space permissions](#) and [Delete space permissions](#).

### Manage a page template

When adding a new page, you are not required to write the content from scratch. You can start by selecting a page template which is actually a **Wiki** page with predefined contents.

In the **Space Settings** form, select the **Template** tab, and the form to manage templates appears.

Portal : Intranet ▶ Wiki Home ▶ Space Setting

Permission

Template

Syntax

Template Title	Description	Action
Two-Column Layout	Global	
Three-Column Layout	Global	
Status Meeting	Global	
HOW-TO Guide	Global	
Leave Planning	Global	

**Details:**

Item	Description
1	<a href="#">Search for a template.</a>
2	<a href="#">Create a new template.</a>
3	<a href="#">Edit a template.</a>
4	<a href="#">Delete a template.</a>

### Search for a template

This feature allows you to find your desired template quickly from the existing list as follows:

1. Input a word included in the title of your desired template in the **Search** textbox.
2. Press the **Enter** key; Or click the **Search** button next to the textbox to start your search.

All matching results which contain your entered search term are displayed right below the textbox.

### Note



The **Search** function is only performed by the template titles, and you must enter a complete word into the **Search** textbox. For example, to find the template whose title contains "daily report", you can input "report" rather than "repo", or "daily" rather "ly".

### Create a new template

1. Click **Add more...** in the **Space Settings** page and the sample template form appears.

Sample Template Title...

Description...

 Preview  Help

2. Add the title for the template.
3. Write the description in the **Description....**
4. Write the content for the template.
5. Select the **Syntax** to write the content.

6. Click **Save Template** at the **Page Control** area. A message will inform your successful template creation.

Edit a template

- 1. Click the **Edit** icon corresponding to the template you want to edit.
- 2. Change the title, the description, the content as you want.
- 3. Click **Save Template** at the **Page Control** area.

Delete a template

- 1. Click



corresponding to the template you want to delete.

- 2. Click **OK** in the pop-up confirmation message.

Set up the wiki syntax

By setting up the Wiki syntax, you can select the default syntax or use another one while writing a document.

- 1. Click **Syntax** in the **Space Settings** page.



- 2. Click the **Default Syntax** box and select a syntax from the drop-down menu. This syntax is set as the default for your document.

In case you want to use another syntax, tick the "**Allow user to select other syntaxes**" checkbox.

Note

It is highly recommended that you should use such simple xyntaxes, such as XWiki 2.0, or Confluence 1.0.


## Build a forum

The section provides you a guide to use all **Forum** features or to configure the **Forum** portlet to make it work in your desired manner.


In **Forum**, the role of each user group is clear and very important. Each role has a set of tasks that they can execute. Administrators and moderators are responsible for setting up and maintaining **Forum**. With the highest rights, the administrators are in charge of the entire management tasks, including form configurations, users management, permissions, categories, forums, topics, and messages. With sub-sets of administrative permissions, the moderators will manage the respective sub-sets of the forum.

The user interface will indicate which features are available to you, based on your role.


- As a regular user, you will have the **User** bar and **Action** bar with the basic actions.



- As a moderator, you will have the **User** bar and **Action** bar with a sub-set of certain capabilities.



- As an administrator, you will have the **Administration** bar which is basically the **User** bar with more administrative actions. You also see the **Action** bar with the advanced actions on forums and categories. Most of management tasks are shown via these bars.



To have an overall look of actions which users of each role can do in the **Forum** application, see the following table:

Features	Description	Administrato	Moderator	Owner	Regular user	Guest
<a href="#">View details of Forum</a>	View categories, forums, and many another information.					
<a href="#">Subscribe to RSS feeds</a>	Provide the link to <b>Forum</b> for easy sharing.					
<a href="#">Attach a file</a>	Upload attachments to a topic/post, preview and download attachments.					
<a href="#">Search</a>	Do the simple and advanced search.					
<a href="#">Bookmark</a>	Bookmark category, forum, topic.					
<a href="#">Add a post</a>	Post reply, quote,					

Features	Description	Administrator	Moderator	Owner	Regular user	Guest
	private post, quick reply.					
<a href="#">Edit a post</a>	Edit post, quote and private post.	✓	✓	✓	✓	✗
<a href="#">Delete a post</a>	Delete post inside specific topic.	✓	✓	✓	✓	✗
<a href="#">Add a topic</a>	Start a new topic.	✓	✓	✓	✓	✗
<a href="#">Edit a topic</a>	Edit topic in a specific forum.	✓	✓	✓	✓	✗
<a href="#">Delete a topic</a>	Delete topic inside a specific forum.	✓	✓	✓	✗	✗
<a href="#">Lock/Unlock a topic</a>	Lock/Unlock topics inside a specific forum.	✓	✓	✓	✓	✗
<a href="#">Add a poll &amp; Vote</a>	Add a poll to topic and vote poll.	✓	✓	✓	✓	✗
<a href="#">Rate a topic</a>	Evaluate a topic by rating star.	✓	✓	✓	✓	✗
<a href="#">Add a tag</a>	Create new tags and tag a topic.	✓	✓	✓	✓	✗
<a href="#">Private message</a>	Send or receive private messages.	✓	✓	✓	✓	✗































Features	Description	Administrator	Moderator	Owner	Regular user	Guest
<i>Watch</i>	Subscribe to categories, forums, topics to receive notification mails of new posts or topics.					
<i>User Settings</i>	Change profile settings, personal forum settings.					
<i>Stick/unstick a topic</i>	Stick/unstick topics inside a specific forum.					
<i>Lock/unlock a topic</i>	Close/open topic inside a specific forum.					
<i>Split a topic</i>	Divide one topic into two separate topics.					
<i>Merge topics</i>	Combine two or more topics into one.					
<i>Manage a poll</i>	Create, edit, delete, close and reopen polls.					




Features	Description	Administrator	Moderator	Owner	Regular user	Guest
<a href="#">Move a topic/post</a>	Move one topic/post from a forum/topic to the other forum/topic.					
<a href="#">Approve a topic/post</a>	Change new topics/posts from pending status to normal status so that guest, normal user can view.					
<a href="#">Uncensor a post</a>	Allow a topic which has censored content to be displayed.					
<a href="#">Show/hide a post</a>	Allow posts to be shown/hidden.					
<a href="#">Manage pending tasks</a>	Manage all topics/posts waiting for moderation in one place.					
<a href="#">Manage a subscription (watch)</a>	Manage a subscription (watch). Edit and delete subscribed email.					

Features	Description	Administrator	Moderator	Owner	Regular user	Guest
<i>Ban a user</i>	Ban users from accessing specific forums or categories					
<i>Add a forum</i>	Add a new forum to a specific category.					
<i>Edit a forum</i>	Change the title, description, moderator, permissions of a forum. However, moderators cannot set moderators for a forum.					
<i>Delete a forum</i>	Delete forums from a specific category.					
<i>Lock forum</i>	Lock a forum so that it can be viewed only.					
<i>Unlock a forum</i>	Unlock a locked forum that allow doing basic action on unlocked forum.					
<i>Close/open a forum</i>	Close/open a forum.					

Features		Description	Administrator	Moderator	Owner	Regular user	Guest
		Closed forum are still manageable by administrator and moderators.					
<i>Move forum</i>	<i>a</i>	Move forum from one category to the other category.					
<i>Export forum</i>	<i>a</i>	Export a forum in the format of a .zip or .xml file.					
<i>Import forum</i>	<i>a</i>	Import a forum from .zip/.xml file into the <b>Forum</b> application.					
<i>Add category</i>	<i>a</i>	Add a new category.					
<i>Edit category</i>	<i>a</i>	Edit a category and change properties.					
<i>Export category</i>	<i>a</i>	Export categories in the format of a .zip or .xml file.					
<i>Import category</i>	<i>a</i>	Import categories from .zip/.xml file into					

Features	Description	Administrator	Moderator	Owner	Regular user	Guest
	the <b>Forum</b> application.					
<i>Delete a category</i>	Delete a category and all forum, topic, post inside it.					
<i>Administrate Sorting</i>	Sort forums, topics according to specific conditions.					
<i>Administrate Censor</i>	Define keywords that will be censored in forum.					
<i>Customize the notification template</i>	Define the content of the notification mails.					
<i>Customize BBCode</i>	Add, edit and delete the BBCode tags used in writing posts/ topics.					
<i>Add a topic type</i>	Add topic types that help users easily know what topics are about at a glance .					

Features	Description	Administrator	Moderator	Owner	Regular user	Guest
<i>Set up auto-pruning</i>	Set up auto-pruning to clean a large amount of obsolete and inactivate topics based on criteria.					
<i>Ban IPs</i>	Ban IPs on the whole <b>Forum</b> application (only administrators) and on only specific forums (both administrators and moderators).					
<i>Manage users</i>	Manage user's profile, promote users, ban users, view topic and post of a specific user.					

## Note


**Owners** are those posting questions or answers. Actually, they are regular users but can perform some extra actions on their posts and topics.



2.

Click

that corresponds to the **Forum** page in the pages list.




3. Hover your cursor over the **Forum** portlet, then click



in the quick toolbar.

The settings form allows you to configure the **Forum** portlet in various aspects.




### Specify the category scoping

In the **Scoping** tab, you can show/hide categories and forums in the **Forum** portlet by selecting or deselecting their respective checkboxes.

### Enable/Disable Forum components

In the **Panels** tab, you can enable/disable some components in the Forum portlet.

Simply select/deselect checkboxes of the components that you want to enable or disable.



The following components can be enabled/disabled:

- Show Forum Jump
- Show *Poll*
- Moderators
- Show *Quick Reply*
- Show Icons Legend
- Show Rules
- Show Forum Statistics



Start Topic

moderator panel

moderators(3)

John Smith, Mary Williams, David Klein

Rules

You can create topics.  
You can post replies.  
You can post attachments.  
You can edit your posts.

rules panel

Hot with unread posts

Hot and all read

Has unread posts

All read

Topic is locked

Topic is closed

icon legends panel

forum jump panel

Jump To: exo\_evolution

Forum Statistics:

What's Going on?

Maximum number of online users was : 3, at Thu,Nov 17,2011, 07:49 AM  
Online Users : Mary Williams, John Smith, anh nguyen

Forums Statistics

Total Topics: 22, Total Posts: 42, Total Members: 6, Active Members: 4  
Welcome: anh nguyen

Enable/Disable a bookmarkable Forum URL

Before doing this function, you first need to have a knowledge of Ajax. Ajax (Asynchronous JavaScript and XML) is used in the **Forum** application, aiming at updating a whole webpage or a part of the webpage.


The screenshot shows a web application settings interface. At the top, there are five tabs: 'Edit Mode', 'Window Settings', 'Select Icon', 'Decoration Themes', and 'Access Permission'. Below these, there are three sub-tabs: 'Scoping', 'Panels', and 'Options'. The 'Options' tab is currently selected. Inside the 'Options' tab, there is a section labeled 'Options:' followed by a large rectangular area. Within this area, there is a checkbox labeled 'Use Ajax (not recommended for Search Engine indexing)' which is checked. At the bottom of the 'Options' tab, there is a 'Save' button. At the bottom of the entire settings window, there is a 'Close' button.

This feature defines how the links are generated in the **Forum** portlet. You can select to use Ajax or not.

- By not using Ajax, the **Forum** will generate plain URLs in the links. The added benefit will be bookmarkability and better SEO as the links will be permalinks.
- Using Ajax, the links will be Javascript based and generate Ajax calls. This makes your browsing faster because the whole page is not reloaded.

### Manage categories

Only administrators can do categories-related management tasks. To manage forums better, the administrators usually build a good forum structure using categories. So, a category is a set of forums containing all discussions about the same subject. See the following diagram to learn about one typical **Forum** structure.




### Add a new category


Only when you are assigned as an **administrator**, you can do this function. Normally, one category is created as public and it allows everyone to access without any restrictions. Meanwhile, one *restricted category* only allows specific users/groups/memberships to access. Also, you can assign moderators to your category and specify a set of permissions for members in the category.

1.

Click



on the **Forum Administration** bar. The **Category** form will be displayed.



The screenshot shows a 'Category' dialog box with two tabs: 'Category' and 'Permissions'. The 'Category' tab is active. It contains the following fields:

- Title:** A text box containing 'Manager zone' with a required field asterisk (\*).
- Order:** A numeric text box containing '0'.
- Restricted Audience:** A large text box that is currently empty. To its right are three user icons (a blue icon, a grey icon, and a red icon).
- Description:** A text box containing 'For Forum Administrators and Moderators only'.

At the bottom of the dialog are 'Save' and 'Cancel' buttons.

2. Enter the category title into the **Title** field which is required. (Special characters are accepted).

In the **Category** tab, optionally you can also:

- Enter the order of category in the numeric format into the **Order** field.
- Give a brief description for your category into the **Description** field.
- Make the created category restricted by limiting the number of audiences via one of the following ways:

### The first way

Enter names of users/groups/memberships that can access this category into the **Restricted Audience** textbox. The different values are separated by commas.

### The second way

Use selectors next to the **Restricted audience** textbox.

i.

Click



to select a specific user from the groups list.

ii.

Click



to select all users with the specific membership in a group.

iii.

Click



to select a group of users.


Optionally, select the **Permissions** tab to specify the category permissions.

- Do the same ways as setting the "*Restricted audiences*" of a category.

3. Click **Save** to finish.

### Edit a category

1. Select a category to edit from the **Forum** homepage, then click



on the **Action** bar when you are in the categories list.


2. Click **Edit** from the drop-down menu.

3. Make changes on the category properties.

4. Click **Save** to save your changes.

### Delete a category

1. Select a category to delete from the **Forum** homepage, then click



on the **Action** bar.

- 2. Click **Delete** from the drop-down menu.
- 3. Click **OK** in the confirmation message.

**Note**

When a category is removed, all its forums are also removed.

**Manage forums**

**Add a new forum**

When creating a new forum, you can also configure the forum notification settings and specify the permissions for members in that forum.


*Add a new forum to a specific category*

- 1. Go into the category to which you want to add new forum.

- 2. Click



on **Forum** **Administration** bar or click



on the **Action** bar and select **Add Forum**.

Watch

Bookmark

RSS

Search this category ▾

Manage Category ▾

**Last Posts**

ICS source code 's out

by [Mary Williams](#) (2 hours ago)

New SDK released

by [Mary Williams](#) (22 hours ago)

eXo apps for Windows Phone released

by [Jack Miller](#) (22 hours ago)

Edit

Export Forum

Import Forum

Delete

Watches

Add Forum

Edit

- 3. Enter the forum title which is required and description in the corresponding fields in the **Forum** form. The forum title must be less than 50 charaters.

Forum

Add Forum to Category: Mobile development

Add Forum Moderation Options Permissions

Title Industry News \*

Order 0

State Open

Status Unlocked

Description

Save Cancel

4. Click **Save** to finish.

The administrators and moderators of a forum may want to get updated of what is new in forums under their management. This can be done when creating a new forum.

### Configure the moderation settings

When creating a forum, you can set moderation-related options as follows:

1. Select the **Moderation Options** tab in the **Forum** form.
2. Do actions in the relevant fields.

Forum

Add Forum to Category:

Mobile development

Add Forum

Moderation Options

Permissions

Moderators

mary

Auto-fill the moderator's email

☒

Email addresses to notify when there is a new post

Email addresses to notify when there is a new topic

Moderate Topics

☐

Save

Cancel

Details:

Field	Description
Moderators	The username of the moderators.
Auto-fill the moderator's email	Check this option if you want the moderator's email is auto-filled. The email address will be taken from in moderator profile.
Email addresses to notify when there is a new post	Enter the list of email addresses which will get the notification if any new post is created. This field will be filled automactically if the <b>Auto-fill the moderator's email</b> is checked.
Email addresses to notify when there is a new topic	Enter the list of email addresses which will get the notification if any new topic is created.This field will be filled automactically if the <b>Auto-fill the moderator's email</b> is checked .
Moderate Topics	By default, new topics must be always approved and visible to everyone. If this option




Field	Description
	is selected, new topics will be pending for approval before being viewable.

## Delete a forum

Only administrators can perform this action. When a forum is removed, all of its topics will then be deleted.

1. Go into the forum you want to remove.

2. Click



on the **Action** bar, then select **Delete** from the drop-down menu.

3. Click **OK** in the confirmation message to accept your deletion.

## Manage users











To take this action, click



on the **Forum Administrator** bar. The **User Management** form will be displayed.

**User Management**

Search:

Username	User Title	Forum Fole	Banned	Action
root	Administrator	administrator	false	 
john	Administrator	administrator	false	 
mary	Moderator	moderator	false	 
james	User	user	false	 
demo	User	user	false	 

Total pages: 2 << < 1 2 > >>

Close

Now, you can search for specific users to edit their profiles or remove them from **Forum**.

Promote a user

The administrator can edit profiles of members and promote any user to an administrator or a moderator.

1.
- Click



on the **Action** bar. The **User Management** form will be displayed.

2.
- Click



corresponding to the user you want to promote. The profile of this user will be displayed right below the users list.


Profile

Settings

Ban User

Topics

Posts



[Reset]

Username

mary

Screen Name

Mary Williams

User Title

Moderator

Forum Administrator

☐

Moderator of Categories

General Discussion

+

Moderator of Forums

Introduce Yourself  
Caffeine Lounge  
Industry News

+

Signature

If nothing ever changes, there'd be no butterflies

Display Signature

☐

Display Avatar



☒

Save

Cancel

To promote the user, you have to edit the **Moderator** fields in **Profile** tab.

Field	Description
Screen Name	The name displayed in <b>Forum</b> .
User Title	

Field	Description
	The title representing the role of user, by default. However, you can enter anything you want.
<b>Forum Administrator</b>	Grant the Administrator role to a selected user or not. The Administration role of the default administrator can not be edited in the <b>User Management</b> form.
<b>Moderator of Categories</b>	The list of categories moderated by the selected user. Click  to select a category.
<b>Moderator of Forums</b>	The list of forums moderated by the selected user. Click  to select a forum.

### Modify user's forum settings

You can modify the forum settings that users had set in their **User settings**.

Go to the **Settings** tab in the **User Management** form.

Profile
Settings
Ban User
Topics
Posts

Time Zone
(GMT 0:00) Greenwich Mean Time: Dublin, Li
Short Date Format
mm/dd/yyyy (11/23/2011)
Long Date Format
eee, mmmm dd, yyyy (Wed, November 23, 21
Time Format
12-hour
Topics Per Page
10
Posts Per Page
10
Show Forum Jump
☒

Save
Cancel

Close

Now you can modify the forum settings that the selected user has set in their **User settings**. See [User settings](#) for the detailed descriptions in the **User Settings** form.

Ban users

There are other methods to ban users from the **Forum** application or specific forums and categories. In case you know the username of the user who violated your forum policies, you can search and ban this user quickly.

In the **User Management** form, go to the **Ban User** tab.

Profile

Settings

Ban User

Topics

Posts

Banned

☐

Duration

1 Day (11/24/2011 09:41 AM GMT+0)

Reason

Ban Count

0

Bans Log

Ban Date

Save

Cancel

Close

Details:

Field	Description
Banned	Ban one user or not.
Duration	The interval during which the user will be banned. This field is only edited when you ban this user in the 'Banned' field. In the ban duration, the banned user only can view forums and topics but he/she can not post replies or send messages.
Reason	The reason for banning this user.

Field	Description
<b>Ban Count</b>	The ban times of the user.
<b>Bans Log</b>	Other log information.
<b>Ban Date</b>	The date when the ban takes effect.

See also


- [Ban IPs for moderators](#)
- [Ban IPs for administrators](#)

## Administrative tasks

All of administrative tasks can be reached via the menu that appears after clicking



on the **Forum Administration** bar. You can select a desired action from the following drop-down menu.



In this section, you are going to learn how to perform all of these administrative tasks and customizations:

- [Set up Sort Settings](#)
- [Define censored keywords](#)
- [Customize email notification template](#)


- [Customize BBCode](#)
- [Customize the topic types](#)
- [Set up Auto-pruning](#)
- [Ban IPs](#)
- [Back up Category/Forum](#)

### Set up Sort Settings

Click



on the **Forum Administration** bar and click **Sort Settings** from the drop-down menu. The **Sort Settings** form opens. Now, you can set properties for how forums and topics are sorted in **Forum**.

The image shows a 'Sort Settings' dialog box with a title bar and a close button. It contains four dropdown menus: 'Sort Forums by' (set to 'Name'), 'Direction' (set to 'Ascending'), 'Sort Topics by' (set to 'Name'), and 'Direction' (set to 'Ascending'). At the bottom are 'Save' and 'Close' buttons. A vertical scrollbar is on the right side.

- **Sort Forums by:** Sort forums by several criteria: name, order, lock status, creation date, modification date, topic count, and post count.
- **Direction:** Sort forums in the Ascending or Descending order.
- **Sort Topics by:** Sort topics by name, lock status, creation date, modification date, date of last post, post count, view count, attachments count.
- **Direction:** Sort topics in the Ascending or Descending order.

### Define censored keywords

Censored keywords are those which are specified as inappropriate in the **Forum** application. If any topics or

posts contain censored keywords, they will be hidden until being verified by Administrators or Moderators. Click




on the **Forum Administration** bar and click **Censor Keywords** from the drop-down menu. The **Censor Keyword** form will be displayed.

Enter censored keywords in the **Censored Keywords** field. Keywords are separated by commas.

## Customize an email notification template

If there are new posts in the category or topic that a user has watched, the user will receive the email notification like this.



This section will describe how to create and edit the email templates that can be used to send notification emails to users.

Click



on the **Forum Administration** bar, and click **Notifications** from the drop-down menu to open the **Notifications** form.

[illegible]

The **Notification** form consists of two tabs:

- **New Post Notification:** allow you to customize the template of the notification email when there is a new post/topic in categories/forums/topics that users are watching.
- **Moved Notification:** allow you customize the template of the notification email when a category/forum/topic/post that is being watching is moved to another location.

### Details:

- **Notification Subject Template:** The template for the notification subject.
- **Add a prefix to notifications:** Tick the checkbox to add a prefix to the email notification.
- **Content Notification:** The template content of the notification email of new topics/posts that can be modified with the built-in Editor.

The followings are variables which can be used in the template:

**The common variables for both tabs:**



- **\$VIEWPOST\_LINK**: Will be replaced by the public link referring to the new topic/post.
- **\$VIEWPOST\_PRIVATE\_LINK**: Will be replaced by the private link referring to the new topic/post.
- **\$REPLYPOST\_LINK**: Will be replaced by the private link referring to the topic and a form to reply will be automatically opened.

**The variables used in the New Post Notification tab:**

- **\$OBJECT\_WATCH\_TYPE**: Will be replaced by the watched object type (category/forum/topic).
- **\$OBJECT\_NAME**: Will be replaced by the name of the watched object (category/forum/topic).
- **\$ADD\_TYPE**: Will be replaced by the newly added object type (topic/post).
- **\$ADD\_NAME**: Will be replaced by the newly added object name (topic name/post name).
- **\$POSTER**: Will be replaced by the topic/post owner.
- **\$POST\_CONTENT**: Will be replaced by the topic/post contents.
- **\$TIME**: Will be replaced by the time when the topic/post was added.
- **\$DATE**: Will be replaced by the date when the topic/post was added.
- **\$CATEGORY**: Will be replaced by the category name.
- **\$FORUM**: Will be replaced by the forum name.
- **\$TOPIC**: Will be replaced by the topic name.

**The variables used in the Moved Notification tab:**

- **\$OBJECT\_PARENT\_NAME**: Will be replaced by the forum name (if moving topics) or the topic name (if moving posts).
- **\$OBJECT\_PARENT\_TYPE**: Will be replaced by the type of the moved parent object, such as forum (if moving topics) or topic (if moving posts).
- **\$OBJECT\_NAME**: Will be replaced by the name of the moved object (topic name/post name).
- **\$OBJECT\_TYPE**: Will be replaced by the type of the moved object (topic/post).

These variables are used to load the content dynamically. Thus, you should not edit them. In case the template is changed unexpectedly, you can go back to the default template by clicking




You can use the text editor to format the template as you wish.

## Customize a BBCode

By default, there are some default BBCode tags that are initialized via plugins: "[B]", "[I]", "[HIGHLIGHT]", "[IMG]", "[CSS]", "[URL]", "[GOTO]", "[QUOTE]", "[LEFT]", "[RIGHT]", "[CENTER]", "[JUSTIFY]", "[SIZE]", "[COLOR]", "[CSS]", "[EMAIL]", "[CODE]", "[LIST]", "[WIKI]", "[SLIDESHARE]".. You can add, edit or delete the BBCode tags.

Click



on the **Forum Administration** bar, and click **BBCode** from the drop-down menu to open the **BBCode Manager** form.

TAG	Description	Active	Edit/Delete
URL (Option)	The [url=option] tag allows link to other websites and files and usean optional parameter to 'name' of thislink.	<input checked="" type="checkbox"/>	
JUSTIFY	The [justify] tag allows aligntment text to justify.	<input checked="" type="checkbox"/>	
B	Set text in bold	<input checked="" type="checkbox"/>	
HIGHLIGHT	The [highlight] tag allows you to make highlight of your text.	<input checked="" type="checkbox"/>	
I	Set text in italic	<input checked="" type="checkbox"/>	
U	Set text in underline	<input checked="" type="checkbox"/>	
RIGHT	The [right] tag allows aligntment text to right.	<input checked="" type="checkbox"/>	
EMAIL (Option)	The [email=option] tag allows link to an email address and use an optional parameter to 'name' of this link.	<input checked="" type="checkbox"/>	

Here, you can do the following actions:

- [Add a new BBCode.](#)
- [Edit a BBCode.](#)
- [Delete a BBCode.](#)
- [Activate/Deactivate a BBCode.](#)

### Add a new BBCode

1. In the **BBCode Manager** form, click **Add BBCode** to open the **Add BBCode** form.

2. Input values into the **Add BBCode** form.

Add BBCode

Tag

GOTO

\*

?

Replacement

<a href="{option}">{param}</a>

\*

?

Description

Allows goto directly to link instead of open a new window or a new tab.

?

Example

[goto=http://www.exoplatform.com]Goto this link.[/goto]>

\*

?

Preview

Use {option}

☐


?

Save

Reset

Close

Details:

Field	Description
Tag	This is the text for BBCode, which goes inside the square bracket.
Replacement	The HTML codes that replace the user-entered BBCode.
Description	The brief description about this BBCode tag.
Example	The sample of the BBCode in use.
Use {option}	Show that the new BBCode tag supports option or not.
Preview dialog	Preview the rendered BBCodes.
	Click this icon to see descriptions of each field.

3. Optionally, click **Preview** to preview your created BBCode tag.

4. Click **Save** to finish or **Reset** to clear all input fields.

### Edit a BBCode

1.

Click



corresponding to the relevant BBCode tag in the **BBCode Manager** form.

2. Make changes to the BBCode tag.

3. Click **Preview** to preview the BBCode tag after being edited, or click **Save** to finish your changes.

### Delete a BBCode

Simply







click



corresponding to the BBCode you want to delete in the **BBCode Manager** form and then select **OK** in the confirmation message to accept your deletion.

### Activate/Deactivate a BBCode

Any BBCode can be activated/deactivated.

BBCode Manager			Activate/Deactivate BBCode	
TAG	Description	Active	Edit/Delete	
URL (Option)	The [url=option] tag allows link to other websites and files and use an optional parameter to 'name' of this link.	<input checked="" type="checkbox"/>	 	
JUSTIFY	The [justify] tag allows alignment text to justify.	<input checked="" type="checkbox"/>	 	
B	Set text in bold	<input checked="" type="checkbox"/>	 	

- To activate an existing BBCode tag, tick the relevant checkbox.
- To deactivate an existing BBCode tag, simply deselect the relevant checkbox. The entered BBCode will be displayed as the plain text.











## Set up auto-pruning

The pruning allows you to clean a large amount of obsolete and inactivate topics based on criteria.

1. Click



on the **Forum Administration** bar and click **Pruning** from the drop-down menu to open the **Auto Prune** form.

Auto Prune				
Category	Forum	Active	Last Run	Action
<b>General Discussion</b>				
General Discussion	Industry News	<input type="checkbox"/>		 
General Discussion	Caffeine Lounge	<input type="checkbox"/>		 
General Discussion	Introduce Yourself	<input type="checkbox"/>		 
<b>Mobile development</b>				
Mobile development	Android Development	<input type="checkbox"/>		 
Mobile development	iOS Development	<input type="checkbox"/>		 

Close

2.

Click




corresponding to the forum you want to set the prune settings.

3. Specify the criteria.

4.

Click



to check how many topics will be pruned.

5. Click **Save** to accept settings.

After setting the prune successfully, the auto-prune will be run automatically on the forum that has been set to check for the inactivate topics.

### Create a topic type

The topic type is the visual indication for other users to know what is topic about at a glance. When creating new topic, users can select the topic type that they are going to start. The administrator can define these topic types.






















	Topic	
	<b>Sticky: Android development rules - Read before posting!</b> David Klein	0
	How i can change my avatar? ➡ James Davis	0
	New Nebula ROM - fast and furious ➡ Mary Williams	0
	<b>Please help!!! (Pending)</b> Jack Miller	0
	<b>News</b> Jack Miller	0

Click



on the **Forum Administration** bar and click **Topic Types** from the drop-down menu to open the **Topic Type Manager** form.

Topic Type Manager

Icon	Type Name	Action
	Forum Annoucement	 
	Poll	 
	News	 
	Important	 
	Resolved	 
	Request	 
	Discussion	 

Add Topic Type
Close

The **Topic Type Manager** form lists all topic types and allows you to add new topic types, edit or delete the existing ones.

### **Add a topic type**

1. Open the **Topic Type** form via one of two following ways:

- **The first way**

Click **Add Topic Type** in the [Topic Type Management](#) form.

- **The second way**

Click




next to the **Type** field in the **Option** tab of the [New Topic](#) or [Edit Topic](#) form.

(Note that only administrators can see



.)


2. Enter the topic name in the **Type** field, then select an icon for this topic type.

A screenshot of a web application window titled "Topic Type". The window has a light gray background and a standard window control bar with a close button (X) in the top right corner. Inside the window, there is a form with two main sections. The top section is labeled "Type" and contains a text input field with the value "Hot news". To the right of the input field is a small asterisk icon. Below the "Type" section is the "Icon" section. It features a dropdown menu labeled "Available icons" with a downward arrow. Below the dropdown is a list of icon categories: "Misc Icons" (highlighted in yellow), "Office Icons", "Navigation Icons", "Tool Icons", and "User Icons". To the right of the icon list is a preview area titled "Preview and select an icon". This area shows a horizontal row of various icons, including a document, a folder, a mail icon, a calendar, a clock, a magnifying glass, a speech bubble, a star, a bomb, a book, a Euro symbol, and a cube. The bomb icon is highlighted with a red square. Below the preview area is a text field labeled "Name of the selected icon:" with the value "Bomb". At the bottom of the form are two buttons: "Save" and "Cancel". A scrollbar is visible on the left side of the window.

3. Click **Save** to accept adding your new topic type.

You will see the new topic type added.





- To edit the topic type, click



- To delete the topic type, click




## Ban IPs

Administrators can ban IP addresses used by users who abuse the forum functions or violate the forum rules and policies. All banned IPs cannot be used to add posts to all forums in the **Forum** application. Any user who uses banned IPs to add post, will be recognized as the banned user. As a result, the banned user can only view and is prevented from most of basic actions to the forum, such as adding topics, posting, or rating.

Click



on the **Forum Administration** bar, then click **Banned IPs** from the drop-down menu. The **Banned IPs** form opens.



- To ban an IP, simply enter the IP address into the IP textboxes and click **[Add]**. All banned IPs will be listed in the banned IPs table. You can view all posts which are posted from the specific banned IP or delete them from the banned IPs list.
- To view all posts submitted from a specific IPs, click the **[Posts]** link of the respective IPs. These posts can be viewed and deleted by the administrator.
- To remove banned IPs from the banned IP list, click the **[x]** icon of the respective IP.

Besides, you can also filter the banned IPs if there are so many banned IPs.

To filter banned IPs, enter a part of the IPs address into filter text box, all IPs matching with filter term will be displayed.

### Back up a category & forum

The **Export** function is a best way to back up data in the **Forum** application. This function allows you to export categories and forums in the **Forum** application into the .zip or .xml file. When a category/forum is exported, all its forum, topics, posts and its properties are also exported. The exported file can be used to import into the **Forum** application.

### Export a category

1.

Click



on the **Forum Administration** bar.

2. Click **Export** from the drop-down menu to open the **Export Categories** form.

Export Categories

Select Categories

Categories

☒General Discussion

☒Mobile development

☒eXo FC

☒spaces

File Name

ks-export

Compress

☒

Export Mode

☐Export All

☒Only Categories

Save

Cancel

Details:

Field	Description
File Name	Enter the name of the exported file.
Export All	Check this option to export all data in <b>Forum</b> , such as all categories, user profiles, and forum statistics.
Only Categories	Check this option to export the selected categories only.

3. Select category and enter the file name into the **File Name** field.


4. Click **Save**.

Export a forum

This function is used to export forums and all topics inside the **Forum** application in the .xml or .zip format.


The first way

1. Go into a forum and click



on the **Action** bar.

2. Click **Export Forum** from the drop-down menu to open the **Export Forums** form.

A dialog box titled "Export Forums" with a close button (X) in the top right corner. It contains a "File Name" text input field with the value "ks-export". Below it is a "Compress" checkbox, which is currently unchecked. At the bottom are two buttons: "Save" and "Cancel".


3. Input the file name to export.
4. Tick the **Compress** checkbox to export the file into the .zip file or leave it blank to export into .xml file.
5. Click **Save** to get and store the exported file in your local device.

### The second way


1. Go into a category containing the forum you want to export.

2.

Click



on the **Action** bar, then click **Export Forums** from the drop-down menu.

A dialog box titled "Export Forums" with a close button (X) in the top right corner. It features a "Select Forums" section with a table. The table has a header row "Forums" and three rows of checkboxes, all of which are checked: "Android Development", "iOS Development", and "Windows Phone Development". Below the table is a "File Name" text input field with the value "ks-export". Below that is a "Compress" checkbox, which is now checked. At the bottom are two buttons: "Save" and "Cancel".

3. Select a forum you want to export by ticking the relevant checkbox.

4. Select the **Compress** checkbox to export the file in the .zip format or leave it blank to export in the .xml format.


5. Click **Save** to get and store the exported file in your local device.

### Import a category

1. Click



on the **Forum Administrator** bar, then click **Import** from the drop-down menu to open the **Import Category** form.




2. Browse the file to import.

3. Click **Save**.

### Import a forum

1. Go into one category, then click



on the **Action** bar.

2. Click **Import Forum** from the drop-down menu.

3. Browse and upload the selected file in the **Import Forum** form.

4. Click **Save** to accept importing.

After being imported successfully, the forum and topic data will be displayed properly in the **Forum** homepage.

## Regular users

This section describes actions that a regular user can perform in the **Forum** application of eXo Platform.

### View details of the Forum application

Once clicking **Forum** on the **Administration** bar, you will be directed to the **Forum** homepage. Here, you can see all categories of forum, all forums of each category, and the number of posts, and more another information as below.

[Home](#) [Search:](#)

[Add Category](#) [Add Forum](#) [Users](#) [Administration](#) [Settings](#) [Bookmarks](#) [Private Mess](#)

**General Discussion**

Forums	Last Posts
<a href="#">Industry News</a>	<a href="#">Join the Code Fest changllege!</a> by <a href="#">James Davis</a> (15 hours ago)
<a href="#">Caffeine Lounge</a>	<a href="#">SanSan is a copycat company?</a> by <a href="#">Mary Williams</a> (16 hours ago)
<a href="#">Introduce Yourself</a>	<a href="#">Hi there!</a> by <a href="#">John Smith</a> (15 hours ago)

**Mobile development**

Forums	Last Posts
<a href="#">Android Development</a>	<a href="#">How to root Samsung Galaxy S i9000?</a> by <a href="#">John Smith</a> (15 hours ago)
<a href="#">iOS Development</a>	<a href="#">New SDK released</a> by <a href="#">Mary Williams</a> (16 hours ago)
<a href="#">Windows Phone Development</a>	<a href="#">eXo apps for Windows Phone released</a> by <a href="#">Jack Miller</a> (16 hours ago)

**eXo FC**

Forums	Last Posts
<a href="#">Announcement</a>	<a href="#">eXo FC members</a> by <a href="#">Mary Williams</a> (16 hours ago)
<a href="#">Activities</a>	<a href="#">New uniform design</a> by <a href="#">James Davis</a> (15 hours ago)

**Spaces**

Forums	Last Posts
<a href="#">eXoEvolution</a> This space has no descriptive summary.	Not Available
<a href="#">eXo evolution</a> This space has no descriptive summary.	<a href="#">Forum rules</a> by <a href="#">John Smith</a> (17 hours ago)

**What's Going on?**

Maximum number of online users was : 3, at Thu,Nov 17,2011, 07:49 AM  
Online Users : [John Smith](#), [James Davis](#), [Mary Williams](#)

**Forums Statistics**

Total Topics: 15, Total Posts: 31, Total Members: 5, Active Members: 4  
Welcome: [Jack Miller](#)

[No recent post](#) [Has recent posts](#) [Forum is locked](#) [Forum is closed](#) [Has unread posts](#) [All read](#)

## Search


Like in **Answers**, you can do either of two search types (**Quick Search** or **Advanced Search**) anywhere in the **Forum** application, right on the homepage or inside each specific forum or topic that makes it easy to find the expected information.

### Quick search


With **Quick Search**, users can directly type a search term in the textbox. All the categories, forums, topics and posts that have the keyword matching the search term will be quickly displayed in the **Search Result** form.

For example:


- The **Search** function on the main bar to search for items related to categories, forums, topics, and posts.



- The **Search** function inside one specific forum to find topics, and posts in the forum only.



- The **Search** function inside one specific topic to find posts related to the topic only.



### Do a quick search

1. Enter a search term into the relevant search textbox.

2.

Click



or press the **Enter** key to perform your search, or click the **Search** button if you want to search in one forum or topic.

Depending on your selected object, the results which contain the matching keyword will be displayed in the **Search Result** form.

See also

- [View details of the Forum application](#)
- [Advanced search](#)

### Advanced search

The **Advanced Search** allows users to make a search with the particular criteria corresponding to the object you want to find. Using the **Advanced Search**, you can find forums/topics/posts exactly.

The **Advanced Search** icon is placed anywhere in the **Forum** application. To perform the advanced search, do as follows:

1. Click




at the top right of the **Forum** homepage when being in the **Forum** application or in the search pop-up or in the **Search this category/Search this forum/Search this topic/** on the **Action** bar of each selected object.

Basing on where you want to search: category, forum or post, the search criteria will be changed accordingly.

2. Define values of properties corresponding to each object that you want to search.
3. Click the **Search** button to do search or **Cancel** to quit. Also, click the **Clear Fields** button to reset the inputted values.

The list of the found objects will be displayed in the **Search Result** form or there will be an alert message when no objects match with the input properties.

- To find in categories, select **Category** from the **Search in** drop-down menu.






The screenshot shows the Advanced Search form with the following fields and controls:

- Terms:** A text input field containing the word "Template".
- Search in:** A dropdown menu currently set to "Category".
- Scope:** Two radio buttons, "Full" (selected) and "Titles".
- Username:** A text input field with a user icon to its right.
- Created between:** Two date input fields. The first contains "11/02/2011" and the second contains "11/24/2011", separated by the word "and". Each date field has a calendar icon to its right.
- Moderator:** A text input field with a user icon to its right.
- Buttons:** Three buttons at the bottom: "Search", "Clear Fields", and "Cancel".



**Details:**

Field	Description
Terms	The keyword related to your desired categories.
Scope	The search scale. With the 'Full' option, returned results are those matching both title and content containing the entered keyword. With the 'Titles' option, only results matching the object's titles are returned.
Username	<p>The name of the category creator. Input the name manually or click</p> <p> to select users from a specific group.</p>
Created between - and	<p>The created date interval for searching. Input dates manually or click</p> <p> to open the calendar pop-up.</p>
Moderator	<p>The name of the category moderator. Input the name manually or click</p> <p> to select users from a specific group.</p>

- To find in forums, select **Forum** from the **Search in** drop-down menu.

Terms

Template

Search in

Forum

Scope

☒ Full ☐ Titles

Username

Status

☐ Locked ☐ Unlocked

State

☒ Open ☐ Closed

Created between

10/05/2011

and

11/17/2011

Posts

45

Topics

10

Moderator

John

Search

Clear Fields

Cancel

Details:

Field	Description
Terms	The search keyword.
Status	The status of the forums.
State	The state of the forums.
Posts	The interval of forum's posts number you want to search. Simply click and drag your cursor on the sidebar to define the post interval.
Topics	The interval of forum's topics number you want to search. Click and drag your cursor on the sidebar to define the topic interval.
Moderator	The name of the forums' moderators.

- To find in topics, select **Topic** from the **Search in** drop-down menu.

Terms   
 Search in   
 Type   
 Scope ☒ Full ☐ Titles  
 Username   
 Status ☐ Locked ☐ Unlocked  
 State ☒ Open ☐ Closed  
 Created between  and   
 Last Post between  and   
 Posts   
 Views

**Details:**

Field	Description
Terms	The search keyword.
Type	The type of the topic specified by the topic type name and its icon. It can be selected from the existing list.
Status	The status of the topics.
State	The state of the topics.
Created between - and	The created date interval in which you want to search for topics.
Last Post between - and	The last post's created date interval in topics in which you want to search.
Posts	The number of the topic's posts interval in which you want to search for those topics. Simply click and drag the cursor on the sidebar to define the post interval.
Views	The number of the views interval of topics in which you want to search. Simply click and drag the cursor on the sidebar to define the views interval.

- To find in posts, select **Post** from the **Search in** drop-down menu.

Terms

Template

Search in

Post

Scope

☒ Full ☐ Titles

Username

Created between

10/05/2011

and

11/17/2011

Search

Clear Fields

Cancel

Details:

Field	Description
Term	The search keyword.
Scope	The search scale to search. With the "Full" option, returned results are those matching both title and content. With the "Titles", the results only match the post titles.
Created between - and	The created date interval in which you want to search for posts.

See also

- [View details of the Forum application](#)
- [Quick search](#)


Topics

Start a topic

1. Go into the forum where you want to start a new topic.

2.

Click



Start Topic

Topic in forum Android Development

Watch
 Bookmark
 RSS

	Topic		Rating	Last Posts	Re
	<b>Sticky: Android development forum rules - Read before posting!</b> John Smith	0	★★★★★	1 hour ago by John Smith	
	<b>ICS source code 's out</b> Mary Williams	0	★★★★★	Just Now by Mary Williams	
	<b>Chainfire 3D OpenGL</b> Jack Miller	0	★★★★★	24 minutes ago by Jack Miller	
	<b>APK manager!</b> Mary Williams	0	★★★★★	24 minutes ago by Mary Williams	
	<b>How to root Samsung Galaxy S i9000?</b> John Smith	0	★★★★★	19 hours ago by John Smith	

3. Enter the topic title, content. The title must be less than 100 characters (special characters are accepted). You may set *other optional properties* if you want.

- Click the **Attach files** link to attach files to your message. The max size for the attachment is 20Mb. Click the trash icon next to the attachment to remove it.
- Use *BBCodes* to format text, or to insert images, videos, and links.

**New Topic**

Content   Icon   Options   Permissions

Title

Message

BB code is a set of tags based on the HTML language that you may already be familiar with. They allow you to add formatting to your messages in the same way as HTML does, but have a simpler syntax and will never break the layout of the pages you are viewing. The ability to use BB code is set on a forum-by-forum basis by the administrator, so you should check the forum rules when you post a new message.

[b] Below is a list of the BB code tags you can use to format your messages[b]:

- [b], [i], [u] : Bold / Italic / Underline
- [color]: Color
- [size]: Size
- [font]: Font
- [highlight]: Highlight
- [left], [right], [center], [justify]: Left / Right / Center / Justify
- [indent]: Indent
- [email]: Email Linking
- [url], [link]: URL Hyperlinking
- [list]: Bulleted Lists / Advanced Lists

Files [Attach files](#)

Preview   Submit   Cancel

4. Click **Preview** to see before submitting, or **Submit** to finish your topic.

## Note

If the moderation feature is activated for a forum, it means that new topics must be reviewed and approved by a moderator before they are published. Once a new message is posted in a moderated forum, the forum will tell you that the topic must be approved before being published.

When creating a topic, you can also add extra properties to this topic:

- [Select a topic icon.](#)
- [Set the topic options.](#)
- [Control who can view or post in your topic.](#)

## Select a topic icon

When posting a new topic, you may also assign an icon to the topic for the quick visual identification as follows:

1. Go to the **Icon** tab in the **New Topic** form.
2. Select an icon category and click your desired icon in the right pane. The selected icon is surrounded with the red border and with its name as below.


**New Topic**

Content **Icon** Options Permissions

Available icons ▾

- **Misc Icons**
- Office Icons
- Navigation Icons
- Tool Icons
- User Icons

**Preview and select an icon**



Name of the selected icon: YellowStar

Preview Submit Cancel

## Set the topic options

Go to the **Options** tab, you can select status, state, type of the topic, and more.

New Topic

Content

Icon

Options

Permissions

Type

Untyped

State

Open

Status

Unlocked

Posts Moderation

☐

Posts Notification

☐

Sticky



☐

Preview

Submit

Cancel

Details:

Field	Description
Type	<p>Type of the topic specified by the topic type name and its icon. You can select it from the existing types. The administrator can add a new one by clicking the</p> <div></div> <p>icon (Note that only administrators can see</p> <div></div> <p>icon.</p>
Posts Moderation	<p>Check this option if you want posts to be moderated before being viewed.</p>
Posts Notification	<p>Check this option to enable the notification email when there are new posts in your topic.</p>
Sticky	<p>Check this option to stick the topic. A sticky topic will be located at the top of the topics list. A sticky topic will not fall down in the list if any new posts are added.</p>





## Set topic permissions

Go to the **Permissions** tab, you can set rights to view and post on your topic for another users. By default, all users can view and reply on a topic.

**New Topic**

Content Icon Options **Permissions**

 Anybody can post in this topic  
Restrict who can post in this topic to

 Anybody can view in this topic  
Restrict who can view in this topic to

Preview Submit Cancel

To set the "post" or "view" right to certain users, enter usernames manually in each textbox or click one relevant selector next to the textbox.

- Click



to select users.

- Click



to select users defined by specific roles.

- Click




to select groups.

### Edit a topic


Follow this method when you are in your topic.

1. Click



on the **Action** bar. For regular users, this button is only shown when you are the creator.

2. Click **Edit** from the drop-down menu to open the **Edit Topic** form.

The "Edit Topic" form has a title bar and four tabs: "Content", "Icon", "Options", and "Permissions". The "Content" tab is active. It contains three input fields: "Title" with the text "New features of PLF3.5", "Reason" (empty), and "Message" (containing "What are new features?"). Above the "Message" field is a rich text editor toolbar with icons for undo, redo, bold, italic, underline, bulleted list, numbered list, link, unlink, and text color. At the bottom left is a "Files" section with a link to "Attach files".

3. Make changes to your desire. Also, leave the reason in the **Reason** field if needed.


4. Click **Submit** to finish.

### Create a poll

Each topic may have a poll question with pre-defined options for users to select. As a regular user, you can only add a poll question to your own topic. Meanwhile, administrator and moderator can add the poll to any topics.

1. Go to the topic you want to add a poll.

2. Click



on the **Action** bar and select **Add Poll** from the drop-down menu.

### 3. Enter the poll question and options.

#### Details:

Field	Description
<b>Poll Question</b>	Question raised for polling that is required.
<b>Poll Options</b>	Brief content of the poll.
<b>Close Poll After</b>	Period after which the poll is closed.
<b>Users may change their votes</b>	Allow users to change their votes or not.
<b>Allow Multiple Choices</b>	Allow users to vote for multiple options or not.

4. Click **Submit Poll** to complete. After adding a poll to the topic,



is then displayed in the topics list.

To perform further actions on this poll, simply left-click **More Actions** on the Poll pane to open the drop-down menu. Here, you can edit, close/reopen or remove the poll by clicking the relevant button.

u like the new website design?

Votes will be closed on Wed,Nov 30,2011, 07:19 AM GMT+0

ce the new website design?

care  
e

Vote Now


### Rate a topic

The **Forum** application provides an intuitive rating experience through a five-star scale. Your choice of five stars means the highest rating for the topic.

1. Go to the topic you want to vote.


2.

Click



on the **Action** bar.

The **Rate This Topic** form will appear.



3. Rate the topic by clicking the star. The number of selected stars will be changed from grey into yellow.

### Note

Each user can only vote for a topic once. The function is disabled in closed topics and with banned users.

### Tag/Untag a topic

This function is for all logged-in users. Tags are keywords which are used as labels to describe or categorize the topic contents. One topic may have several tag names. Using tags allows you

to categorize topics based on the actual content. Even, it can be a better way to find a specific topic than a full-text search.

### Tag a topic


1.

Click



on the **Action** bar.

An input text box will pop up.



2. Enter a tag name or multiple tags separated by a space or select existing tags in the suggestion list that appears when typing.

3. Press **Enter** or click **Add Tag**.

Tags assigned to the topic appears as follows.

The screenshot shows the eXo Platform 3.5 interface. At the top, there is a navigation bar with icons for Watch, Bookmark, and RSS. Below this, a post by Mary Williams, a Moderator, is displayed. The post title is "New Content Management features in eXo Platform 3.5". The post content includes a section titled "New Features for a Better User Experience" with a sub-section "Inline editing". The post also features a "Featured Products" section with a yellow background and a snowflake icon. The tags "News", "eXo", and "Platform" are visible at the top of the post content area.

### Untag a topic

#### The first way

- Simply click



next to that tag.


#### The second way

This way allows you to untag one or multiple topics.


1. Click the tag name to be directed to the tags management page.
2. Ticking your desired topic checkboxes from the topics list.

3.

Click



on the **Action** bar, then select **Untag** from the drop-down menu.



### Post

To post a reply, select the topic you want to reply to. You can reply to any topic as long as it is not closed and restricted. While you are viewing the topic, you can reply to it via either of the following ways:

- *Type a message in the Quick Reply box at the bottom of the topic.*
- *Click the Post Reply button which is on the top or bottom of the topic.*
- *Post a private reply, or reply with other post quoted.*

[Post Reply](#)

[Watch](#) [Bookmark](#) [RSS](#) [Rate](#) [Tag](#)

**Mary Williams**  
Moderator

Join Date: 5 days ago  
Posts: 6  
Last Post: 13 minutes ago  
Last Login: 1 hour ago

**New Content Management features in eXo Platform 3.5**


We've added more than 100 new features in this new release but I will focus on just a few of these in this post.

**New Features for a Better User Experience**

**Inline editing**  
Last year, in eXo Platform 3.0, we released a new way to edit and publish content in the context of a website. This was a major step forward in term of improvement in term of product reliability.


eXo Platform 3.5 will offer an improved in-line editing experience. With this new feature, you can edit a specific individual content item then submit it. That's bypassing the redirection to the Content Editor (which is useful for more complex edits) means faster content updates:

**Featured Products**

 Ice powers enable instant freeze cap. Published addition, you can create ice formations without a water. Double-click to edit tubes, skating rinks or even decorative sculptures.

 Wi-Fi for formations.

**Attachments:**

 [Benefit table.jpg](#)  
Size: 406.5 Kb

[View](#) [Download](#)

[Post Reply](#)

Last Edited by m

Reply

[Post Reply](#) **← Advanced reply**

**Quick Reply**

Message:

**Quick reply box**

**Preview post** → [Preview](#) [Quick Reply](#) **← Quick reply**

**Private re**

## Post a quick reply

You can post a reply quickly with plain texts without taking into account its format.

1. Scroll down to the bottom of the topic to see the **Quick Reply** box.

Message:

Preview

Quick Reply

2. Enter your message here. You can use [BBCodes](#) in your reply to insert images, videos, or links.
3. Optionally, click **Preview** to view your reply before submitting it.
4. Click **Quick Reply** to send your message.

After posting your post, it will be highlighted so you can notice it easily.

See also

- [Edit your post](#)


### Post an advanced reply

You can post a reply with the full editor as follows:

1. Go to the topic you want to post a reply.

2.

Click



on the top or bottom of the topic.


3. Enter your message in the textbox. Use [BBCodes](#) to format texts, or insert images, videos, and links.



**New Post**

Content    Icons and Smileys

Title    Re: New Content Management features in eXo Platform 3.5 \*

Message    

Attach File    [Attach files](#)

Preview    Submit    Cancel

Optionally, you can:

- Attach files to the topic by clicking the **Attach files** link. The max size for the attachment is 10 Mb by default.
  - Select an icon or smiley for the post in the **Icons and Smileys** tab.
4. Optionally, click **Preview** to view your reply before submitting it.
5. Click **Submit** to finish.

If your post is the last one, its information will be shown at the **Last Posts** column of the forum.

The



icon in the topic title allows you to jump to the last read post in that topic.

See also

- [Edit your post](#)

## Post a private reply

You can send a private reply in a topic, which only allows the responded user to view the message content.

1. Go into the topic you want to post the reply.

2.

Click



under the post to open the **Private Post** form.

3. Enter your message and send your messages as described in the [Post an advanced reply](#).

### Note


Private posts will not be checked for approval when it is posted in a topic that has the 'Posts moderation' enabled. Private posts are displayed with the label 'private!'.

### Reply with a quote

You can include a quote from the previous message in your reply to a specific post. This may substantially increase the readability of the discussion topics when it is used correctly.

1.

Click



under the post you want to quote.

This will bring up the "Quote" form, with the previous message already quoted in the textbox.

#### Quote

Content

Icons and Smileys

Title

Message

Re: New Content Management features in eXo Platform 3.5

Quote



[QUOTE=mary]

eXo Platform 3.5 will offer an improved in-line editing experience. With this new feature, you can edit a specific individual content item then submit it. That's all. For simple edits, bypassing the redirection to the Content Editor (which is useful for more complex edits) means faster content updates:

[img]http://paillereau.com/blog/wp-content/uploads/2011/10/blog1.png[/img]

[/QUOTE]

Quoted content



Attach File

[Attach files](#)

Preview

Submit

Cancel

2. Enter your message. Edit the quotation if necessary.

i. In the **Content** tab, the quoted content is wrapped between BBCode tags `[QUOTE]`/`[/QUOTE]` which is automatically generated. Add your message content before or after this quoted content. You can create a quoted content manually by clicking



from the **WYSIWYG** editor toolbar:



This will generate the quotation BBCode tag for your message. After getting the quotation tag, enter your quotation between `[QUOTE]` and `[/QUOTE]`.


ii. In the **Icons and Smileys** tab, select an icon for your reply here.

3. Click **Submit** to finish.

## Edit a post

After submitting your post, and you want to change it, you can do as follows:

1. Click



under the post you want to edit.

2. Make changes on the post, then click **Submit** to accept your changes. When you edit a post, you also have the opportunity to upload an attachment, or delete an existing one.

## Delete a post

1. Click



under your post that want to delete.

2. Click **OK** in the confirmation message.

## Use BBCodes

BBCodes (Bulletin Board Codes) are special tags in bulletin boards to help users enrich their posts with formatting and inclusions. They are useful to provide guarded formatting capabilities to the forum users without the risk of breaking the html markup of the page. BBCode itself is similar in style to HTML: tags are enclosed in square braces "[" and "]" rather than "<" and ">" and it offers greater control over what and how something is displayed.

Depending on the *BBCode template customized* by administrators only, you may find it very easy to add BBCode tags to your posts through a toolbar above the message area on the posting form. You can either type the BBCode tags manually or use the toolbar in the posting form. To easily get the BBCode tags without typing them, simply click on the respective icon which is shown in the toolbar above the message area.

BBCode



Click



on the tool bar to get the full list of build-in BBCode explanations and examples.

## Help BB Code

### BB Code

BB code is a set of tags based on the HTML language that you may already be familiar with. They allow you to add formatting to your messages in the same way as HTML does, but have a simpler syntax and will never break the layout of the pages you are viewing. The ability to use BB code is set on a forum-by-forum basis by the administrator, so you should check the forum rules when you post a new message.

Below is a list of the BB code tags you can use to format your messages.


#### BB Code List

<a href="#">[b]</a> , <a href="#">[i]</a> , <a href="#">[u]</a>	Bold / Italic / Underline
<a href="#">[color]</a>	Color
<a href="#">[size]</a>	Size
<a href="#">[font]</a>	Font
<a href="#">[highlight]</a>	Highlight
<a href="#">[left]</a> , <a href="#">[right]</a> , <a href="#">[center]</a> , <a href="#">[justify]</a>	Left / Right / Center / Justify
<a href="#">[indent]</a>	Indent
<a href="#">[email]</a>	Email Linking
<a href="#">[url]</a> , <a href="#">[link]</a>	URL Hyperlinking
<a href="#">[list]</a>	Bulleted Lists / Advanced Lists
<a href="#">[img]</a>	Images
<a href="#">[html]</a>	HTML Code
<a href="#">[wiki]</a>	Wiki Markup
<a href="#">[quote]</a>	Quote

## Public user profile

Every forum member has a publicly viewable profile. This includes information provided by the member, either during the registration process or later via the [User settings](#).


Whenever you see a member's name in a topic, you can view his public profile quickly by clicking his username and select **View Public Profile** in the drop-down menu.



The **View User Profile** form will be displayed.

View User Profile

Profile of : Mary Williams 😊



Moderator

Join Date: 5 days ago

Posts: 7

Last Post: 3 minutes ago

Last Login: 3 minutes ago

Username: mary

First Name: Mary

Last Name: Williams

Birthday:

Gender: female

Email: [mary.williams@acme.exoplatform.com](mailto:mary.williams@acme.exoplatform.com)

Job Title:

Location:

Home Phone: +84 9384783452

Work Phone: +84 9736873658

Website: </portal/intranet/profile/mary>


Close

### Private messages

This function is for all logged-in users to send messages to other users privately. These messages will not be moderated and only viewable to the receiver.

#### Send a private message

1. Click the user name of the member you want to send message, then select **Send Private Message** in the drop-down menu.



The **Private Messages** form will appear.

A screenshot of the 'Private Messages' form. It has a title bar 'Private Messages' with a close button. The form contains three main sections: 'Send to' with a text input field containing 'mary', 'Title' with an empty text input field, and 'Message' with a rich text editor. The rich text editor has a toolbar with icons for undo, redo, bold, italic, underline, bulleted list, numbered list, link, unlink, text color, background color, and a help icon. The message body is a large empty text area.

Private Messages

Send to mary

Title

Message

Rich text editor toolbar and message body


2. Enter the username of the receivers and type your message title and contents.
3. Click **Save** to send the message.

### Receive a private message

When you have received a private message, there will be a notification on your **User** bar.



Click **Private Messages** to open the **Private Messages** form.



Details:

Tab	Description
Inbox	All received messages which can be viewed and deleted.
Sent Messages	All sent messages which can be forwarded and deleted.
Compose New Message	Where to compose new messages.

## Bookmarks

In the **Forum** application, the **Bookmark** function is to collect links to a category, forum or topic you have visited, so that you can return to that category, forum or topic directly. Bookmarks can be created and managed by yourself.


### Add a bookmark

This function is for all logged-in users to save links to categories, forums or topics into the Forum Bookmark.

1. Go into the object (category, forum or topic) you want to bookmark.

2.

Click



on the **Action** bar or right-click the object title and select **Bookmark** in the drop-down menu. The bookmarked link will be added to your bookmarks list.




## View bookmarks

To view bookmarks, click



on the **Action** bar. This will bring up the **My Bookmarks** form, with the list of your bookmarked links. To view the bookmark, click a desired bookmark title from the list.



## Delete a bookmark

Simply click



corresponding to the link that you want to delete.


The selected bookmarks will be removed from the bookmarks list.

## Subscribe to RSS feeds


This function is for all users to subscribe to a specific category, forum, topic. If there are any changes, the feed of the subscribed category, forum or topic will be updated. To get the RSS feed, click on the **Action** bar;




Or right-click the item you want to subscribe to.



The detailed information of the category/forum/topic is displayed on another tab. Depending on which browser you are using, this page may look different. In this example, the browser is Firefox 8.0.



The following illustration demonstrates the RSS feed subscription using the Firefox Live Bookmark:




- Category feeds contain all posts from all topics in all forums in a category. The category feeds shows the title (title of the category), description (category description), link (permalink to the category), pubdate (creation date of the category).
- Forum feeds contain all posts in all topics in a forum. The forum feeds show title (name of the forum), description (description of the forum), link (permalink of the forum), pubdate (creation date of the forum).
- Topic feeds contain all posts in a topic. The topic feeds show title (title of the topic), description (the content of the topic's initial post), link (permalink to the topic), pubdate (the creation date of the topic).


## Watch

This function is for all logged-in users to keep track of changes in categories, forums or topics via notification emails. Whenever there are new changes, such new categories, new topics or new posts, you will receive a notification from the **Forum** application.

To watch a desired object, go into the object (category, forum or topic), and click



on the **Action** bar; Or right-click the object title and select **Watch** from the drop-down menu:



The watched objects are also listed in the **My Subscriptions** tab in the **User Settings** form. When being unwatched, they also have been existed in this list.

You will receive the notification message of the successful watching. You will receive the email notifications about new posts/replies of the forum that you are watching as well. In the notification email, you will be provided links that help you go directly to the topic or go to reply to the post. After clicking this link, the new posts in your watched topic will be highlighted.


### Note

Once a category/forum or a topic has already been watched, the **Unwatch** option will appear in the right-click menu or on the *\*Action\** bar, so you can unsubscribe from the object.

## Permanent links

This function is for all users to view and copy the link to a specific forum/topic and share it with others.

1. Go to Forum/Topic which you want to share link.
2. Click **Permalink** label at the right corner.




### Note

The page link you want to share is displayed in the address bar of the web browser. You can copy and share it to others.

## User settings

You yourself may configure your settings, such as personal profile, forum settings, and subscriptions.

Click




on the **User** bar to go to the **Settings** form. Once you opened the **Settings** form, you can control your personal settings, options and preferences via the following actions:

- [Edit your profile.](#)
- [Change your avatar.](#)
- [Change the watch settings.](#)
- [Change forum settings.](#)
- [Edit your subscriptions.](#)

## Edit a profile

By selecting the **Profile** tab, you can see your personal information and other preferences.

A screenshot of a "Settings" dialog box. It has three tabs: "Profile", "Forum Settings", and "My Subscriptions". The "Profile" tab is selected. Inside the tab, there are several input fields: "Username" with the value "mary", "Screen Name" with the value "Mary Williams", "User Title" with the value "Moderator", and a large empty "Signature" text area. Below these is a "Display Signature" checkbox which is unchecked. Then there is an "Avatar" section showing a small image of a woman, with "Update | Reset" text below it. At the bottom of the tab are "Display Avatar" (checked), "Watch topics I start" (unchecked), and "Watch topics I post in" (unchecked). At the very bottom of the dialog box are "Save" and "Cancel" buttons.

**Settings**

Profile   Forum Settings   My Subscriptions

Username : mary

Screen Name : Mary Williams

User Title : Moderator

Signature :

Display Signature : ☐

Avatar :

[Update | Reset](#)

Display Avatar : ☒

Watch topics I start : ☐

Watch topics I post in : ☐

Save   Cancel

Here, you can:

- Edit your screen name and title displayed in forums in the **Screen Name** and **User Title** fields.
- Edit your signature which will be displayed at the bottom of your post. Enter your signature in the **Signature** textbox. Tick/Untick the **Display Signature** checkbox to enable/disable your signature.
- Change your avatar by clicking the **Update** link. Tick/Untick the **Display Avatar** checkbox to show/hide your avatar.
- Follow your created topics by selecting the **Watch topics I start** checkbox. You will receive email notifications when there are any new posts added to your topics.
- Follow topics which you have posted by ticking the **Watch topics I post in** checkbox. You will receive email notifications when there are any new posts added to your created topic.

### Change forum settings

Go to the **Forum Settings** tab in the **Settings** form. You can change preferences, such as time zone, date and time formats and other display options.

The screenshot shows a 'Settings' dialog box with three tabs: 'Profile', 'Forum Settings' (selected), and 'My Subscriptions'. The 'Forum Settings' tab contains several configuration options, each with a label and a control element (dropdown menu or checkbox). At the bottom of the dialog are 'Save' and 'Cancel' buttons.

Setting	Value
Time Zone	(GMT 0:00) Greenwich Mean Time: Dublin, LI
Short Date Format	mm/dd/yyyy (11/23/2011)
Long Date Format	eee, mmmm dd, yyyy (Wed, November 23, 2011)
Time Format	12-hour
Topics Per Page	10
Posts Per Page	10
Show Forum Jump	<input checked="" type="checkbox"/>

Check/Uncheck the **Show Forum Jump** if you want to show/hide the **Forum quick navigation** at the bottom of the **Forum** page.

## Edit a subscription

Go to the **My Subscriptions** tab in the **Settings** form, where you can update or delete existing subscriptions.

The screenshot shows the 'Settings' window with the 'My Subscriptions' tab selected. It contains a table with the following data:

	Title	RSS	Email	
	Industry News	<input type="checkbox"/>	<input type="checkbox"/>	

Below the table, there are two input fields:

- Your personal feed URL is :**
- Your watches are sent to :**

At the bottom right of the form is an **Update** button. At the bottom center are **Save** and **Cancel** buttons.

- In the **RSS** column, you can subscribe or unsubscribe your subscriptions by selecting/deselecting the respective checkboxes, then click **Save**. The selected objects (categories, forums, topics) will be updated to the **Your personal feed URL is** field. You can use this link to view the content of your subscriptions.

- In the



column, you can edit or delete your subscription email. Select an email, then click the trash icon to delete. Enter a new email address into the **Your watches are sent to** field. Click **Update** to add your entered email addresses in the



column.

- Click



to remove your watched category, topic, post. After being removed, you will no longer receive any email notifications of the removed object.

Next, click **Save** to accept your changes.

## Moderator

Moderators in **Forum** are responsible for managing contents of posts and replies before and after they are posted to the category where they are assigned as moderators.

## Moderate forums

Moderators can manage all the forums inside their assigned category. If you are a moderator of any category, you can do the following actions:


- [Edit a forum](#)
- [Lock/Unlock a forum](#)
- [Close/Open a forum](#)
- [Move a forum](#)

## Edit a forum

1. Go to the relevant forum.

2.

Click



on the **Action** bar, then click **Edit** from the drop-down menu.

3. Edit the forum properties.



4. Click **Save** to save all the changes.


### Lock/Unlock a forum

Locking a forum will prevent all members from creating new topics and posting replies in this forum. All topics in a locked forum will be locked also, but their contents are still viewable. Moderators can only lock/unlock the forum that they manage.

1. Go to the forum.

- 2.

Click



on the **Action** bar, then click **Lock/Unlock** from the drop-down menu.


### Close/Open a forum

Closed forums are invisible to regular users. To administrators and moderators, the contents in a closed forum are still viewable, but creating topics and comments is disabled. Moderators can only close the forum that they are assigned to manage.

1. Go into the forum you want to close or open.

2.

Click



on the **Action** bar, then select **Close** or **Open** from the drop-down menu.


### Move a forum

You can move a forum into another category as follows:

1. Go into the forum you want to move.


2.

Click



on the **Action** bar, then select **Move** from the drop-down menu.

A list of existing categories will appear. Select a destination category to which your selected forum will be moved.



### Moderate topics

The followings are actions that a moderator can execute on topics:



- [Approve a topic](#)
- [Edit a topic](#)
- [Move a topic](#)
- [Delete a topic](#)
- [Close/Open a topic](#)
- [Lock/Unlock a topic](#)


- [Stick/Unstick a topic](#)
- [Merge topics](#)
- [Split a topic](#)


## Approve a topic


Moderators can approve pending topics in forums that enable the '[Moderate Topic](#)' option. All new topics added to these forums will be pending for approval. It means that nobody can view these topics except administrators and moderators of the forums. Pending topics are only viewable when they are approved.

Search:




 Permalink


 Private Messages

 Pending:(1)


The administrator and moderator will know the total number of pending topics at the right corner of their **Forum Administration** bar and **User** bar:

View Topic

 **James Davis**  
User



Join Date: 09/26/2011, 03:53 PM  
Posts: 1  
Last Post: 09/30/2011, 09:28 AM  
Last Login: 09/30/2011, 09:29 AM

 **How i can change my avatar?**

Posted: Fri, September 30, 2011, 09:28 AM

Hi guys, I want to change my avatar, please help!

Approve

Delete This Topic


Close

Moderator can view the list of topics to be moderated. See [View all pending moderation tasks](#) for more details.

## Approve topics


### The first way

1. Select topics by checking their relevant checkboxes, then click



on the **Action** bar if you are in a list of topics.

- Or if you are in a topic, simply click




on the **Action** bar.

2. Click **Approve** from the drop-down menu.

### The second way



1. Click



on the **Action** bar and click **Approve** from the drop-down menu. The **Waiting for Approval** form opens.

2. Select checkboxes corresponding to the posts you want to approve. You can preview the post when hovering your cursor over the post title.

Waiting for Approval

Type	Name	Created Date
	How i can change my avatar?	09/30/2011 09:28 AM
	Please help!!! <div>Hi guys, I want to change my avatar, please help!</div>	09/30/2011 09:19 AM


Close

3. Click **Approve** to accept your approval. Approved posts are shown normally for regular users to view and take some actions.

### Edit a topic

1. Select a topic to edit by ticking its respective checkbox.

2. Click



on the **Action** bar.

3. Click **Edit** from the drop-down menu that appears.




4. Edit the topic as you wish. Leave the reason for the editing in the **Reason** field if needed.

### Close/Open a topic


Only administrators and moderators can perform these actions. Closed topics will be invisible to regular users. Moderator can only close or open topics in the category that he manages.

1. When you are in a topics list, select a topic by checking its corresponding check-box, then click



on the **Action** bar.

When you are in a topic, click



on the **Action** bar.

2. Click **Close** or **Open** from the drop-down menu that appears.




The topic will be closed automatically.

### Move a topic


Only administrators and moderators can perform this action. This function is used to move topics from a forum to another one. Moderator can only move topics between forums that he manages.

1. Select a topic by checking its corresponding check-box,




on the **Action** bar when you are in a topics list.

- Or, if you are in a topic, click



on the **Action** bar.

2. Click **Move** from the drop-down menu.
3. Click to select a destination forum to move.



### Note

The moderator of a forum will be checked for permission. The moderator cannot move topics to:

Closed/locked forums that he does not manage.

Forums to which he does not have the right to add topics.


Forums which are in categories that he is restricted.

Therefore, only the forums which the moderator can move topics are shown in the list of destination forums.

## Delete a topic

### *Delete a specific topic*

1. Select topics by checking their corresponding checkboxes, then click



on the Action bar when you are in a topics list.

- Or, if you are already in a topic, click




on the **Action** bar.

2. Click **Delete** from the drop-down menu, then click **OK** in the confirmation message.

### *Delete topics of a specific user*

1. Click the username of the poster or simply hover mouse over the poster's avatar.
2. Click **All Topics By [User name]**.



All topic posted by the selected user will be displayed.

Topics by User

Total pages: 2

<< < 1 2 >

		Topic	Rating	Last Posts	Replies	Views	Delete
		New SDK released	★★★★★	21 hours ago	0	2	
		SanSan is a copycat company?	★★★★★	22 hours ago	0	2	
		New Content Management features in eXo Platform 3.5	★★★★★	32 minutes ago	2	5	
		ICS source code 's out	★★★★★	1 hour ago	0	1	
		eXo FC members	★★★★★	21 hours ago	0	1	

Total pages: 2

<< < 1 2 >

Close

3. Click




corresponding to the desired topic, then click **OK** in the confirmation message.

Lock/Unlock a topic


This function is for administrators and moderators only to lock inappropriate topics. All posts in a clocked topic are still viewable, but posting reply will be disabled.

1. Select a topic by checking its corresponding checkbox, then click



on the **Action** bar when you are in a topics list.

Or, click



on the **Action** bar when you are in a topic.


2. Click **Lock** or **Unlock** from the drop-down menu that appears.



## Stick/Unstick a topic


This function is for administrators and moderators only to stick topics which will be located at the top of the topics list. The topics will not fall down the list if any new posts are added.

1. Select a topic by ticking its corresponding checkbox, then click



on the **Action** bar when you are in a topics list.

Or, click



on the **Action** bar when you are already in a topic.

2. Click **Stick** or **Unstick** from the drop-down menu that appears.

You can see the sticked topic in the top of the topics list.

Topic in forum Android Development			Watch	Bookmarks
		Topic		
		Sticky: Android development forum rules - Read before posting! John Smith		
		ICS source code 's out Mary Williams		
		Chainfire 3D OpenGL Jack Miller		
		APK manager! Mary Williams		
		How to root Samsung Galaxy S i9000? John Smith		

When creating a new topic, you can also make this topic sticked by ticking the **Sticky** checkbox in the [Options tab](#).


## Merge topics

When there are two or more related topics, you may want to merge these topics into one as follows.

1. Go to the topics list.
2. Select more than two topics to be merged by checking their checkboxes.


3.

Click



on the forum **Action** bar.

4. Click **Merge** from the drop-down menu that appears. The **Merge Topics** form opens.

A dialog box titled "Merge Topics" with a close button (X) in the top right corner. It contains two input fields: "Destination Topic" with a dropdown menu showing "New Nebula ROM - fast and furious" and "New Topic Title" with a text box containing "New Nebula ROM - fast and furious". At the bottom are "Save" and "Cancel" buttons.

Destination Topic	New Nebula ROM - fast and furious
New Topic Title	New Nebula ROM - fast and furious

5. Select a destination topic which will be the main entry of the merged topic from the list of the existing topics. Give one name for the new topic in the **New Topic Title** field if you want.

6. Click **Save** to accept. After being merged, selected topics will be joined into one topic. All posts of the other topics are displayed as posts below the main entry.


### Split a topic

A topic with more than two posts can be split into separate topics.


1. Go into the topic you want to split.


2.

Click



on the **Action** bar and select **Split** from the drop-down menu. The **Split Topic** form opens.

A dialog box titled "Split Topic" with a close button (X) in the top right corner. It contains a "Split from" field showing "New Nebula ROM - fast and furious" and a "New Topic" text box. Below is a table with columns: Post Name, Created Date, Created by, and Action. The table has one row with a calendar icon, "Re: New Nebula ROM - fast and furious", "09/30/2011, 09:26 AM", "demo", and a checkbox. At the bottom are "Save" and "Cancel" buttons.

Split from : <b>New Nebula ROM - fast and furious</b>				
New Topic: <input type="text"/>				
	Post Name	Created Date	Created by	Action
	Re: New Nebula ROM - fast and furious	09/30/2011, 09:26 AM	demo	<input type="checkbox"/>

3. Enter the name for the new topic in the **New Topic** field.

4. Select posts by checking their respective checkboxes.

5. Click **Save** to complete.

The new topic will be displayed in the topics list with the new name. The last selected post will become the main entry of the new topic.


## Moderate posts

As a moderator, you have some specific rights on a post. To moderate a post, you need to select that post first by checking its relevant checkbox.




Next,

click



on the **Action** bar and select a desired action from the drop-down menu. All the moderation actions will be reached via this menu.




The followings are actions that a moderator can perform on a post:

- [Approve posts](#)
- [Move posts](#)
- [Delete posts](#)
- [Hide posts](#)
- [Show posts](#)
- [Uncensor posts](#)

### Approve a post

All posts in a topic that requires *post moderation* will not be viewable before approval. This function is to approve posts which are pending for approval.




You can select to approve a single post or multiple posts at the same time. The moderator can view the list of tasks to be moderated. See [View all pending moderation tasks](#) for more details.

#### The first way

1. Select the posts to approve.

2.

Click




on the **Action** bar and select **Approve** from the drop-down menu.

#### The second way

1.

Click



on the **Action** bar and click **Approve** in the drop-down menu. The **Waiting for Approval** form opens.

2. Select checkboxes corresponding to the posts you want to approve. You will see the preview of the post when mouse over the post title.

3. Click **Approve** to accept your approval.


Approved posts are shown normally for regular users to view and take some actions.

### Delete a post

#### The first way

1.

Click



on the **Action** bar and click **Show** in the drop-down menu.

2. Click **OK** in the confirmation message.

#### The second way

1.

Click



under the post you want to delete.

2. Click **OK** in the confirmation message.


## Move a post

You can move posts to a topic of your choice.

1. Select the post that you would like to move.

2.

Click



on the **Action** bar and select **Move** from the drop-down menu.


3. Select a destination topic in the topics list that appears.

The moderator will be checked for moving permission. He can only move post inside the forum that he manages. Therefore, at the destination topics list, only the topics which the Moderator who have the move permission, are listed for moving.

## Hide a post

When a post is hidden, only administrators and moderators can view and manage it.

To hide a post, select



on the **Action** bar and click **Hide** from the drop-down menu.




After being hidden, the hidden post is marked by 'Post Hidden!' label and regular users cannot view it.

### Show a post

You can show a single or multiple hidden posts at the same time:

#### The first way

- Select the post to be unhidden and click




on the **Action** bar, then click **Show** in the drop-down menu.

#### The second way

- Follow this method to show multiple posts.

1.

Click



on the **Action** bar and click **Show** from the drop-down menu.

2. Select hidden posts by selecting its checkboxes.

3. Click **Show**.

### Uncensor a post

The administrators and moderators can censor all topics, posts containing censored keywords. These censored keywords are [specified by Administrator](#). All topics and posts containing these keywords will be labeled with 'Pending and Censored' (for post).

#### The first way

- Follow this method to uncensor a specific post/topic.

1. Select hidden posts/topics by selecting its checkboxes.

2. Click the **Moderation** on the **Action** bar and select **Show** from the drop-down menu.

#### The second way

- Follow this method to uncensor posts/topics in the list of existing hidden posts/topics.



1. Click **Moderation** on the **Action** bar and select **Show** from the drop-down menu. A list of hidden posts appears.


2. Select hidden posts by selecting the respective checkboxes.
3. Click **Show**.

## View all pending moderation tasks

Administrators and moderators can manage all pending tasks in **Forum** easily. The total number of pending topic/posts that need to be moderated are shown right on the **User** bar/**Forum Administration** bar.

View Topic


**James Davis**  
 User  
  
 Join Date: 09/26/2011, 03:53 PM  
 Posts: 1  
 Last Post: 09/30/2011, 09:28 AM  
 Last Login: 09/30/2011, 09:29 AM


**How i can change my avatar?**  
 Posted: Fri, September 30, 2011, 09:28 AM  
 Hi guys, I want to change my avatar, please help!

Approve



Delete This Topic

Close

To open the list of pending tasks, click **Pending** on the **User** bar.

The pending topics and posts are shown in the **Waiting for Approval** form.

Waiting for Approval


Type	Name	Created Date
	<a href="#">How i can change my avatar?</a>	09/30/2011 09:28 AM
	<a href="#">Please help!!!</a> <div>Hi guys, I want to change my avatar, please help!</div>	09/30/2011 09:19 AM

Close

This form lists all the pending topics, posts and the created dates. From here, you can approve or delete topics/posts.

### ***Approve a pending topic/post***

1. Click the topic/post title in the list.



The screenshot shows a forum interface. At the top, there is a search bar with the text "Search:" and a magnifying glass icon. To the right of the search bar is a button with a document icon and the text "Permalink". Below the search bar, there is a button with an envelope icon and the text "Private Messages". To the right of this button is a button with a document icon and the text "Pending:(2)".

2. Click the **Approve** button to accept approving topic/post.

### ***Delete a pending topic/post***

To delete pending topics/posts, simply click the **Delete This Topic/Delete This Post** button. The pending topic/post will be removed completely from the pending list and its forum.

## Ban IPs

This function allows banning IPs that may be used by users who abuse the forum functions or violate the forum rules and policies.


This function is similar to the [Ban IPs tool used by administrators](#). However, the Ban IPs tool used by administrators can ban IP from the whole forum, while moderator can only ban IP in a specific forum only.

### ***Ban IP on a specific forum***

1. Go to the forum you want to ban IP.


- 2.

Click



on the **Action** bar and select **Banned IPs** from the drop-down menu. The **Banned IPs** form opens.





- Do the [same actions](#) as the [Ban IPs](#) section of Administrators.

## Build an Answers & FAQs system

### Administrator

The administrators have the global role and take care of the entire management tasks.

### Set up Answers portlet

#### Note

In case the **Answers** portlet has not been activated yet, you need to add it to a page by dragging and dropping it from **Page Editor/Edit Inline Composer --> Applications --> Collaboration --> Answers** to the main pane. This can be done when [creating a new page](#) or [editing an existing page](#) or [editing the layout of a portal](#). You can also configure the **Answers** portlet as in the [sect-User\\_Guide-Dashboard\\_Portlet-Edit\\_Specific\\_Portlet](#) section.


When adding a portlet to a page, you have to configure this portlet to make it work in your desired way.

#### Configure the Answers portlet


- Open the page edit mode via one of the following ways:

- The first way**





Now, you should be in the page edit mode.



3. Hover your cursor over the **Answers** portlet, then click



on the quick toolbar that appears.

4. Make changes in the **Answer Portlet** form.

Edit Mode   Window Settings   Select Icon   Decoration Themes   Access Permission

Display Mode   Email Notifications   Discussion   Category Scoping

Display: All

Order by: Created Date

Ascending

Enable Votes and Comments ☒

Anonymous users may submit questions ☒

Enable Automatic RSS ☒

Display Avatars ☒

Allow users to post questions in the root category ☒

Close

In this form, you can:

- [Change the display mode](#)
- [Customize email notification template](#)
- [Enable the "Discuss in Forum" feature](#)

### Change the display mode

In the **Display Mode** tab, you can set all the default display properties of the **Answers** application, including:

- **Display:** Display all entries in the **Answers** application.
  - **'All':** all entries, including approved and unapproved entries/questions, are displayed in a list when users view.
  - **'Approved':** Only approved entries are displayed in the list when users view.
- **Order by:** The order to display all questions in the **Answers** application.
  - **Created Date:** Entries in the list are displayed to the entries's created date order.
  - **Alphabet/Index:** Entries in the list are displayed to the alphabet order.

The type of sorting entries in the list may be: **Ascending** or **Descending**.


- **Enable Votes and Comments:** Enable votes and comments to be available in **Answers**. If this checkbox is selected, users can comment and vote in **Answers**. If not, these functions are disabled.
- **Anonymous users may submit questions:** Enable anonymous users to submit questions in **Answers** or not. If this checkbox is selected, anonymous users are entitled to submit questions. If not, they cannot submit questions.
- **Enable Automatic RSS:** Enable the RSS feeds function to be available in **Answers** or not. If this option is selected, users can get RSS information in **Answers**. If not, the RSS function is disabled.
- **Display Avatars:** Enable avatars to be viewed in **Answers** or not. If this checkbox is selected, the avatar of eXo members are shown in **Answers**. If not, they are hidden.
- **Allow users to post questions in the root category:** Enable users to post questions in the root category or not.

See also

- [View details of Answers](#)
- [Customize the email notification template](#)
- [Enable the "Discuss in Forum" feature](#)
- [Define the default category for discussions](#)

## Customize email notification template

When there are new questions or answers in the category or topic that a user has watched, the use will receive the email notification. In the **Email Notifications** tab, change the content of the email notification manually or edit the template for each email notification.



- **New Question** tab: The content of the email notification.
- **Edit/Answer** tab: The content of the email notification that has been answered or edited.
- **Move Question** tab: The content of the email notification that notifies about the question that has been moved to another category.

The followings are variables that you can use in your template:

**&categoryName\_**: will be replaced by the watched category.

**&questionContent\_**: will be replaced by the content of the new questions.

**&questionResponse\_**: will be replaced by the content of the new questions' reply.

**\$questionLink\_**: will be replaced by the link to new questions in the **Answers** portlet.

These variables are used to load the content dynamically. Thus, you should not edit them. In case the template is changed unexpectedly, you can go back to the default template by clicking



You can use the text editor to format the template as you wish.

See also

- [View details of Answers](#)
- [Change the display mode](#)

- [Enable the "Discuss in Forum" feature](#)
- [Define the default category for discussions](#)

## Enable the "Discuss in Forum" feature

In the **Discussion** tab, enable/disable the **Discuss in Forum** function in **Answers** and set the default forum for this function by selecting/deselecting the checkbox.

The screenshot shows a settings window with a tabbed interface. The top row of tabs includes 'Edit Mode', 'Window Settings', 'Select Icon', 'Decoration Themes', and 'Access Permission'. The 'Discussion' tab is selected. Below this, there are four sub-tabs: 'Display Mode', 'Email Notifications', 'Discussion', and 'Category Scoping'. The 'Discussion' sub-tab is active. Inside this sub-tab, there is a checkbox labeled 'Discuss in Forum' which is checked. Below the checkbox is a label 'Select a forum' followed by a text input field containing 'General Discussion/Industry News' and a circular button with a plus sign. At the bottom of the 'Discussion' sub-tab area is a 'Save' button. At the very bottom of the settings window is a 'Close' button.

See also


- [View details of Answers](#)
- [Change the display mode](#)
- [Customize the email notification template](#)
- [Define the default category for discussions](#)

## Define the default category for discussions

1. Click



next to the **Select the forum** field to open the **Select a forum** form in the **Discussion** tab.



2. Click a specific category/forum title to select it.
3. Click **Save** to accept saving changes in the **Discussion** tab.

***Select the category scoping***

In the **Category Scoping** tab, show/hide categories in **Answers**. The hidden category is not displayed in **Answers**.



Administrator

Edit Mode Window Settings Select Icon Decoration Themes Access Permission

Display Mode Email Notifications Discussion Category Scoping

☐ eXoEvolution

☒ eXo evolution

☒ Services

☒ Products

☒ Solutions

☒ Training course

☒ Other questions

Save

Close


To hide/show any category, simply deselect/select its checkbox and click **Save**.

**See also**

- [View details of Answers](#)
- [Change the display mode](#)
- [Customize email notification template](#)
- [Enable the "Discuss in Forum" feature](#)

## Set up FAQ portlet

The **FAQ** portlet can be added to a page for users to view questions and answers quickly and easily.

 Home Agenda Answers Discussions Documents **FAQ**

>> eXo evolution

What is eXo Platform?

Where to download Platform userguide?

How to add the Answer portlet to my site?

Services [ Products ]

Solutions

Training course

How can I register a training course?

Other questions [ Platform ]

How to add the Answer portlet to my site?

Where can I find the Platform user guide

test

The **Edit Mode** of the **FAQ** portlet allows you to set the properties to display questions and answers in the View mode.

### *Configure the FAQ portlet*

1.  Click  
--> Portal --> Pages.

The **Page Manager** page will be displayed.

Site Name		Type	portal	
Page Id	Title	Access Permission	Edit Permission	
portal::intranet::spaces	Spaces	[*/platform/users]	manager:/platform/administrators	
portal::intranet::invitationSpace	Invitation Space	[*/platform/users]	manager:/platform/administrators	
portal::intranet::pendingSpace	Pending Space	[*/platform/users]	manager:/platform/administrators	
portal::intranet::publicSpace	Public Spaces	[*/platform/users]	manager:/platform/administrators	
portal::intranet::forum	Forum	[*/platform/users]	*/platform/administrators	
portal::intranet::mail	Mail	[*/platform/users]	*/platform/administrators	
portal::intranet::calendar	Calendar	[*/platform/users]	*/platform/administrators	
portal::intranet::contact	Contact	[*/platform/users]	*/platform/administrators	
portal::intranet::documents	documents	[*/platform/users]	*/platform/administrators	
portal::intranet::detail	Detail	[Everyone]	*/platform/administrators	
portal::acme::overview	Overview	[Everyone]	editor:/platform/web-contributors	
portal::acme::news	News	[Everyone]	editor:/platform/web-contributors	
portal::acme::products	Products	[Everyone]	editor:/platform/web-contributors	
portal::acme::searchResult	SearchResult	[Everyone]	editor:/platform/web-contributors	

Add New Page

2. Click




that corresponds to the **FAQ** page in the page list. Now, you should be in the page edit mode.


3. Hover your cursor over the **FAQ** portlet and click




in the quick edit toolbar that appears.



i. In the **Display Category** tab, you can control what categories will be displayed.



ii. In the **Edit Template** tab, you can use CSS to customize the **FAQ** template.



This is an example of the **FAQ** template after applying the new style.

The screenshot shows the eXo evolution website interface. At the top, there is a navigation bar with links: Home, Agenda, Answers, Discussions, Documents, and FAQ. Below this, a sidebar on the left contains a list of questions under the heading 'eXo evolution'. The main content area displays the 'What is eXo Platform?' section, which includes a brief description of the platform and a list of questions.

eXo evolution

Home Agenda Answers Discussions Documents FAQ

>> eXo evolution

- What is eXo Platform?
- Where to download Platform userguide?
- How to add the Answer portlet to my site?

Services [ Products ]

Solutions

Training course

- How can I register a training course?

Other questions [ Platform ]

- How to add the Answer portlet to my site?
- Where can I find the Platform user guide
- test

**What is eXo Platform?**

\* eXo Platform 3.5 is the first and only cloud-ready, integrated user experience platform for building and deploying transactional websites, managing web and social content and dashboards. eXo Platform lets companies leverage their existing Java infrastructure, while accommodating changing user behavior driven by consumer web technologies such as social networks and forums.

iii. In the **Preference** tab, you can enable or disable the bookmarkable URLs in **FAQ**.

The screenshot shows a dialog box titled 'Preference' with tabs for 'Display Category', 'Edit Template', and 'Preference'. The 'Preference' tab is selected, showing a 'Use Ajax' checkbox which is currently unchecked. A 'Save' button is located at the bottom right of the dialog box, and a 'Close' button is at the bottom center.

Edit Mode Window Settings Select Icon Decoration Themes Access Permission

Display Category Edit Template Preference

Use Ajax: ☐

Save

Close

By not using Ajax, the **FAQ** will generate plain URLs in the links. The added benefit will be bookmarkability and better SEO as the links will be permalinks. Using Ajax, the links will be

JavaScript-based and generate Ajax calls. This should make browsing faster because the whole page is not reloaded.

See also

- [View details of Answers](#)
- [Set up the Answers portlet](#)

## Moderator

Moderators in **Answers** manage the content of questions and answers before and after they are posted to a moderated category. The Moderator can read new contents (editing or removing if necessary), approve or activate answers, and more. The moderator has the category-specific role.

## Manage categories


Moderators can only manage categories that he moderates.

In this section, you will learn how to manage categories. With a category, you can group all questions of a specific subject into one place.

To perform an action on a category, you can select one of these approaches:


### The first way

1. Right-click a category from the categories list.
2. Select an appropriate action from the drop-down menu.




## The second way

If you are already in a category that you moderate, you can perform all actions on this category by clicking



on the **Action** bar, then select an action from the drop-down menu.



See also

- [View details of Answers](#)
- [Add a new category](#)
- [Edit category properties](#)
- [Delete a category](#)
- [Move a category](#)
- [Export/Import a category](#)

## Add new categories

Notice that only administrators can initialize **Answers** by creating first categories and assigning to moderators for each category. Moderator can only add new sub-categories in a category that he moderates.

### Add a new category

1. Click **Category** on the **Action** bar, and select **Add Category** from the drop-down menu. The **Add Category** form will be displayed.

Add Category


Category

\*


Order

1

Restricted Audience



Description



Moderate New Questions

☒

View Question Authors

☐


Moderate Answers

☐

Moderator

john

\*



Save

Cancel

Details:

Field	Description
Asterisk (*)	This mark next to each field means that it is required to enter values in the field.
Category	The name of the category
Order	The order of the category which must be in the numeric format.
Restricted Audience	Select specific users/groups to be restricted from the category.
Moderate New Questions	Check this option if you want moderate all newly posted questions before they are viewable.
View Question Authors	Check this option if you want information of the question poster to be shown.
Moderate Answers	Check this option to moderate all answers before they are viewable.



Field	Description
<b>Moderator</b>	The moderator of the category.

2. Do the same as the [Step 2](#) of adding a new category in the **Forum** application.

3. Click **Save** to complete.

See also

- [View details of Answers](#)
- [Edit category properties](#)
- [Delete a category](#)
- [Move a category](#)
- [Export/Import a category](#)

## Edit category properties

1. Follow one of the approaches described in [Manage categories](#).

2.

Select



3. Edit the properties.

4. Click **Save** to save all changes.

See also


- [View details of Answers](#)
- [Add a new category](#)
- [Delete a category](#)
- [Move a category](#)
- [Export/Import a category](#)

## Delete categories

1. Follow one of the approaches described in the [Manage categories](#) section.

2.

Select



from the drop-down menu and click **OK** in the confirmation message.


See also

- [View details of Answers](#)
- [Add a new category](#)
- [Edit category properties](#)
- [Move a category](#)
- [Export/Import a category](#)


### Move categories

1. Follow one of the approaches described in [Manage categories](#) to open the drop-down menu.

2. Select



3. Select the destination category from the list.



See also

- [View details of Answers](#)
- [Add a new category](#)
- [Edit category properties](#)
- [Delete a category](#)


- [Export/Import a category](#)

## Export/Import categories

Both functions can be executed on all categories and questions in the **Answers** home or a specific category in **Answers**.

### *Export categories and questions*

1. Click




to open the **Export** form.

2. Input the file name to export.
3. Click **Save** to accept exporting all categories and questions.

The exported file is in the .zip format and it can be used to import to **Answers** or keep it as backup.

### *Import categories and questions*

1. Click



to open the **Import** form.

2. Locate the file to import, then upload the selected file.
3. Click **Save** to finish.

After being imported, all categories and questions will be displayed in the **Answers** homepage.

See also

- [View details of Answers](#)
- [Add a new category](#)
- [Edit category properties](#)
- [Delete a category](#)
- [Move a category](#)

## Moderate questions


In this section, the following topics are covered:

- [View all questions](#)

- [Edit a question](#)
- [Approve/Disapprove a question](#)
- [Activate/Deactivate a question](#)
- [Delete a question](#)
- [Move a question](#)

### View all questions

Each question may be displayed in different ways, depending on the preset properties when creating or editing these questions. To view all posted questions, click




on the **Action** bar to open the **Manage Questions** form. Here, you can have the overview of all the posted questions in the category you manage.

See also

- [View details of Answers](#)
- [Edit a question](#)
- [Approve/Disapprove a question](#)
- [Activate/Deactivate a question](#)
- [Delete a question](#)
- [Move a question](#)

### Edit a question

1. Select



on the **Action** bar to view all the open questions.

2. Click



next to the question that you want to edit and scroll down to see the **Edit Question** form.

3. Make changes to your question.
4. Click **Save** to save all changes.

See also

- [View details of Answers](#)
- [View all questions](#)
- [Approve/Disapprove a question](#)
- [Activate/Deactivate a question](#)
- [Delete a question](#)
- [Move a question](#)

## Approve/Disapprove a question

In a category that requires question to be moderated, any new questions will be in the unapproved status and need to be approved before being published.

There are two options for answers: **All** and **Approved**.


- **All**: all approved and unapproved questions are displayed and visible for all users.
- **Approved**: only the approved questions are displayed and visible while the unapproved questions are not displayed and invisible.

If you select **Approved**, the **Moderate Question** function will determine the unapproved questions to be displayed or not.

### Approve/disapprove a question

#### The first way

1. Right-click the question title and select **Edit** from the drop-down menu. The **Edit** form will be displayed.



2. Select/Deselect the **Approved** checkbox.


#### The second way

1. Right-click the question title and select **Answer Question** from the drop-down menu. The **Answer** form is displayed.

2. Select/Deselect the **Approved** checkbox.

### The third way

1. Click



on the **Action** bar. The **Manage Questions** form appears.

2. Click



or



to approve or disapprove the respective question.

See also

- [View details of Answers](#)
- [View all questions](#)
- [Edit a question](#)
- [Activate/Deactivate a question](#)
- [Delete a question](#)
- [Move a question](#)

### Activate/Deactivate a question

When a question is activated, it will be displayed and visible to all users. If not, it will be hidden and invisible.

#### The first way

1. Edit a question to open the **Edit Question** form.

2. Select/Deselect the **Activated** checkbox.


#### The second way

1. Go to the **Answer** form.

2. Select/Deselect the **Activated** checkbox.

#### The third way

1. Click



on the **Action** bar.

2. Click



or



to activate or deactivate the respective questions.

See also

- [View details of Answers](#)
- [View all questions](#)
- [Edit a question](#)
- [Approve/Disapprove a question](#)
- [Delete a question](#)
- [Move a question](#)

## Delete a question


There are several ways to delete questions:

### The first way

- Right-click your desired question and then select **Delete** from the drop-down menu.

### The second way

- Click



on the **Action** bar, and then click



corresponding to the question you want to delete.

### The third way

- Click your desired question and click the delete icon. There will be an alert message, click **OK** to confirm.

See also

- [View details of Answers](#)
- [View all questions](#)
- [Edit a question](#)
- [Approve/Disapprove a question](#)
- [Activate/Deactivate a question](#)
- [Move a question](#)

### Move a question

1. Open the **Move Question** form by following one of two ways:

#### The first way


- Right-click your desired question and then select **Move to** from the drop-down menu.

#### The second way

- Select your desired question and click



2. Select the category to which you want to move your selected question.





## Note

Only the Administrator can move questions to any areas in **Answers**.

The Moderator will be checked for permission when moving questions. The Moderator can only move questions to the category where he is also the moderator.

A notification will be only sent to the creator of the question that has been moved.

**See also**

- [View details of Answers](#)
- [View all questions](#)
- [Edit a question](#)
- [Approve/Disapprove a question](#)
- [Activate/Deactivate a question](#)
- [Delete a question](#)

## Moderate an answer

In this section, the following topics are covered:

- [Approve/Disapprove an answer](#)
- [Activate/Deactivate an answer](#)
- [Delete an answer](#)
- [Promote a comment to answer](#)

On the top right of an answer, you will see icons that represent actions you can do on that answer.

## Approve/Disapprove an answer

Click



/



on the top right of the answer content to approve/disapprove that answer.

## Note

The approved answer is visible to regular users, while the unapproved question is invisible.

**See also**

- [View details of Answers](#)
- [Activate/Deactivate an answer](#)
- [Delete an answer](#)
- [Promote a comment to answer](#)

### Activate/Deactivate an answer

Click



/



on the top right of the answer content to activate/deactivate that answer.

### Note

The deactivated answer is hidden to the regular users while the activated question is shown.

See also

- [View details of Answers](#)
- [Approve/Disapprove an answer](#)
- [Delete an answer](#)
- [Promote a comment to answer](#)

### Delete an answer

To delete an answer, click the trash icon on the top right of the answer content, then click **OK** in the confirmation message.

See also

- [View details of Answers](#)
- [Approve/Disapprove an answer](#)
- [Activate/Deactivate an answer](#)
- [Promote a comment to answer](#)

### Promote a comment to answer

This function enables users to log in and give comments on specific questions.

If the comment is considered as the best answer for the question, it can be promoted to the answer.

### Leave a comment

1. Follow one of the following two ways:

#### The first way


- Click the question you want to leave comments and select



.

#### The second way

- Right-click a specific question and select



from drop-down menu.

2. Enter your comment in the text-input field.

3. Click **Save** to finish.

To promote a comment as an answer, click



on the top right of the comments panel.

### Note

Comments can be written in different languages. If a question is posted in multiple languages, it can also have comments in multiple languages.

See also

- [View details of Answers](#)
- [Approve/Disapprove an answer](#)
- [Activate/Deactivate an answer](#)
- [Delete an answer](#)


## Regular user


### View details of Answers

After accessing **Answers**, the left pane is hidden by default. To toggle the left panel, click



on the **Action** bar. To view details of a category, simply left-click it to open its details in the right pane.

Click  to show the left panel



What is eXo Platform? By [Jack Miller](#) | 23 minutes ago

How can I register a training course? By [Mary Williams](#) | 22 minutes ago

Where to download Platform userguide By [John Smith](#) | 2 minutes ago

Rating Number of answers

Here, you can view all activated questions of this category, some basic information of questions, such as authors, scores, number of answers.

To view details of a question, simply click it to open its details, including its content, answers and comments, uploaded files, preview the attached image, or download the attached files.


See also

- [Search](#)
- [Print](#)

### Submit a question


The **Answers** application allows you to raise your questions on any issues and helps you find the best answer.

1. Right-click the category/sub-category where you want to submit your question and then select



from the drop-down menu;

Or go into the category that you want to submit questions, then click





on the **Action** bar.

The **Submit Question** form appears as below.

## Submit Question

Question :  \*

Details : 

Language :  

Author :  \*

Email :  \*

Attach Files : [Attach a file](#)

Save

Cancel

2. Type your question into the **Question** field.

In this form, you can also:

- i. Give details to your question into the **Details** field.
- ii. Select your desired language in the **Language** drop-down list.
- iii. Enter your email in the valid format, such as: username@abc.com, into the **Email** form.
- iv. Attach different-typed files to your question by clicking the **Attach a file** link. The max size for the attachment is 20Mb. To remove the attached files, click the corresponding **Remove** link next to the file attachments.

3. Click **Save** to complete submitting your question.

A message will appear informing that your question has been added successfully. If the moderation option was ticked when your selected category was created by the owner, there will be a message informing that your question needs to be approved before being displayed in that category.

See also

- [View details of Answers](#)
- [Edit a question](#)
- [Answer a question](#)
- [Comment on a question](#)
- [Send a question to others](#)
- [Discuss a question in forum](#)
- [Rate a question](#)

### Edit a question

Regular users can only edit their own questions.

1. Open the **Edit Question** form by following one of these ways:

#### The first way

- Right-click the question that you want to edit and then select **Edit** from drop-down menu.

#### The second way

- Click a question, then select



as below.



### How can I register a training course?

How can I register a training course for Platform 3.5? Which course is right for me?

Thu, Nov 24, 2011

Answer

Comment

2. Make changes to your question. You can add more or remove the language options, attach files, approve or disapprove the question and its answers.

3. Click **Save** to save all the changes.

See also

- [View details of Answers](#)
- [Submit a question](#)
- [Comment on a question](#)
- [Send a question to others](#)
- [Discuss a question in Forum](#)
- [Rate a question](#)


## Answer a question

A question may have multiple answers and each can be moderated separately.

1. Open the **Answer** form by following one of these approaches:

### The first way

- Right-click the question you want to answer and select **Answer Question**.



### The second way

- Open a question, then click **Answer**.
- 2. Enter your answer into the **Answer** field.
- 3. Select/Deselect the **Approved** and **Activated** checkboxes if you want to approve this answer (optional). If this answer is in the category that requires moderation, the **Approved** checkbox will be selected by default.

The **Activated** option enables your answer to be shown or hidden. By default, an answer is always shown.

4.

Click



to link the question to reference entries (optional).

5. Click **Save** to submit your answer.

See also

- [View details of Answers](#)
- [Submit a question](#)
- [Edit an answer](#)
- [Vote for an answer](#)

### Edit an answer

Regular users can only edit their answers.

1.

Click



on the top right of the answer that you want to edit.

2. Make changes to your selected answer.

3. Click **Save** to save all the changes.

See also

- [View details of Answers](#)
- [Answer a question](#)
- [Vote for an answer](#)

### Comment on a question

You can leave comments on a question when you are not sure about the answer, or want to give your ideas. Then, the moderator can promote your comment to answer if necessary.

1. Follow one of these following ways:

**The first way**



- Click the question you want to leave comments, then select the **Comment** button.

#### The second way

- Right-click a specific question and select **Comment** from the drop-down menu.
2. Type your answer in the text-input field.
  3. Click **Save** to finish.

#### Note

Comments can be written in different languages. If a question is posted in multiple languages, it can also have comments in multiple languages.

#### See also

- [View details of Answers](#)
- [Submit a question](#)
- [Answer a question](#)
- [Send a question to others](#)
- [Discuss a question in Forum](#)
- [Rate a question](#)

### Send a question to others

When you find a question interesting, you can share it with others easily. Regular users cannot send pending questions.

1. Follow one of these following ways:

#### The first way

- Right-click the question that you want to send and select **Send** from the drop-down menu.


#### The second way

- Click your desired question and select



.

2. Enter the receiver's email address into the **To** field.



The screenshot shows a dialog box titled "Send Question by Email". It contains several input fields and a message body. The "From" field is filled with "James Davis". The "Email" field is filled with "james.davis@acme.exoplatform.com". The "To" field is empty, with links for "Add CC" and "Add BCC" to its right. The "Language" dropdown is set to "English". The "Subject" field is filled with "Where can i download the eXo Platform manual?". The "Message" field contains a rich text editor with a toolbar and the following text: "Hi, You may be interested in this question:: **Question:** Where can i download the eXo Platform manual? **Details:** that's is... Click [here](#) for more details." At the bottom of the dialog are "Send" and "Cancel" buttons.

Send Question by Email

From: James Davis \*

Email: james.davis@acme.exoplatform.com \*

To: \* | Add CC | Add BCC |

Language: English

Subject: Where can i download the eXo Platform manual? \*

Message:

Hi,  
You may be interested in this question::  
**Question:** Where can i download the eXo Platform manual?  
**Details:**  
that's is...  
Click [here](#) for more details.

Send Cancel

3. Select the display language for the question content. English is set by default.
4. Click **Send**.

### Note

**Add CC/Add BCC** allows you to send this message to multiple receivers. Use **Add CC** if you want all receivers to refer to this message. Use **Add BCC** if you want all receivers to get this message but cannot see email addresses of other receivers.

If the submitted question has been existing in another language, you can select your desired language from the **Language** drop-down list. If you change the language, the question's subject and the message content will be changed accordingly.

The users with email addresses in the **To**, **CC** and **BBC** fields will receive this message. The receivers can click the **here** link in the content of the message to view the question in details in the **Answers** application.

See also

- [View details of Answers](#)
- [Submit a question](#)
- [Answer a question](#)
- [Comment on a question](#)
- [Discuss a question in forum](#)
- [Rate a question](#)

## Discuss a question in forum

This feature is not enabled by default. Only **Administrators** can activate this feature.

When you want further discussion on a question rather than getting quick replies from **Answers**, you can make that question posted in **Forum** as a new topic. The topic created in **Forum** will have the same title and content as your question in **Answers**. All the comments will become posts in that topic. Once there is a new reply in that **Forum** topic, your question in **Answers** will be updated correspondingly.


### *Discuss or view the question discussion*

#### The first way

- Open the question and click




on the top right of the question pane.



#### The second way

- Right-click a specific question and select **Discuss in Forum**.








5 Score 2 Answers Where can I find the Platform user guide By [Mary Williams](#) | 5 minutes ago

4 Score 3 Answers How to add the Answer p By [Jack Miller](#) | Just Now

Comment  
Answer Question  
Send  
Discuss in Forum

The topic posted in **Forum** needs to be approved by the administrators or moderators before you can view it. To go to that topic, right-click the question title and select **Discuss in Forum** from the drop-down menu again.

Topic in forum eXo evolution		Watch
	Topic	
	 Sticky: Forum rules  <a href="#">John Smith</a>	
	 How to add the Answer porlet to my site? <a href="#">John Smith</a>	

See also

- [View details of Answers](#)
- [Submit a question](#)
- [Answer a question](#)
- [Comment on a question](#)
- [Send a question to others](#)
- [Rate a question](#)

### Rate a question

If you want to evaluate the quality of the question, you can use the intuitive rating feature provided by **Answers** to the five-star scale with the ascending level from the left to the right.

1. Open the question which you want to rate.
2. Click the star on the top left of the question content.



After being rated, the vote statistics will be updated.



3. Click **OK** on the confirmation message.

### Note

Each user can only rate a question once. Rating is not available to anonymous users.

See also

- [View details of Answers](#)
- [Submit a question](#)
- [Answer a question](#)
- [Comment on a question](#)
- [Send a question to others](#)
- [Discuss a question in forum](#)

### Vote for an answer

You can vote for an answer that you find interesting and useful.

#### Answers



john

eXo offers certification and training programs that will help you get the most out of your open source investment. Gain hands-on experience with eXo Platform, while learning the key concepts related to the successful architecture and administration of eXo-based solutions. eXo hosts training sessions in several professional training centers and sends instructors to customer locations.

eXo provides 3 courses on different subjects and attendees: eXo Training and Certification Program, eXo Fundamentals (2 days), eXo Developer (3 days), eXo Architect (2 days)

For detailed information, refer to this page <http://exoplatform.com/company/en/services/development-training>

Thu, Nov 24, 2011



If you think the answer is good, click the thumb-up icon. If you think the answer is not good, click the thumb-down icon.

### Note

You cannot vote for an option twice but changing your voting is possible.


See also

- [View details of Answers](#)
- [Answer a question](#)
- [Edit an answer](#)

### Watch/Unwatch a category

The **Watch** feature allows you to keep track of all changes in specific categories. You will get all the updates via mail notifications if you enable the **Watch** function on a category.

To watch a category, right-click a category in the categories list and select **Watch** from the drop-down menu. For the administrator/moderator, the watched category will be marked with



If you do not want to receive any email notifications about the watched categories, right-click your desired category in the **Categories** pane, then select **Unwatch** from the drop-down menu.

See also


- [View details of Answers](#)

### Subscribe to RSS feeds

You can get the latest questions in a category by getting the corresponding feed links, then use your favorite RSS client to read.

#### **Get the RSS link of a category**

1. Click the category you want to get the RSS feed.
2. Click the **RSS** button on the **Action** bar.



The RSS information page will appear on another tab. Depending on the browser you are using, this page may be displayed differently. Use the RSS link provided in this new page to put in the RSS reader of your choice.

See also


- [View details of Answers](#)

## Edit user settings


When going to user settings, you can [change how Answers will display the entries](#)<sup>[611]</sup>, [manage your subscriptions](#) <sup>[612]</sup> and [change your avatar](#) <sup>[612]</sup> here.

### Change your user settings

Click



on the **Action** bar. The **Settings** form will appear.

A screenshot of the "Settings" dialog box. The dialog has a title bar with "Settings" and a close button. Inside, there are two dropdown menus: "Order by:" set to "Created Date" and "Ascending". Below these is a checkbox labeled "Sort question by popularity" which is unchecked. Underneath is a label "Watches" with an eye icon. Then, an "Avatar:" label is followed by a square image of a man with glasses. Below the avatar image are the links "Update | Reset" in blue. At the bottom of the dialog are two buttons: "Save" and "Cancel".

Now you can:

### Change the display settings

You can select to display entries by created date/alphabetical order and sorted by ascending/descending type or by popularity.

### Manage watches

1. Click



to open the **User Watch Manager** form.

**User Watch Manager**

Category	Unwatch
categories > eXo evolution > Products	
categories > eXo evolution > Services	
categories > eXo evolution > Solutions	
categories > eXo evolution > Training course	

**Watch by Email:**  
 james.davis@acme.exoplatform.com

Cancel

2. Click the category title if you would like to view details or



to unwatch the corresponding category.

### Change your avatar

1. Click the **Update** link to open the **Upload File** form.
2. Locate and upload your desired file.
3. Click **Save** to save the changes.


See also

- [View details of Answers](#)

### View public user profile


The function is for all users, even when you are not logged in (guest). To view a specific user's profile, click his username. The profile of that user will be displayed.





**User Profile**

**Profile of: James Davis**



James Davis

Join Date: Thu, Nov 17, 2011  
Last Login: Wed, Nov 23, 2011, 06:01 PM

Username: james  
First Name: James  
Last Name: Davis  
Birthday:  
Gender:  
Email: james.davis@acme.exoplatform.com  
Job Title:  
Location:  
Home Phone:  
Work Phone:  
Website: /portal/intranet/profile/james

Close

This form shows the selected user's profile, including the join date and the last login time.

See also

- [View details of Answers](#)


## Search



With the **Search** function, you can find your desired item, such as categories, questions, answers, or comments easily. In the **Answers** application, you can do your searches to specific search conditions easily through two types: **Quick search** and **Advanced search**.

### Quick search

You can do quick searches easily by entering specific keywords into the **Search** area. All items containing the text matching your search term will be returned in the **Search Results** form.

1. Enter a keyword into the **Search** field at the right corner of the breadcrumb.



Search:   

- 2.

Click











or press the **Enter** key to perform your search.

The **Search Results** window will open with all matching categories and questions.




**Search Results**

**Matching Entries and Categories**

	Name	Created on	
	Where to download Platform userguide	11/24/2011	
	Platform	11/24/2011	
	Where can I find the Platform user guide	11/23/2011	
	What is eXo Platform?	11/24/2011	

[Close](#)

**Details:**

Item	Description
	The question has been answered.
	The question has not been answered.
	The category containing your entered keywords.
	Click this icon to go into a question or a category.

See also

- [View details of Answers](#)
- [Advanced search](#)

**Advanced search**

The **Advanced search** allows you to do a search with multiple criteria corresponding to the object that is expected to be found. Using the advanced search, you can find questions/categories more exactly.

1.


Click



on the **Search** area.

2. Define some search criteria in the **Advanced Search** form. The criteria may vary, depending on where you want to search.

- Search in both categories and entries/questions by unselecting the categories or entries from the "**Search in**" drop-down menu. This form is set by default.

A screenshot of the 'Advanced Search' dialog box. It has a title bar with a close button. The form contains four input fields: 'Term' with the value 'Platform', 'Search in' with a dropdown arrow, 'Created between' with an empty text box, and 'And' with an empty text box. At the bottom are 'Search' and 'Close' buttons.

**Advanced Search**


Term

Search in

Created between

And

- Search in categories by selecting **Category** from the drop-down menu. You will do a search with some specific criteria to find expected categories. Search results will only include categories.

A screenshot of the 'Advanced Search' dialog box with more criteria filled in. The 'Search in' dropdown is set to 'Categories'. Other fields include 'Name' with 'Products', 'Is Moderate' with 'Yes', 'Moderator' with an empty box, 'Created between' with '09/02/2011', and 'And' with '11/24/2011'. 'Search' and 'Close' buttons are at the bottom.

**Advanced Search**

Term

Search in

Name

Is Moderate

Moderator

Created between

And

- Search in entries/questions to find your expected questions, answers or comments by selecting **Entries** from the drop-down menu.

**Advanced Search** ✕

Term

Search in

Author

Author's Email

Language

Question

Answer

Comment

Created between

And

Search

Close

3. Click the **Search** button to launch the search. All items matching your criteria will be listed in the search results pane below the **Search** form.


See also

- [View details of Answers](#)
- [Quick search](#)

## Print

***Print all questions with their answers of a category and its sub-categories***

1. Select one parent category from the **Categories** list on the left pane.
2. Click the **Print** button on the action bar under the selected category.




3. Click the **Print** button to accept printing or **Close** to quit the **Print Preview** form without printing.

### ***Print details of a question***

1. Click your desired question.

2.

Click



on the top right of the question pane. You will see the question and its details as below:



## **Where can i download the eXo Platform manual?**

that's is...

Fri, September 30, 2011



The eXo Platform manual is included with the Platform package so you don't have to download it.

Mon, October 03, 2011



this link may be useful:

<http://community.exoplatform.org/portal/public/classic/documentation-public>

Mon, October 03, 2011

Print

Close

3. Select the **Print** to start printing.

See also

- [View details of Answers](#)


# Build Social Network

**Social** is an application of eXo Platform, which gives rich experiences to users via many options that are similar to social networks, such as Facebook and LinkedIn. With **Social**, you can establish more meaningful connections and improve your communication and collaboration. **Social** allows you to add details, including experiences, skills and team information, to profiles of yourself and another contacts. Besides, **Social** provides built-in JavaScript client libraries for OpenSocial API that allows developers to write social gadgets intuitively and easily for displaying and mashing up activity information for contacts, applications, services and social networks.


This chapter presents the following topics:

- [Manage your profile](#) through step-by-step instructions. In this section, you can build your profile with full personal information, such as contact information, work experience, current position, and more.
- [Manage spaces](#) which shows you how to create/edit/join/leave/delete a space, or to view its details, or to search for spaces and to accept/deny invitations.
- [Build networks](#) which includes actions related to searching for contacts and sending connection requests.
- [Follow activities in your organization](#) which allows you to update status, share links, delete activities/comments, comment on activities, or like/unlike activities/comments.

In this chapter, most Social-related actions are demonstrated through the **Intranet** site which is a default social portal built in eXo Platform.



After entering **Intranet**, you will be directed to the **Intranet** homepage as below.



## Manage your profile

By default, your profile is just initialized with the basic account information entered in the **Registration** form. Therefore, if you only want to view or edit the basic information on account and password, simply hover your cursor over your display name on the top right corner of the page, and select **My Account**.



The **Account Profile** form is displayed with information you have set previously.



The screenshot shows a user profile management interface. At the top, there are two tabs: 'Account Profiles' and 'Change Password'. The 'Change Password' tab is currently selected. Below the tabs, there are four input fields, each with a label and an asterisk indicating it is required:

- Username: john \*
- First Name: John \*
- Last Name: Smith \*
- Email: john.smith@acme.exoplatform.com \*

Below the input fields, there are two buttons: 'Save' and 'Reset'. At the bottom center of the modal, there is a 'Close' button.

Here, you can change your account information in the **Account Profiles** tab, except for **Username**. These changes will be automatically synchronized with details in the **Basic information** in your **Profile** and vice versa. Also, you can change your password by clicking the **Change Password** tab.


If you want to view and update more details, go to the **My Profile** page by following either of two ways:

#### The first way


- Hover your cursor over your display name at the top right corner of the page, then select **My Profile** from the drop-down menu.

#### The second way

- Go to the **Activity Stream** page first, then select the **My Profile** tab in the left pane.



The **My Profile** page is displayed as below.



From here, you can:

- [Modify your contact information](#), including basic information, contact details, and experiences.
- [Upload your profile avatar](#).

- [Update your current position.](#)

### **View profiles of another eXo Platform users**

1. Hover your cursor over your display name at the top right corner of the page, then select either of the following pages from the drop-down menu:

- **Find People**; or
- **My Network --> All People**; or
- **Activity Streams --> All Updates**

2. Click the appropriate username to be directed to his/her profile.

### **Note**

Regardless of being an administrator, you do not have right to edit profiles of another people.

See also

- [Manage accounts](#)
- [Build networks](#)
- [Follow activities in your organization](#)
- [Manage spaces](#)
- [Use the Dashboard workspace](#)

## **Edit your information**

Your own information is visible to all people using the network. You can change information in each pane or all panes as follows:

1. Click **Edit** at the top of each corresponding section in the right pane of the [My Profile](#) page.
2. Change your desired information. In both **Contact** and **Experience** sections, click **Add** corresponding to one field you want to add more or **Remove** to delete your inputted information.

ntact

Gender:

Phone:   [Remove](#) |   [Remove](#) [Add](#)

IMs:   [Remove](#) | [Add](#)

Urls: no contact link entered [Add](#)

3. Click **Save** to accept all changes, or **Cancel** to close the **Edit** form without any changes.

The followings are changeable information in each pane.

### **Basic Information**

Basic information	Description
<b>First name</b>	The first name which is required with the length from 1 to 45 characters.
<b>Last name</b>	The last name which is required with the length from 1 to 45 characters.
<b>Email</b>	The email address which must be in a valid format, for example: JohnKelvin@gmail.com. Note that spaces between characters are not accepted.

### **Contact**

Contact	Description
<b>Gender</b>	The gender of user. Select your gender from the select box, either male or female.
<b>Phone</b>	The phone number at work, home or at other sites which must be between 3 to 20 numeric characters.
<b>IMs</b>	The nickname of either IM services that must be between 3 to 60 characters.
<b>Urls</b>	The website address which must be in the correct format. For example: <a href="http://exoplatform.com/">http://exoplatform.com/</a> .

### **Experience**

Experience	Description
<b>Organization</b>	Where you have worked. This field is limited from 3 to 90 characters.

Experience	Description
<b>Position</b>	The job title which is limited from 3 to 90 characters.
<b>Job Details</b>	Brief description of your job without any character-related limitations.
<b>Skills Used</b>	Skills used without any limitations.
<b>Start Date</b>	The start date of your work which must be in the MM/DD/YYYY format.
<b>End Date</b>	The end date of your work which must be in the MM/DD/YYYY format.
<b>Still in this position</b>	Indicate that the user is still being at the described position.


See also

- [Upload your profile avatar.](#)
- [Update your current position.](#)

## Upload your profile avatar


You easily upload a photo to your profile or to your spaces where you own or manage.

1. Click the **Change Avatar** link, or directly click your current avatar in the left pane to open the **Avatar Upload** form.



2. Click **Browse...** to open the **File Upload** form, then select your desired image, and click the **Open** button to upload your selected image. The uploaded photo must be smaller than 2 MBs.

3. Click **Confirm** to open the **Avatar Preview** form to see some related information, such as file name, file type and image size.



4. Click **Save** to accept your changes.

### Note


Your image will be automatically resized to a specified value.

## Update your current position

1. Click the **Edit** link.



The form to update the current information will appear.

A form for updating a user's position. It features the name "John Smith" at the top. Below it is a text input field containing the text "Technical Leader". The input field is outlined with a red rectangle. To the right of the input field is an asterisk followed by the text "Save | Cancel".

2. Enter your new position which is limited from 3 to 30 characters and click **Save**. Your current position will be immediately updated.

### Note


The information entered in the **Position** field is only used for providing more details, not for searching. Meanwhile, the information entered in the **Skills Used** field will be retrieved when you do the **Search** function.

## Manage spaces


The concept "team work" becomes very familiar in business environments. By establishing one specific team or group, you and your collaborators can work together on important projects. Based

on the importance of team working, eXo Platform develops the **Space** application, allowing you to collaborate with specific people. This means that if you want to work on a team project, you can create a space for your team members to make organizations, share links and information related to the project.

To access a space, click **My Spaces** on the **Administration bar**.



The **Space** page appears as below.



The **Space navigation** includes the following tabs:

- **All Spaces:** all spaces which have been created with the Visibility value as Visible.
- **My Spaces:** spaces where you have the role as a member or a manager.
- **Received Invitations:** spaces where you are invited to become members by space managers.
- **Pending Requests:** spaces where you have requested to become their members.

### Note

Administrator, who has the highest permission, can see all spaces regardless of the member role.

## Create a space

After redirecting to the **Space** application, you can add a new space so that you and your collaborators can work together or discuss specific topics as follows:


1.

Click




at the right corner of **Space** page.

2. Enter a space name, description and select the priority level in the **Settings** tab of the **Add New Space** form. There are 3 levels: **High**, **Intermediate**, and **Low** with textual explanations corresponding to each selected preference value.

A screenshot of the 'Add New Space' dialog box with the 'Settings' tab selected. The dialog has three tabs: 'Settings', 'Visibility', and 'Invite users from group'. The 'Settings' tab contains a 'Name' field with the value 'eXo FC', a 'Priority' dropdown menu set to 'Intermediate', and a 'Description' text area with the text 'The space for all members in eXo Football Club.'. Below the description is a 'Create' button. A note below the priority dropdown states: '(Space will be listed in the middle of the space list)'. The dialog box has a close button in the top right corner.

3. Select an access level in the **Visibility** tab.

A screenshot of the 'Add New Space' dialog box with the 'Visibility' tab selected. The dialog has three tabs: 'Settings', 'Visibility', and 'Invite users from group'. The 'Visibility' tab contains two sections: 'Visibility' with radio buttons for 'Visible' (selected) and 'Hidden', and 'Registration' with radio buttons for 'Open', 'Validation' (selected), and 'Close'. Below the registration options is a note: '(Space membership requires validation)'. A 'Create' button is at the bottom. The dialog box has a close button in the top right corner.

**Visibility:** By default, the **Visibility** value is set to be **Visible**.

- Visible: The space is always visible in the public spaces list.



- Hidden: The space is not visible in the public spaces list.

**Registration:** By default, the **Registration** value is set as **Validation**. There will be an explanation text (within two round brackets) corresponding to each your selection.


- Open: The users sending their requests can join the space without any validation.
- Validation: The membership must be validated by the space manager.
- Close: The user cannot request for joining, but only the space manager can invite him.

4. Select all members of a specific group for your space where you are already 'manager' in the **Invite users from group** tab.


One of the two following cases occurs when you select this tab.

- **The first instance:** You have been already the manager of a group. It means that you have created at least a space.


The **Invite users from group** tab will be displayed as below.

The image shows a screenshot of a web application window titled "Add New Space". It has a close button (X) in the top right corner. Below the title bar, there are three tabs: "Settings", "Visibility", and "Invite users from group". The "Invite users from group" tab is currently selected. Inside this tab, there is a checkbox labeled "Select a target group for this space". Below the checkbox, there is explanatory text: "Once you have created a new space successfully, a group with the space name will be automatically created." and "If you want to select a group to invite users to join the newly created space, please click the check box." At the bottom of the dialog, there is a "Create" button.

- i. Tick the **Select a target group for this space** checkbox to open the selection form.
- ii. Select the group in the left pane, then its child group in the right pane.



You will see your selected group as below.



### Note

To remove the selected groups, untick the **Select a target group for this space** checkbox.

After you have selected one existing group, all users in that group will be invited to join your newly created space.

- **The second instance:** You have not been a manager of any group yet. It means that the space you are creating is the first one, and you cannot select a target group.

### Note

After being created, your space will be automatically added to the **My Spaces** button on the **Administration bar**. Therefore, you can access your space by clicking **My Spaces** --> **[Space Name]** from the drop-down menu.

5. Click **Create** to finish adding your new space.

### Note

When more than two space characters are input between words, these spaces will be converted to ONLY ONE space when being displayed. With space characters at the beginning and end of space names, these space characters will be omitted.


## Edit a space

This function allows you to change the information of a space, manage members and applications if you are the creator or have the **Manage** permission on it.

To access the **Space Settings**, follow one of 2 ways:

#### The first way

1. Click **My Spaces** on the **Administration bar** to direct to the **My Spaces** page.
2. Click **Edit** corresponding to the space which you have the **Edit** permission.



### The second way

1. Hover your cursor over **My Spaces** on the **Administration bar**, then select one space from the drop-down menu.

2.

Click



### Change space information

This function allows you to edit the basic information of a space as follows:

1. Select the **Settings** tab in the **Space Settings** page.

The screenshot shows the 'Space Settings' page for a space named 'PLF DOC Team'. The left sidebar has a 'Settings' tab highlighted. The main area displays the space's avatar, name, description, and priority. The description field is a text area with the text 'For people who are responsible for PLF documentations.' The priority is set to 'Intermediate'. A 'Save' button is located at the bottom left of the settings area.

2. Change information in the **Description** and **Priority** fields, and the space avatar.

- To change the space avatar, click



, or directly click the current space avatar to open the **Avatar Upload** form. For more details, see the [Upload your profile avatar](#) section.

### Note

You cannot change the space name.

3. Click **Save** to accept your changes.

## Change visibility

1. Select **Access & Edit** in the left pane of the **Space Settings** page.
2. Change values of **Visibility** and **Registration** if you want. For more details, see [here](#).
3. Click **Save** to accept your changes.

## Manage members

Select **Members** in the left pane of the **Space Settings** page to open the **Manage members** form. Here, you can do many actions on members as stated below.

### Invite new members

You can invite other users to join your spaces as follows:

#### The first way

- If you know the username of a person, simply enter his/her username in the textbox, then click



.


To invite multiple people, use commas to separate your multiple entered usernames.

#### The second way

1. Click



to open the **Select Users** form.



<input type="checkbox"/>	Username	First Name	Last Name	Email
<input type="checkbox"/>	Larry	Larry	Tran	Larry@gmail.com
<input type="checkbox"/>	demo	Jack	Miller	jack.miller@acme.exoplatform.com
<input type="checkbox"/>	james	James	Davis	james.davis@acme.exoplatform.com
<input type="checkbox"/>	john	John	Smith	john.smith@acme.exoplatform.com
<input type="checkbox"/>	mary	Mary	Williams	mary.williams@acme.exoplatform.com
<input type="checkbox"/>	root	Root	Root	root@localhost

- To search for your desired member in eXo Platform, do as follows:

i. Enter a search term into the **Search** box.

ii. Select a criterion you want to find in the combo box next to the **Search** box.

iii.

Click



to perform searching.

2. Select users by ticking their corresponding checkboxes and click **Add**.

3.

Click



to invite your selected users.

After inviting, you will see the list of invited users.

### Note

You can invite multiple users which will be separated by commas in the **Select Users** field.

## Revoke your invitations

If your invited users have not accepted your requests, you can revoke your invitations by clicking



The users will be removed from the **Invited** list.

## Promote/Demote a member

- To promote a member to the manager position, click



in the **Manager** column. The user will be automatically promoted as a manager in the current space.

- To demote a member, click



### Note

Be careful not to remove the rights for yourself; otherwise, you will not be able to edit your space's settings anymore, except that you are an administrator.

## Remove a member


Click



corresponding to the member you want to delete in the **Members** list.


## Manage space applications

To manage space applications, click the **Applications** tab to go the **Applications** page.




### Add a new space application

1. Click **Add Application** to open the **Application List**.






2. Select the application you want to add by clicking 

If there is no available application, ask your system administrator to gain the access right.

## Delete applications

To remove an application, click  corresponding to the application name.


### Note

You cannot delete the **Space Setting** application because it is configured as a mandatory space application.

## Edit space navigation

You can easily edit a space navigation, such as adding a new node, editing a node, replacing in the navigation, moving up/down a node, and taking other actions in the context menu as follows:

1. Click the **Navigations** tab to open the space navigation.



You can take the following actions:

- Right-click a node name (space name) and takes actions in the context menu, such as adding/editing a node, editing a node's page, copying/cloning a node.

- Right-click any white area to display



, then select this button. The **UI Page Node** form appears that allows you to add information to your new node.

For more details, see the [Manage navigation nodes](#) section.

2. Click **Save** to accept all changes.

## Join or Leave a space


### *Join a space*

Click **My Spaces** on the **Administration bar**, then click the **All Spaces** tab to display all spaces which **Visibility** is set to "Visible". There are two cases to join a space:

- **The first instance:** For spaces without validation required, click **Join** corresponding to your desired space. You will automatically become their members.
- **The second instance:** For spaces with validation required, after clicking **Join**, you have to wait for the validation from the space's owner who can accept or deny your request.


### *Revoke your request*

- To revoke your request for joining a space that has not been validated by its owner, simply click **Cancel**.



### *Leave a space*

- To leave the space which has been validated, simply click **Leave**.



If you are the only leader of that space, the message which informs that you cannot leave a space will appear as below.



## Note

After you have left a space, the space will not exist in the **My Spaces** tab, but in the **All Spaces** tab.

## View details of a space


To view one detailed page of a space, you must become its member first. Then, do either of the two following ways to view the space.

### The first way

- Hover your cursor over **My Spaces** on the **Administration bar**, and select your desired space from the drop-down menu.

### The second way

- After entering the **My Spaces** pane within the **Spaces** application, left-click the name of your desired space.



The detailed page of the space displays information about the space. The functions you can perform depending on your granted permissions or whether you are the space's creator or not.

As a normal user, you can:

- [Ask for joining the public space or leave the space.](#)
- [Accept or deny to join a space.](#)
- [Invite colleagues to take part in your space.](#)

Besides, as a space manager or creator, you can:

- [Edit the space settings, including description, priority level, and avatar.](#)
- [Change the visibility of your space](#)
- [Invite new members to join your space](#)
- [Accept/Deny requests for joining a space](#)
- [Promote/Demote roles of space members](#)
- [Remove members from your space](#)

### Delete a space

Only the space managers can delete their spaces by clicking



All information and navigations related to that space are also deleted.

### Search for spaces

The **Search** function in the **Spaces** application helps you easily find spaces from one of the tabs in the [Space navigation](#).

After accessing your desired spaces tab, you can search for spaces by **Name** and **Description** or **Alphabets**.

### *Search by name/description*

1. Enter the key word into the **Find Space** field.

2. Press the **Enter** key or click



### *Search by alphabets*

Simply click a specific letter which is covered in the space name.





The found spaces will be listed in the **Spaces Found** pane.

## Accept/Deny invitations

This function allows you to accept and/or deny invitations that you received from others. Spaces which are being waited for acceptance will be listed in the **Received Invitations** tab.

[All Spaces](#) | 
 [My Spaces](#) | 
 [Received Invitations](#) | 
 [Pending Requests](#)

Spaces Found: 4 matching 'All' filter.

 <p><b>eXo Platform</b> ☺</p> <p>Members: 2</p> <p>For members of PLF team.</p> <p><a href="#">Accept</a>   <a href="#">Deny</a></p>	 <p><b>Support Team</b> ☺</p> <p>Members: 1</p> <p>For members of Supp</p> <p><a href="#">Accept</a>   <a href="#">Deny</a></p>
 <p><b>Mobile Team</b> ☺</p> <p>Members: 1</p> <p>For members of Mobile Team</p> <p><a href="#">Accept</a>   <a href="#">Deny</a></p>	 <p><b>Other stuffs</b> ☺</p> <p>Members: 1</p> <p>This space has no d</p> <p><a href="#">Accept</a>   <a href="#">Deny</a></p>

- Click **Accept** to accept joining the space.
- Click **Deny** to refuse joining the space.


## Build networks

To build your network, you first need to hover your cursor over the display name on the **Administration bar** and select **My Network** from the drop-down menu.



The **Network** page appears and allows you to do the following actions:

- [Search for your contact](#)
- [Send connection requests](#)



This page consists of the following tabs:

- **All People**: list users who have registered in your system.
- **Network**: list users who have established connections with you. You can remove these connections by clicking **Delete**.
- **Received Invitations**: list users who have sent you connection request. You can click **Accept** to accept being as his/her contact or **Deny** to refuse.

- **Pending Requests:** list users to whom you have sent connection requests. You can also click **Cancel** to revoke your request.


## Search for your contact

This function allows you to find your desired contact quickly.

1. Select the relevant tab in which you want to do your search.

- To search across all users in eXo Platform, select the **All People** tab. Alternatively, you can hover your cursor over your display name and select **Find People** from the drop-down menu.
- To reduce the returned search results, select the appropriate tab first before using the search box. For example, to search for contacts with whom you have established connections, you need to select the **Network** tab.

2. Enter the contact name you want to search into the **Find Contact** field. When you type, the application automatically suggests the contact name containing your entered letter. You just need to select one of suggested names from the drop-down list.



- To do advanced lookups for your entered name, click **More option**. This option allows you to filter your contacts by positions, skills and gender.

- To stop doing advanced lookups, click **Hide option**.

2. Hit the **Enter** key, or click




to find your contact. The results will be listed in the **People Found** pane.

## Send connection requests


You easily send a request following one of two ways:

1. Hover your cursor over your display name on the **Administration bar**, and select **My Network** --> **All People**, or simply select **Find People** from the drop-down menu.

All users will be listed in the **People Found** pane.



2. Invite your desired contact via one of two ways.




### The first way

- Click **Invite** to send your connection request.

### The second way

- Click the contact name to go to his/her profile, then click **Invite to connect** at the right corner of the contact profile page.





The



icon is then displayed next to the contact name. This means that your connection request is in the pending status until the invited contact confirms it.

## Note

If you follow the first way, the **Invite** link will become **Cancel**. Meanwhile, if you follow the second way, the **Invite to connect** text will be turned into **Revoke**.

## Revoke a connection request

In the **People Found** pane, simply select **Cancel**, or click the contact name to go to the relevant profile and select **Revoke** at the right corner of the contact's profile page.

## Accept/Deny a connection request

You can find all the connection requests in the **Received Invitations** tab. You can click **Accept** to accept the request, or **Deny** to reject the connection request.

## Disconnect from your contacts

In the **Network** or **All People** tab, you can remove the connections between you and the users who are as your contacts anymore via one of two following ways.


The screenshot shows the 'People directory' interface. At the top, there are tabs for 'All People', 'Network', 'Received Invitations', and 'Pending Requests'. Below these, it says 'People Found: 2 matching 'All' filter.' There are two contact cards displayed. The first card is for 'James Davis' with a green checkmark. Below his name is a 'Delete' button, which is highlighted with a red box and a red arrow pointing to it, with the text 'The first way' next to it. The second card is for 'Mandy Rose' with a green checkmark. Above her name is a red arrow pointing down to it, with the text 'The second way' next to it. Below her name is a 'Delete' button.

### The first way

- Click **Delete** to remove your established connections.

### The second way

- Click the contact name to go to the profile page, then click the **Disconnect** link at the right corner of the contact profile page.



Mary Williams ✓

### Basic information

User name: mary

First name: Mary

Last name: Williams


Email: mary.williams@acme.exoplatform.com

Contact

## Follow activities in your organization

All activities of users are displayed in user's or Space's Activity Streams.

To enter **Activities**, hover your cursor over your display name (for example, John Smith) on the **Administration** bar and select **Activity Streams**.



In **Activity Streams**, you can follow various activities, including:

- All updates related to users who have registered in your system in the **All Updates** tab.
- All updates of users who have established their connections with you in the **Network Updates** tab.
- All updates of spaces where you are a member or a manager in the **Space Updates** tab.
- All your own activities in the **My Status** tab, such as your profile updates, link updates or another activities pushed by yourself.

You can see activities of any registered people by clicking their usernames. However, for people to whom you have not connected, you only can view their activities but cannot post any **activities**, **comments** or **likes** on their spaces.

In addition, you can keep track of activities of a space application. For example, whenever there is a new post in the **Space Forum** application, it will be updated in the activity streams.

The actions described in this section are those which you can do on activity streams of yours, of your connections or of any spaces where you are a member or manager, depending on the accessed tab.


## Update status

By entering your status message, you can tell people what are you doing on or ask for their helps or ideas. Thereafter, your colleagues who are connected with you can see your updates in their connections.

There are 2 ways to post your status.

### The first way


1. Hover your cursor over your display name on the right corner of the page.



2. Input your status into the textbox from the drop-down menu, then hit the **Enter** key to accept updating your status.

### The second way

1. Go into the **Activity** page.
2. Enter your current status in the **Status Update** box.



2. Click **Share** to accept sharing your status.

Your new status will be updated in two tabs: **All Updates** and **My Status**.


### Share links

1. Click



2. Enter the link into the **Attach** field and press the **Attach** button. If the link address is correct, it will be attached, then shown with the overall content of the link.

What are you working on?



- If you do not want the thumbnail to be displayed, select the **No thumbnail** checkbox. If there is more than one thumbnail, you can click blue arrows to go through all available thumbnails.
  - You can edit the link content by double-clicking the content you want to edit.
3. Click **Share** to share the entered link with your connections, or the **X** icon to remove your entered link.

### Delete activities/comments

You are allowed to delete your activities/comments that you created, and those in your activity streams and in the space where you are the manager.

1. Select **All Updates** or **My Status** to view all your own activities.



The confirmation message will be displayed.

3. Click **OK** to accept your deletion.

### Comment on activities

This action allows you to get ideas, answers, and any additional information when your collaborators respond to your status updates. Besides, you yourself give your ideas about any contacts' status update as follows:

1. Click **Network Updates** to see all activities of your established contacts.
2. Select one profile containing the activity you want to comment.
3. Click **Comment** in the bottom line of the profile. The **Comment** form will appear below.



Your new avatar is so great!

4. Enter your comment into the **Comment** form and press the **Comment** button. Your comment will be displayed right below the profile.


## Like/Unlike activities/comments

The function allows you to show your interest by selecting **Like** and/or **Unlike** activities/comments.

### *Like activities/comments*

1. Select the profile containing the activity/comment you want to like.
2. Click **Like** beside the activity/comment.

After you have selected **Like**, the text 'You like this' will be displayed below and **Like** will be turned into **Unlike**.



### *Unlike activities/comments*

You only can **Unlike** activities/comments that you selected **Like**. Do the same way as steps when selecting **Like**.

---