

eXo Platform 3.0 - CMIS Developer Guide

Copyright ©

1. Introduction	1
1.1. About CMIS	1
1.2. About xCMIS	1
2. CMIS specification	2
3. xCMIS project	3
4. CMIS features	4
4.1. CMIS Domain Model	4
4.2. CMIS Services	5
4.3. Integration with eXo WCM	5
4.3.1. WCM drives as CMIS Repositories	6
4.3.2. WCM Symlinks	7
4.3.3. Modify WCM via CMIS	10
5. Code examples	12
6. Miscellaneous and Tips	13
7. References	14

Chapter 1. Introduction

The eXo Platform provides CMIS support using the xCMIS project and the WCM Storage provider.

1.1. About CMIS

The CMIS standard aims at defining a common content management web services interface that can be applied in content repositories and bring about the interoperability across repositories. The formal specification of CMIS standard is approved by the Organization for the Advancement of Structured Information Standards (OASIS) technical committee who drives the development, convergence and adoption of global information society. With CMIS, enterprises now can deploy systems independently, and create specialized applications running over a variety of content management systems.

To see the advantages of content interoperability and the significance of CMIS as a whole, it is necessary to learn about mutual targets which caused the appearance of specification first.

1. Content integration: With CMIS, integrating content among various repositories, even those created by different vendors in a single application, becomes faster, simpler and more effective. CMIS makes it possible for customers to integrate content management systems into their key business processes across business departments and vendor implementations.
2. Access unification: CMIS enables different applications and manufacturers to be connected to a CMIS-enabled content repository simply. With CMIS, a business application's developer can focus on the application's business logic, rather than issues related to the compatibility or content migration.

1.2. About xCMIS

xCMIS, which is initially contributed to the Open Source community by eXo Platform, is an Open Source implementation of the Content Management Interoperability Services (CMIS) specification. xCMIS supports all the features stated in the CMIS core definition and both REST AtomPub and Web Services (SOAP/WSDL) protocol bindings.

The CMIS feature is implemented as a set of components deployed on the eXo Container using XML files to describe the service configuration.



Tip

To learn more about CMIS, visit
[<http://gazarenkov.blogspot.com/2010/01/xcmis1-cmis-in-nutshell.html>],
[<http://code.google.com/p/xcmis/>]

Chapter 2. CMIS specification



Note

This is related to Content Management Interoperability Services (CMIS) Version 1.0 OASIS Standard 1 May 2010

[http://en.wikipedia.org/wiki/Content_Management_Interoperability_Services]

The CMIS interface is designed to be layered on top of existing Content Management systems and their existing programmatic interfaces. It is intended to expose all of the CM systems capabilities through the CMIS interfaces exhaustively. The CMIS specification defines the followings:

- A standard "domain model" for an ECM system - a set of core concepts included in all modern ECM systems, such as Object Types, properties, folders, documents, versions, and relationships; and a set of operations performed on those concepts, such as updating documents, or navigating via a folder hierarchy.
- The way to bind the CMIS domain model to two different web service protocols, including the Simple Object Access Protocol (SOAP) used in many ECM systems, and the Atom used in many Web 2.0 applications.

CMIS specification provides a Web services interface which can:

- Work over existing repositories, enabling customers to build and leverage applications against multiple repositories.
- Decouple Web services and content from the content management repository, enabling customers to manage content independently.
- Provide common Web services and Web 2.0 interfaces to dramatically simplify the application development.
- Build the development platform and language agnostic.
- Support the composite application development and mashups by the business or IT analysts.

Chapter 3. xCMIS project

xCMIS includes the client side frameworks for integrating content from different enterprise repositories, according to http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=cmis .

The project is to make joining Enterprise Content repositories simpler by offering CMIS ability and exposing them to language-independent CMIS clients via the most convenient protocol.

xCMIS project:

- Is embedded, packaged as the J2EE Web archive (WAR) and prepared "download and go" Tomcat bundle.
- Has a live demo with the full-featured CMIS Expert client, which is accessible on the xcmis.org site and with prepared "download and go" Tomcat bundle (the client is accessible as the remote gadget).
- Is embedded in Platform to create the special xCMIS jcr repository and access it with any CMIS client.
- Tested with third-party CMIS clients, such as IBM CMIS Firefox Connector and CMIS Spaces Flex+AIR client. Either local repository (as described here) or <http://xcmis.org/xcmis1/rest/cmisaatom> can be used as a CMIS repository's endpoint URL for these or other types of clients.

Benefits of xCMIS

- xCMIS is an open source, server side Java CMIS implementation, enabling to expose content in the existing content repositories according to the protocols defined in the CMIS specification.
- xCMIS will give developers a way to make their content repositories "pluggable" on the server side based on the internal Storage Provider Interface and additional protocol on-demand bindings.
- xCMIS will provide (several) CMIS client frameworks for repository-application and repository-repository interactions. The programming language and supported protocol can be selected by users. For example, the reasonable choice for using web applications, gadgets, and/or mashups is JavaScript or GWT over REST AtomPub, while for inter-repository exchange, it may be Java over Web Services, i.e. WSDL/SOAP.)
- Both the server and client sides of xCMIS are easily integrated in the eXo Platform 3.0 infrastructure. In particular, xCMIS exposes the eXo JCR content repository and provides a framework for building web applications and gadgets for the GateIn portal.

The xCMIS project is distributed under the LGPL license. You can download sources on <http://code.google.com/p/xcmis/source/checkout> , or visit <http://code.google.com/p/xcmis/w/list> for more information.

Chapter 4. CMIS features

The CMIS specification prescribes:

- Domain model
- Services

4.1. CMIS Domain Model

The CMIS Domain Model defines a repository as a container and an entry point to the objects that is quite simple and non-restrictive. The followings are some of the common entities of the domain model.

- Repository is a container of objects with a set of "capabilities" which may be different depending on implementation.
- Object is the entity managed by a CMIS repository.
- Object Type is a classification related to an object. It specifies a fixed and non-hierarchical set of properties ("schema") that all objects of that type have.
- Document Object is an elementary information entity.
- Folder Object is a collection of fileable objects.
- Relationship Object is used to describe a dependent object semantically.
- Policy Object represents an administrative policy applied to an object.
- Access Object defines permissions.
- Versioning is to support versioning for Document objects.
- Query is type-based in a simplified SQL SELECT statement.
- Change Log is a mechanism which enables applications to discover changes to the objects stored.



Note

CMIS specifies a query language based on the SQL-92 standard, plus the extensions, in conjunction with the model mapping defined by the CMIS's relational view.

All objects are classified by an Object Type which declares that all objects of the given type have some sets of properties in common. Each property consists of a set of attributes, such as the TypeID, the property ID, its display name, its query name, and more). There are only four base types, including Document, Folder, Relationship, and Policy. Also, you can extend those basic types of modifying a set of their properties.

Document Object and Folder Object are self-explanatory. Document Object has properties to hold document metadata, such as the document author, modification date and custom properties. It can also contain a content stream whether it is required, and renditions, such as a thumbnail view of document. Folder is used to contain objects. Apart from the default hierarchical structure, CMIS can optionally store objects in multiple folders or

in no folders at all (so-called multifiling and unfiling capabilities). Relationship Object denotes the connection between two objects (target and source). An object can have multiple relationships with other objects. Policy Object is a way to define administrative policies in managing objects. For example, you can use a CMIS policy to define which documents are subject to retention policies.

4.2. CMIS Services

CMIS provides a set of services to access and manage the content or repository. These services include:

- Repository Services: To discover information about the repository and the object types defined for the repository.
- Navigation Services: To traverse the folder hierarchy in a CMIS repository, and to locate documents which are checked out.
- Object Services: To execute ID-based CRUD functions (Create, Retrieve, Update, Delete) on objects in a repository.
- Multi-filing Services (optional): To put an object in more than one folder (multi-filing) or outside the folder hierarchy (unfiling).
- Discovery Services: To search for queryable objects in a repository.
- Versioning Services: To check out, navigate to documents or update a Document Version Series (checkOut, cancelCheckOut, getPropertiesOfLatestVersion, getAllVersions, deleteAllVersions).
- Relationship Services (optional): To retrieve an object for its relationships.
- Policy Services (optional): To apply, remove, or query for policies.
- ACL Services: To return and manage the Access Control List (ACL) of an object. ACL Services are not supported by all repositories.

Some repositories might not implement certain optional capabilities, but they are still considered CMIS-compliant. Each service has two bindings which defines the way messages will be serialized and wired. Both bindings are based on HTTP, one uses the Atom Publishing Protocol, and the other uses SOAP-based Web services. The specification requires the CMIS compatible repositories support but does not limit to have more (first possible candidates are JSON).

4.3. Integration with eXo WCM

The eXo Web Content Management system provides CMIS the given access to its content storage features:

- WCM drives
- Symlinks
- Categories

Working with CMIS is based on reference documents returned from the server. The requested documents, which contain links to other services, are related to this document service.



Note

Notes for use cases: To access the eXo CMIS services from the client side, use the Curl tool [<http://curl.haxx.se/download.html>]. CMIS AtomPub binding which is based upon the Atom (RFC4287) and Atom Publishing Protocol (RFC5023) will be used. WebServices (SOAP binding) is not covered in the Platform 3.x.

4.3.1. WCM drives as CMIS Repositories

The WCM drive is used to expose as an isolated repository via the CMIS service. Operations on the repository will reflect the drive immediately.

4.3.1.1. USERCASE: Browse Drives via getRepository

- Login to the website as a user with the developer role.
- Open **Group | Sites Explorer**, you can see the drives set of WCM, such as **Sites Management**, **DMS Administration**.
- Get the list of these WCM drives via CMIS using Curl, asking getRepositories service:

```
curl -o getrepos.xml -u root:gtm http://localhost:8080/rest/private/cmisaom/
```

The requested file (getrepos.xml) contains the set of Repositories in the AtomPub format. The root element represents the set of **workspaces** representing **WCM drives** related to resources, e.g.

```
<service xmlns="http://www.w3.org/2007/app" xmlns:atom="http://www.w3.org/2005/Atom" xmlns:cmisra="http://docs.oasis-open.org/ns/cmisaom/200908/">
  <workspace>
    <atom:title type="text">DMS Administration</atom:title>
    <cmisra:repositoryInfo xmlns:cmis="http://docs.oasis-open.org/ns/cmisaom/core/200908/">
      <cmis:repositoryId>DMS Administration</cmis:repositoryId>
      <cmis:repositoryName>DMS Administration</cmis:repositoryName>
    </cmisra:repositoryInfo>
    <collection href="http://localhost:8080/rest/private/cmisaom/DMS%20Administration/query">
      <atom:title type="text">Query</atom:title>
      <cmisra:collectionType>query</cmisra:collectionType>
    </collection>
    <collection href="http://localhost:8080/rest/private/cmisaom/DMS%20Administration/children/00exo0jcr0root">
      <atom:title type="text">Folder Children</atom:title>
      <cmisra:collectionType>root</cmisra:collectionType>
    </collection>
    <collection href="http://localhost:8080/rest/private/cmisaom/DMS%20Administration/checkedout">
      <atom:title type="text">Checkedout collection</atom:title>
      <cmisra:collectionType>checkedout</cmisra:collectionType>
    </collection>
    <collection href="http://localhost:8080/rest/private/cmisaom/DMS%20Administration/unfiled">
      <atom:title type="text">Unfiled collection</atom:title>
      <cmisra:collectionType>unfiled</cmisra:collectionType>
    </collection>
    <collection href="http://localhost:8080/rest/private/cmisaom/DMS%20Administration/types">
      <atom:title type="text">Types Children</atom:title>
      <cmisra:collectionType>types</cmisra:collectionType>
    </collection>
    <cmisra:uritemplate>
      <cmisra:template>http://localhost:8080/rest/private/cmisaom/DMS%20Administration/object/{id}?filter={f}</cmisra:template>
      <cmisra:type>objectbyid</cmisra:type>
      <cmisra:mediatype>application/atom+xml;type=entry</cmisra:mediatype>
    </cmisra:uritemplate>
    <cmisra:uritemplate>
      <cmisra:template>http://localhost:8080/rest/private/cmisaom/DMS%20Administration/objectbypath?path={pa}</cmisra:template>
      <cmisra:type>objectbypath</cmisra:type>
      <cmisra:mediatype>application/atom+xml;type=entry</cmisra:mediatype>
    </cmisra:uritemplate>
  </workspace>
</service>
```

```
</cmisra:template>
  <cmisra:type>objectbypath</cmisra:type>
  <cmisra:mediatype>application/atom+xml;type=entry</cmisra:mediatype>
</cmisra:uritemplate>
<cmisra:uritemplate>
  <cmisra:template>http://localhost:8080/rest/private/cmisatom/DMS%20Administration/query?q={
  </cmisra:template>
  <cmisra:type>query</cmisra:type>
  <cmisra:mediatype>application/atom+xml;type=feed</cmisra:mediatype>
</cmisra:uritemplate>
<cmisra:uritemplate>
  <cmisra:template>http://localhost:8080/rest/private/cmisatom/DMS%20Administration/typebyid/
  </cmisra:template>
  <cmisra:type>typebyid</cmisra:type>
  <cmisra:mediatype>application/atom+xml;type=entry</cmisra:mediatype>
</cmisra:uritemplate>
</workspace>
</service>
```

Here are the collection of services and predefined templates which can be used from the client side to request resources related to this repository. For example, to get the WCM node of **DMS Administration** drive by path, the **objectbypath** template can be used:

```
http://localhost:8080/rest/private/cmisatom/DMS%20Administration/objectbypath?path={path}&filter:
```

where parameters include:

- Required:
 - ID repositoryId: The identifier for the repository.
 - String path: The path to the object.
- Optional:
 - String filter
 - Boolean includeAllowableActions
 - Enum includeRelationships
 - String renditionFilter
 - Boolean includePolicyIds
 - Boolean includeACL



Note

Find full description of all specified services in the CMIS specification.

4.3.2. WCM Symlinks

Symlinks are used to organize the virtual access to documents in WCM, which is implemented like links in Unix/Linux/Mac OS (refer to ln command for more details).



Note

JCR `exo:symlink` nodetype used for such type nodes.

4.3.2.1. USERCASE: Follow Symlinks

- Login to the acme website as a user with the developer role.
- Open **Group | Sites Explorer**, select **Sites Management**, go to folder `/acme/documents`.
- Upload any file (e.g. `test.txt`) `/acme/documents`
- Add this file to **acme/News** category. It will create symlink to `/acme/documents/test.txt` in `/acme/categories/acme/News`
- Get content of folder `/acme/categories/acme/News` via CMIS:

```
curl -o news.xml -u root:gtn http://localhost:8080/rest/private/cmisaom/Managed%20Sites/objectbypath?path=/acme
```

The requested file (`products.xml`) contains the entry with information about the folder.

- The list of properties for the object (such as node Id or type).
- Allowable Actions can be performed on the document; for example, requesting the childrens list.
- ACL and policies information.

```
<entry xmlns="http://www.w3.org/2005/Atom" xmlns:cmisra="http://docs.oasis-open.org/ns/cmis/restatom/200908/">
  <id>f59a3539c0a80003625790bdadf566c5</id>
  <published>2010-09-09T18:11:57.707Z</published>
  <updated>2010-09-09T18:11:57.707Z</updated>
  <summary type="text"/>
  <author>
    <name>system</name>
  </author>
  <title type="text">News</title>
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites" rel="service" type="application/atom+xml">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/object/f59a3539c0a80003625790bdadf566c5" rel="self">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/object/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/typebyid/exo%3Ataxonomy" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/allowableactions/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/relationships/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/policies/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/objacl/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/children/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/descendants/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/foldertree/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <link href="http://localhost:8080/rest/private/cmisaom/Managed%20Sites/object/f59a3539c0a80003625790bdadf566c5" rel="descrip">
  <content type="text">News</content>
  <cmisra:object xmlns:cmis="http://docs.oasis-open.org/ns/cmis/core/200908/">
    <cmis:properties>
      <cmis:propertyId displayName="cmis:allowedChildObjectIds" localName="cmis:allowedChildObjectIds" propertyDefinitionId="cmis:allowedChildObjectIds">
        <cmis:propertyString displayName="cmis:path" localName="cmis:path" propertyDefinitionId="cmis:path" value="/acme/categories/acme/News">
        </cmis:propertyString>
      <cmis:propertyId displayName="cmis:objectTypeId" localName="cmis:objectTypeId" propertyDefinitionId="cmis:objectTypeId">
        <cmis:propertyString displayName="cmis:objectTypeId" localName="cmis:objectTypeId" propertyDefinitionId="cmis:objectTypeId" value="exo:taxonomy">
        </cmis:propertyString>
      <cmis:propertyId displayName="cmis:lastModifiedBy" localName="cmis:lastModifiedBy" propertyDefinitionId="cmis:lastModifiedBy">
        <cmis:propertyString displayName="cmis:lastModifiedBy" localName="cmis:lastModifiedBy" propertyDefinitionId="cmis:lastModifiedBy" value="News">
        </cmis:propertyString>
      <cmis:propertyId displayName="cmis:name" localName="cmis:name" propertyDefinitionId="cmis:name">
        <cmis:propertyString displayName="cmis:name" localName="cmis:name" propertyDefinitionId="cmis:name" value="News">
        </cmis:propertyString>
    </cmis:properties>
  </cmisra:object>
</entry>
```

```

<cmis:propertyString displayName="cmis:createdBy" localName="cmis:createdBy" propertyDefinitionId="cmis:createdBy" />
<cmis:propertyId displayName="cmis:objectId" localName="cmis:objectId" propertyDefinitionId="cmis:objectId" />
  <cmis:value>f59a3539c0a80003625790bdadf566c5</cmis:value>
</cmis:propertyId>
<cmis:propertyDateTime displayName="cmis:creationDate" localName="cmis:creationDate" propertyDefinitionId="cmis:creationDate" />
<cmis:propertyString displayName="cmis:changeToken" localName="cmis:changeToken" propertyDefinitionId="cmis:changeToken" />
<cmis:propertyId displayName="cmis:baseTypeId" localName="cmis:baseTypeId" propertyDefinitionId="cmis:baseTypeId" />
  <cmis:value>cmis:folder</cmis:value>
</cmis:propertyId>
<cmis:propertyId displayName="cmis:parentId" localName="cmis:parentId" propertyDefinitionId="cmis:parentId" />
  <cmis:value>f59a3533c0a8000339af97059f243a25</cmis:value>
</cmis:propertyId>
<cmis:propertyDateTime displayName="cmis:lastModificationDate" localName="cmis:lastModificationDate" propertyDefinitionId="cmis:lastModificationDate" />
</cmis:properties>
<cmis:acl/>
<cmis:exactACL>false</cmis:exactACL>
<cmis:policyIds/>
<cmis:rendition/>
</cmisra:object>
</entry>

```

To get the file which has uploaded above, use the **children** service to get the list of child nodes of /acme/documents. Find this service URL in the response XML above:

```
curl -o childs.xml -u root:gtm http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/children/f59a3539c0a8000339af97059f243a25
```

In the requested file (childs.xml), find the entry related to **test.txt** file uploaded via **Sites Explorer**. Find by title for name "test.txt".

```

<entry xmlns:cmisra="http://docs.oasis-open.org/ns/cmisaatom/200908/">
  <id>f708e208c0a80003554babb97bd934ba</id>
  <published>2010-09-09T18:06:31.987Z</published>
  <updated>2010-09-09T18:06:31.987Z</updated>
  <summary type="text"/>
  <author>
    <name>system</name>
  </author>
  <title type="text">test.txt</title>
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites" rel="service" type="application/xml" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/object/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/object/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/typebyid/cmisaatom%3Adocument" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/allowableactions/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/relationships/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/policies/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/objacl/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/versions/f708a0c2c0a800033bedeb35caddeed1" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/object/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/parents/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <link href="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/file/f708e208c0a80003554babb97bd934ba" rel="describable" />
  <content src="http://localhost:8080/rest/private/cmisaatom/Managed%20Sites/file/f708e208c0a80003554babb97bd934ba" />
  <cmisra:object xmlns:cmis="http://docs.oasis-open.org/ns/cmisaatom/core/200908/">
    <cmis:properties>
      <cmis:propertyBoolean displayName="cmis:isLatestMajorVersion" localName="cmis:isLatestMajorVersion" />
        <cmis:value>false</cmis:value>
      </cmis:propertyBoolean>
      <cmis:propertyInteger displayName="cmis:contentStreamLength" localName="cmis:contentStreamLength" />
        <cmis:value>38</cmis:value>
      </cmis:propertyInteger>
      <cmis:propertyId displayName="cmis:contentStreamId" localName="cmis:contentStreamId" propertyDefinitionId="cmis:contentStreamId" />
        <cmis:value>f708a0c2c0a800033bedeb35caddeed1</cmis:value>
      </cmis:propertyId>
      <cmis:propertyId displayName="cmis:objectTypeId" localName="cmis:objectTypeId" propertyDefinitionId="cmis:objectTypeId" />
        <cmis:value>cmis:document</cmis:value>
      </cmis:propertyId>
      <cmis:propertyString displayName="cmis:versionSeriesCheckedOutBy" localName="cmis:versionSeriesCheckedOutBy" />
      <cmis:propertyId displayName="cmis:versionSeriesCheckedOutId" localName="cmis:versionSeriesCheckedOutId" />
      <cmis:propertyString displayName="cmis:name" localName="cmis:name" propertyDefinitionId="cmis:name" />
        <cmis:value>test.txt</cmis:value>
      </cmis:propertyString>
      <cmis:propertyString displayName="cmis:contentStreamMimeType" localName="cmis:contentStreamMimeType" />
        <cmis:value>text/plain</cmis:value>
      </cmis:propertyString>
    </cmis:properties>
  </cmisra:object>
</entry>

```

```

</cmis:propertyString>
<cmis:propertyId displayName="cmis:versionSeriesId" localName="cmis:versionSeriesId" propertyDefinitionId="cmis:versionSeriesId">
  <cmis:value>f708a0f1c0a8000333e3681f99fab760</cmis:value>
</cmis:propertyId>
<cmis:propertyDateTime displayName="cmis:creationDate" localName="cmis:creationDate" propertyDefinitionId="cmis:creationDate">
  <cmis:value>2010-09-09T18:06:31.987Z</cmis:value>
</cmis:propertyDateTime>
<cmis:propertyString displayName="cmis:changeToken" localName="cmis:changeToken" propertyDefinitionId="cmis:changeToken">
  <cmis:value>latest</cmis:value>
</cmis:propertyString>
<cmis:propertyBoolean displayName="cmis:isLatestVersion" localName="cmis:isLatestVersion" propertyDefinitionId="cmis:isLatestVersion">
  <cmis:value>true</cmis:value>
</cmis:propertyBoolean>
<cmis:propertyString displayName="cmis:versionLabel" localName="cmis:versionLabel" propertyDefinitionId="cmis:versionLabel">
  <cmis:value>latest</cmis:value>
</cmis:propertyString>
<cmis:propertyBoolean displayName="cmis:isVersionSeriesCheckedOut" localName="cmis:isVersionSeriesCheckedOut" propertyDefinitionId="cmis:isVersionSeriesCheckedOut">
  <cmis:value>false</cmis:value>
</cmis:propertyBoolean>
<cmis:propertyString displayName="cmis:lastModifiedBy" localName="cmis:lastModifiedBy" propertyDefinitionId="cmis:lastModifiedBy">
  <cmis:value>cmis:createdBy</cmis:value>
</cmis:propertyString>
<cmis:propertyString displayName="cmis:checkinComment" localName="cmis:checkinComment" propertyDefinitionId="cmis:checkinComment">
  <cmis:value></cmis:value>
</cmis:propertyString>
<cmis:propertyId displayName="cmis:objectId" localName="cmis:objectId" propertyDefinitionId="cmis:objectId">
  <cmis:value>f708e208c0a80003554babb97bd934ba</cmis:value>
</cmis:propertyId>
<cmis:propertyBoolean displayName="cmis:isImmutable" localName="cmis:isImmutable" propertyDefinitionId="cmis:isImmutable">
  <cmis:value>false</cmis:value>
</cmis:propertyBoolean>
<cmis:propertyBoolean displayName="cmis:isMajorVersion" localName="cmis:isMajorVersion" propertyDefinitionId="cmis:isMajorVersion">
  <cmis:value>false</cmis:value>
</cmis:propertyBoolean>
<cmis:propertyId displayName="cmis:baseTypeId" localName="cmis:baseTypeId" propertyDefinitionId="cmis:baseTypeId">
  <cmis:value>cmis:document</cmis:value>
</cmis:propertyId>
<cmis:propertyString displayName="cmis:contentStreamFileName" localName="cmis:contentStreamFileName" propertyDefinitionId="cmis:contentStreamFileName">
  <cmis:value>test.txt</cmis:value>
</cmis:propertyString>
<cmis:propertyDateTime displayName="cmis:lastModificationDate" localName="cmis:lastModificationDate" propertyDefinitionId="cmis:lastModificationDate">
  <cmis:value>2010-09-09T18:06:31.987Z</cmis:value>
</cmis:propertyDateTime>
</cmis:properties>
<cmis:acl/>
<cmis:exactACL>false</cmis:exactACL>
<cmis:policyIds/>
<cmis:rendition/>
</cmisra:object>
</entry>

```

Then, get the **test.txt** file content via CMIS by using the **file** service and **id** of the file "test.txt" from **childs.xml**:

```
curl -o test.txt -u root:gtn http://localhost:8080/rest/private/cmisisatom/Managed%20Sites/file/f708e208c0a80003554babb97bd934ba
```

Get results in the test.txt file in the local folder. In this way we got file stored in **Sites Explorer** to folder /acme/documents/test.txt via **eXo CMIS** by symlink path /acme/categories/acme/News/test.txt. As it seen file's actual content referenced by id in CMIS. Path has no matter for content read or change.

4.3.3. Modify WCM via CMIS



Note

Upload the modified local file using the command with id of the file stored in WCM (it's jcr:uuid of the file in JCR Workspace). Note that you should run this command from the folder where the local file is stored.

To update any file via CMIS, use the **file** service and the PUT request. Use the same file as in the previous usecase (/acme/documents/test.txt, id:f708e208c0a80003554babb97bd934ba).

```
curl -T test.txt -X PUT -H "Content-Type:text/plain; charset=UTF-8" -u root:gtn http://localhost:8080/rest/private
```

Go to the **Sites Explorer** and see changes applied from the local file in /acme/documents/test.txt.

Chapter 5. Code examples

Examples of CMIS usage

Chapter 6. Miscellaneous and Tips

TODO Helpful information for developers on top of eXo CMIS

Chapter 7. References

xCMIS project links:

- Community site <http://xcmis.org/>.
- Forum <http://groups.google.com/group/xcmis>.
- xCMIS latest news <http://gazarenkov.blogspot.com/>.
- eXo Platform blog <http://blog.exoplatform.org/>.
- <http://xcmis.org/CmisExpert1/org.exoplatform.cmis.CmisExpertApplication/CmisExpertApplication.html> .

CMIS-related links:

- http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=cmis .
- TODO CMIS working group (list, mail, feeds etc).
- TODO CMIS external tutorials, guides, videos, blogs, news.
- TODO CMIS clients, UI, web.